

Index

	Papers and boards for wrapping, separating and covering	Pages 2 - 10	1
	Filling and cushioning materials for bracing, padding, blocking and surface protection	Pages 11 - 38	2
	Boxes, containers and pallets for shipping, warehousing and conveying	Pages 39 - 47	3
	Adhesive tapes, labels and glue for sealing, shipping, insulating, protecting, binding and splicing	Pages 48 - 62	4
	Postal packaging materials for shipping, packing and protecting	Pages 63 - 75	5
	Films for securing, exporting, covering and protecting against dirt and damp	Pages 76 - 83	6
	Strapping and stapling for securing, containing and warehousing	Pages 84 - 87	7
	Packaging machines and equipment for stretching, strapping, assembling, sealing and conveying	Pages 88 - 100	8
	Bags and sacks for storing, sealing, sending, securing and protecting	Pages 101 - 105	9
	Food packaging for baking, cooking, separating and preserving	Page 106	10
	Protection against corrosion for conserving, warehousing and exporting	Pages 107 - 113	11
	Bespoke packaging for conveying, exporting and internal logistics	Pages 114 - 117	12
	Services and consulting for testing, maintaining, processing, informing, developing and disposing	Pages 118 - 119	13
	Hygiene For washroom and healthcare environments	Pages 120 - 121	14



renewable



recyclable



thermic recycling



made out of
recycled material



compostable



reusable



low waste

Keep an eye out for the environmentally-friendly packaging symbols

Pure Kraft Paper

Tough packaging material



Product description

- Natural brown packaging paper made from sulphate pulp
- Well bonded fibres ensure the paper is robust

Applications

- Outer packaging
- Wrapping paper, particularly for parcels
- Interleaving

Available

- Roll or sheet format

Advantages

- + Particularly robust
- + Can be printed and processed to customer specifications
- + Machine-finished

Product range



Item no.	Item description	Grammage	Dimensions	Unit
16411	Masterline MG pure kraft paper	90 gsm	700 mm x 1150 mm	250 sheets per pack
16402	Masterline MG pure kraft paper	70 gsm	900 mm x 1150 mm	250 sheets per pack
16414	Masterline MG pure kraft paper	90 gsm	900 mm x 1150 mm	250 sheets per pack
16413	Masterline MG pure kraft paper	90 gsm	1150 mm x 1400 mm	125 sheets per pack
70167	Masterline MG pure kraft paper	70 gsm	500 mm x 300 m	Rolls
16422	Masterline MG pure kraft paper	90 gsm	600 mm x 220 m	Rolls
16420	Masterline MG pure kraft paper	70 gsm	600 mm x 280 m	Rolls
16423	Masterline MG pure kraft paper	90 gsm	750 mm x 220 m	Rolls
16415	Masterline MG pure kraft paper	70 gsm	750 mm x 280 m	Rolls
70077	Masterline MG pure kraft paper	70 gsm	750 mm x 300 m	Rolls
16424	Masterline MG pure kraft paper	90 gsm	900 mm x 220 m	Rolls
70168	Masterline MG pure kraft paper	70 gsm	900 mm x 300 m	Rolls
16417	Masterline MG pure kraft paper	90 gsm	1000 mm x 220 m	Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Sack kraft

Versatile, unbleached kraft paper



Product description

- Unbleached, brown kraft paper made from fresh sulphate pulp
- Machine-finished

Applications

- Inner and outer packaging
- Interleaving
- Interlayer

Available

- Roll or sheet format

Advantages

- + Cost-effective
- + Environmentally-friendly
- + Robust

Alternative products

3 Imitation kraft paper

Additional products

48 Polypropylene tape
100 Cutting stand



Imitation & Recycled Kraft

Cost-effective wrapping paper



Product description

- An economy wrapping paper made entirely from recycled fibre

Applications

- Suitable for light and medium duty applications

Available

- Roll or sheet format

Advantages

- + Cost effective recycled kraft paper, good for interleaving, light and medium applications.

Product range



Item no.	Item description	Grammage	Dimensions	Unit
16376	Imitation kraft paper	90 gsm	700 mm x 1150 mm	250 sheets per pack
16377	Imitation kraft paper	90 gsm	900 mm x 1150 mm	250 sheets per pack
16378	Imitation kraft paper	95 gsm	900 mm x 1150 mm	250 sheets per pack
70044	Imitation kraft paper	70 gsm	900 mm x 1150 mm	25 sheets per pack
70043	Imitation kraft paper	70 gsm	900 mm x 1150 mm	240 sheets per pack
70015	Imitation kraft paper	70 gsm	500 mm x 300 m	Rolls
70035	Imitation kraft paper	90 gsm	600 mm x 225 m	Rolls
70017	Imitation kraft paper	70 gsm	600 mm x 250 m	Rolls
70020	Imitation kraft paper	70 gsm	750 mm x 250 m	Rolls
70026	Imitation kraft paper	70 gsm	750 mm x 300 m	Rolls
16389	Imitation kraft paper	95 gsm	900 mm x 220 m	Rolls
70038	Imitation kraft paper	90 gsm	900 mm x 225 m	Rolls
16382	Imitation kraft paper	95 gsm	900 mm x 235 m	Rolls
70023	Imitation kraft paper	70 gsm	900 mm x 250 m	Rolls
70260	Recycled kraft paper	70 gsm	600 mm x 275 m	Rolls
70264	Recycled kraft paper	70 gsm	800 mm x 240 m	Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Filla paper

Good quality and cost-effective



Product description

- Made entirely of recycled paper
- Soft, flexible and easily shaped

Applications

- Paper infill material
- Lining paper
- Interleaving

Available

- Roll or sheet format

Advantages

- + Environmentally-friendly, made from recycled paper
- + Large volume void filler
- + Different colours available

Alternative products

- 6-7 Tissue papers
- 21 FillPak TT®

Additional products

- 100 Roll dispensers

Product range



Item no.	Item description	Grammage	Dimensions	Unit
78767	Filla paper	60 gsm	600 mm x 400 m	Roll
78768	Filla paper	60 gsm	500 mm x 400 m	Roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Kraft union

Reliable protection against dirt and moisture



Product description

- Made from two layers of pure kraft bound together with bitumen, providing a superb waterproof barrier.

Applications

- Ideal for case and pallet lining.

Available

- Roll and sheet format.

Advantages

- + Waterproof kraft paper which is used for protecting products from moisture, good for layering on pallets whilst in storage and in transit.

Product range



Item no.	Item description	Grammage	Dimensions	Unit
16437	Kraft union paper	120 gsm	900 mm x 100 m	Rolls
52914	Kraft union paper	120 gsm	1200 mm x 1000 mm	5000 sheets per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Waxed kraft paper

Grease and oil resistant



Product description

- Kraft paper impregnated with wax for use as a primary wrapping where a grease or oil resistant barrier is essential.

Applications

- Wax kraft paper which is used for protecting oil/greasy products whilst in storage and in transit.

Available

- Roll or sheet format

Advantages

- + Extensively used in the engineering and machine tool industry for over wrapping parts and spares.

Product range



Item no.	Item description	Grammage	Dimensions	Unit
16449	Waxed kraft paper	65 gsm	900 mm x 100 m	Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

One stop shop for packaging materials, systems, solutions and services:

- Extensive product range
- Tailored service
- Expert advice
- Bespoke design capability
- Reliable deliveries
- Sustainable solutions



The Complete Package for industry, export and logistics

Poly coated kraft paper



Alternative products

- 5** Poly coated crepe paper
- 110** Valéron®
- 109** VACUPAC composite aluminium foil

Additional products

- 98** Heat-sealing tongs
- 45** Palletised containers
- 46** Plywood crate
- 41** Corrugated boxes

Waterproof paper

Product description

- Pure kraft paper with polyethylene coating
- Ideal wrapping paper as it moulds well to the shape of packaged goods

Applications

- Sealable, waterproof packaging for export goods
- Lining for packing cases and carrier boxes
- Also for wrapping coils, rods, pipes and other components which are greased or moisture sensitive
- Used as a cover for greased parts, as a barrier layer between other packaging materials, as a lining for drip areas and also for covering wood, leather and textiles
- Can also be used as a thin, lightweight moisture barrier

Available


- Supplied as standard 100 cm rolls
- Narrow rolls, bags, box inserts/covers and pre-cut parts available on request

Advantages

- + Clean packaging material which provides reliable protection against dirt and moisture
- + Environmentally-friendly alternative to waxed or bituminised paper
- + Can be labelled, printed or glued directly
- + Heat-sealable



Poly coated crepe paper



Alternative products

- 5** Poly coated kraft paper
- 110** Valéron®
- 109** VACUPAC composite aluminium foil

Additional products

- 98** Heat-sealing tongs
- 45** Palletised containers
- 46** Plywood crate
- 40** Corrugated boxes

Reliable protection against dirt and moisture

Product description

- Pure kraft crepe paper with a polyethylene coating and high tear resistance
- Oilproof and greaseproof
- Low-stretch crepe
- High quality guaranteed by trademark no. 891280

Applications

- Waterproof packaging for export products prone to corrosion (bags, covers)
- Lining for packing cases and carrier boxes
- Also for wrapping coils, rods and pipes

Available

- Supplied as original 100 cm and 150 cm rolls, narrow rolls, bags, box inserts/covers

Advantages

- + Heat-sealable, waterproof packaging for heavy goods
- + Can be labelled, printed and glued



Visit our new website!

- New design
- New online shop
- More information



www.antalispackaging.co.uk



Better all round.

MG Cap tissue paper

Versatile and environmentally-friendly



Alternative products

7 News offcuts

Additional products

40 Corrugated boxes

Product description

- Packing tissue made from recycled paper

Applications

- For wrapping and filling
- Interleaving
- Padding material

Available

- Supplied as sheets, rolls, special formats

Advantages

- + Environmentally-friendly as made from recycled paper
- + Pliable
- + Useful for a wide range of applications
- + Good value for money

Product range



Item no.	Item description	Grammage	Dimensions	Unit
16351	MG Cap tissue paper	19 gsm	450 mm x 700 mm	480 sheets per ream
70053	MG Cap tissue paper	18 gsm	500 mm x 750 mm	480 sheets per ream

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Acid free tissue paper

Pure paper for delicate surfaces



Additional products

40 Corrugated boxes

Product description

- Tough, wood-free tissue paper made from sulphate pulp
- Contains no corrosion-promoting substances

Applications

- For wrapping delicate metal goods
- Interleaving
- Padding material

Available

- Supplied as rolls and sheets in various sizes

Advantages

- + Pure, suitable for delicate goods
- + Can be processed to customer specifications
- + Printable

Product range



Item no.	Item description	Grammage	Dimensions	Unit
16348	MG Cap tissue paper	18 gsm	450 mm x 700 mm	480 sheets per ream
16349	MG Cap tissue paper	18 gsm	500 mm x 750 mm	480 sheets per ream

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Packaging test laboratory

Antalis Packaging operates an in-house laboratory that inspects incoming goods and conducts quality assurance tests on paper, board, films, tapes and corrosion protection. We test bursting pressure, tensile strength, breaking length, water tightness, pH value, Cobb value, grammage, thickness, etc.

We are also more than happy to carry out material testing on your behalf.

News offcuts

Cost-effective packaging paper



Alternative products

6-7 Tissue papers

Additional products

100 Roll dispensers

Product description

- Lightweight, smooth-surfaced paper made from recycled paper

Applications

- Interleaving
- Filling paper
- Wrapping paper

Available

- Supplied in sheet format

Advantages

- + Low tear resistance
- + Machine-finished
- + Smooth-surfaced

Product range



Item no.	Item description	Dimensions	Unit
05764	News offcuts	770 mm x 1010 mm	260 sheets per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Coloured tissue paper

Vibrant decorative gift packaging



Alternative products

6-7 Tissue papers

Additional products

100 Roll dispensers

Product description

- Plain coloured tissue paper

Applications

- Retail gift wrap with a quality presentation
- For wrapping presents or as a filler in a gift bag or box
- Ideal for craft and hobby projects such as tissue paper flowers

Available

- Supplied in sheets in a range of bright colours

Advantages

- + Reusable, recyclable and degradable
- + Soft and manageable
- + Protects and enhances product appearance

Product range



Item no.	Item description	Thickness	Dimensions	Unit
69999	Coloured tissue paper - Black	18 gsm	500 mm x 750 mm	100 sheets per pack
70005	Coloured tissue paper - Blue	18 gsm	500 mm x 750 mm	100 sheets per pack
70007	Coloured tissue paper - Pink	18 gsm	500 mm x 750 mm	100 sheets per pack
70008	Coloured tissue paper - Red	18 gsm	500 mm x 750 mm	100 sheets per pack
70009	Coloured tissue paper - White	18 gsm	500 mm x 750 mm	100 sheets per pack
70010	Coloured tissue paper - Yellow	18 gsm	500 mm x 750 mm	100 sheets per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Masking paper

Ideal for painting jobs



Additional products

56 Masking tape

Product description

- Recycled paper with a smooth and even surface
- Wound onto a 50 mm core

Applications

- For masking purposes when painting

Advantages

- + Made from recycled paper
- + Recyclable
- + Especially smooth, even surface
- + Highly absorbent and low porosity
- + Roll widths suitable for the application

Product range



Item no.	Item description	Grammage	Dimensions	Unit
46895	Masking paper	45 gsm	450 mm x 360 m	Roll
46896	Masking paper	45 gsm	900 mm x 360 m	Roll
46897	Masking paper	45 gsm	1200 mm x 360 m	Roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Non-slip paper

Prevents products slipping



Alternative products

9 Greyboard

Additional products

- 47** Plastic pallets
- 47** Compressed wood/Inca pallets
- 40** Corrugated boxes

Product description

- Kraft cellulose paper coated with an aqueous solution
- Very rough surface which reliably prevents goods from slipping
- High tear strength
- Temperature-resistant between -20° and +70°C
- Coefficient of sliding friction > 0.60 μ D - slip angle from 55 - 75 degrees

Applications

- Prevents packaged goods from slipping
- Mainly used as pallet interleaving
- Also used as outer covering

Advantages

- + Can be processed to meet customer specifications
- + Recyclable
- + Does not generate dust, completely non-toxic



packCONSULT: the right advice every time!



The packCONSULT team analyses the internal packaging logistics of your company, the packing material used as well as the packaging process. The aim of the study is to pinpoint the areas where savings can be made and to draw up proposals for improvement in the form of a packaging concept. See also page 119.

On your behalf, we will optimise:

- Purchasing costs
- Warehousing costs
- Workstation ergonomics
- Packaging handling



Greyboard

Highly versatile



Product description

- Cardboard with one smooth side
- Can be folded, scored, punched
- Made from 100% recycled paper

Applications

- Fancy and solid board boxes
- Folding boxes, backing for writing pads or calendars, ledgers and stiffening
- Interleaving for all goods in crate pallets and on standard pallets

Available

- Various formats, grammages and thicknesses available
- Also supplied with PE-coating

Advantages

- + Suitable for a wide variety of applications
- + Cost effective

Product range



Item no.	Item description	Grammage	Dimensions	Unit
84402	Emblem greyboard	450 gsm (750 m)	A4 210 mm x 297 mm	285 Sheets per bundle
16067	Emblem greyboard	900 gsm (1500 m)	760 mm x 1020 mm	35 Sheets per bundle
84409	Emblem greyboard	325 gsm (500 m)	450 mm x 640 mm	266 Sheets per bundle
84420	Emblem greyboard	325 gsm (500 m)	640 mm x 900 mm	133 Sheets per bundle
84447	Emblem greyboard	450 gsm (750 m)	760 mm x 1020 mm	72 Sheets per bundle
84494	Emblem greyboard	1440 gsm (2250 m)	760 mm x 1020 mm	22 Sheets per bundle
84441	Emblem greyboard	1920 gsm (3000 m)	640 mm x 900 mm	22 Sheets per bundle
84495	Emblem greyboard	1920 gsm (3000 m)	760 mm x 1020 mm	16 Sheets per bundle
30871	Emblem greyboard	1350 gsm (2250 m)	640 mm x 900 mm	32 Sheets per bundle
66341	Emblem greyboard	720 gsm (1200 m)	715 mm x 1015 mm	25 Sheets per bundle
66342	Emblem greyboard	720 gsm (1200 m)	1054 mm x 1562 mm	25 Sheets per bundle
66343	Emblem greyboard	1020 gsm (1700 m)	715 mm x 1015 mm	25 Sheets per bundle
66344	Emblem greyboard	1046 gsm (1700 m)	895 mm x 1275 mm	25 Sheets per bundle
66345	Emblem greyboard	1200 gsm (2000 m)	715 mm x 1015 mm	25 Sheets per bundle
66346	Emblem greyboard	1230 gsm (2000 m)	1054 mm x 1562 mm	45 Sheets per bundle
84424	Emblem greyboard	900 gsm (1500 m)	640 mm x 900 mm	45 Sheets per bundle
84430	Emblem greyboard	1440 gsm (2250 m)	640 mm x 900 mm	30 Sheets per bundle
84422	Emblem greyboard	450 gsm (750 m)	640 mm x 900 mm	96 Sheets per bundle
84423	Emblem greyboard	540 gsm (900 m)	640 mm x 900 mm	80 Sheets per bundle
84419	Emblem greyboard	750 gsm (1250 m)	450 mm x 640 mm	115 Sheets per bundle
84410	Emblem greyboard	450 gsm (750 m)	450 mm x 640 mm	192 Sheets per bundle
84415	Emblem greyboard	540 gsm (900 m)	450 mm x 640 mm	160 Sheets per bundle

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



PACKAGING

Materials - that save you money
Systems - that save you time
Solutions - that enhance your business
Services - that you can rely on



Image office papers



For laser, inkjet or digital printing

The Image range has eight grades from everyday copier paper to super smooth premium paper for high impact colour printing, and environmental options including recycled paper and FSC® certifications.

The Image range features the widest selection of papers to suit all your office paper needs, including:

Image Impact Plus

An ultra-smooth white paper which offers excellent colour reproduction for graphics and images, and is guaranteed for use on all office equipment and for offset and digital printing. It produces superior print quality and guarantees extremely sharp and well-defined images and text. FSC accredited for sustainability, guaranteed to 200 years+ for archiving and has built in ColorLok® technology for even better print results

Image Business

A versatile bright white office paper guaranteed for spot colour laser and inkjet printing, suitable for double sided high volume printing and copying and ideal for a diverse range of communication tasks, from internal reports to customer-facing presentations with text and graphics. FSC accredited for sustainability and guaranteed to 200 years+ for archiving.

Image Volume

A standard office paper guaranteed for single colour inkjet and laser printing, it is suitable for high volume printing and copying. It is ideal for in-house reports, memos and communications.

For the other papers in the Image range, **Just ask Antalis!**

Product range



Item no.	Item description	Grammage	Dimensions	Unit
62709	Image Impact Plus - A4	80 gsm	210 mm x 297 mm	500 sheets per ream
62710	Image Impact Plus - A4	90 gsm	210 mm x 297 mm	500 sheets per ream
62716	Image Impact Plus - A4	100 gsm	210 mm x 297 mm	500 sheets per ream
62722	Image Impact Plus - A4	120 gsm	210 mm x 297 mm	250 sheets per ream
62728	Image Impact Plus - A4	160 gsm	210 mm x 297 mm	250 sheets per ream
62711	Image Impact Plus - A3	80 gsm	420 mm x 297 mm	500 sheets per ream
62713	Image Impact Plus - A3	90 gsm	420 mm x 297 mm	500 sheets per ream
62719	Image Impact Plus - A3	100 gsm	420 mm x 297 mm	500 sheets per ream
62725	Image Impact Plus - A3	120 gsm	420 mm x 297 mm	250 sheets per ream
62731	Image Impact Plus - A3	160 gsm	420 mm x 297 mm	250 sheets per ream
62662	Image Business - A4	80 gsm	210 mm x 297 mm	500 sheets per ream
62668	Image Business - A4	90 gsm	210 mm x 297 mm	500 sheets per ream
62674	Image Business - A4	100 gsm	210 mm x 297 mm	500 sheets per ream
62665	Image Business - A3	80 gsm	420 mm x 297 mm	500 sheets per ream
62671	Image Business - A3	90 gsm	420 mm x 297 mm	500 sheets per ream
62677	Image Business - A3	100 gsm	420 mm x 297 mm	500 sheets per ream
62650	Image Volume - A4	80 gsm	210 mm x 297 mm	500 sheets per ream
62659	Image Volume - A3	80 gsm	420 mm x 297 mm	500 sheets per ream

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Masterline ePacker

Your smart packaging superhero!

NEW



ePacker



Product description

- Lightweight and compact air cushion system
- Produces a continuous chain of air cushions to fill voids in shipping boxes at the touch of a button

Applications

- Void fill cushioning for shipping boxes
- Ideal for e-commerce companies despatching 5-15 parcels per day

Advantages

- + Professional and secure product shipment at the touch of a button
- + Can be set up wherever it is needed, saving precious workspace
- + Easy to install and operate - simply plug and play!
- + Air bags can be re-used and are 100% recyclable
- + Internal compressor works with ambient air
- + Each reel of ePacker film has an RFID sticker on the core allowing the machine to automatically set the right amount of air and welding temperature
- + 150m roll produces a continuous chain of 200 x 130mm air cushions at a rate of up to 7.5m per minute



MASTERLINE®

Product range

Item no.	Item description	Dimensions	Unit
96015	Masterline ePacker starter kit: Machine and 1 roll of film	360 mm x 330 mm x 280 mm	Each
96016	Masterline ePacker film	200 mm x 130 mm x 150 m	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Fill-Air Rocket™

Inflatable packaging system



Product description

- Innovative inflatable void fill solution
- Faster, simpler, lighter and better prepared for your packaging operations

Sealed Air
Product Care

Applications

- Designed specifically to meet the needs of modern fulfilment
- Produces 30 metres of inflated void fill cushions per minute
- Increased productivity for demanding environments

Advantages

- + Small and light
- + Easy to install in a variety of packaging line configurations
- + Easy to use
- + Stop and start automatically on a cross seal every time
- + Automated tracking control
- + Auto-replenishment sensor
- + Quiet mode option
- + Versatile film options



AirSpeed HC Versa



Alternative products

- 15** NewAir I.B.®
- 19** PadPak Compact™
- 21** FillPak TT®

Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes



Hybrid cushioning system

Product description

- Hybrid air cushioning system
- Produces a variety of cushion heights and widths on demand

Applications

- Perfect for operations that package products with varying demand, size and shape
- Large volume cushioning, wrapping and packing
- Blocking and bracing
- Can be coupled with other AirSpeed Systems to handle side or bottom fill

Advantages

- + Can run at over 75 feet per minute
- + Easy to load, and operate
- + Compact profile enables easy placement and flexibility for tight work areas
- + Reduced storage and material handling costs
- + Low maintenance costs
- + Lower total cost compared to other packaging materials
- + HC AutoFlow™ dispenser separates cushions without tearing
- + Multiple machine options provide operational flexibility
- + Compatible with sophisticated delivery systems for large scale operations
- + Multiple film choices and pillow sizes to maximise performance
- + High yield configurations provide reduced material consumption
- + Excellent film clarity

AirSpeed Smart



Alternative products

- 13** AirSpeed 5000
- ??** Fill-Air Cyclone®
- 19** PadPak Compact™
- 21** FillPak TT®

Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes



Inflatable void-fill system

Product description

- Lightweight and compact air cushion system
- Creates inflatable cushions on-demand for compact or lower demand packaging operations
- Converts flat, easy-to-store, market leading performance film into lightweight, non-abrasive void-fill cushioning

Applications

- Void-fill cushioning
- Perfect for any small business with big packaging needs

Advantages

- + Self-contained, compact and portable (weighs just 12 kg)
- + Easy to operate – just load the film and press start
- + Single system produces inflated cushions of varying lengths and air fill levels
- + Easy installation, operation and low maintenance
- + No compressed air supply or compressor required
- + Very quiet
- + Convenient, quick and cost-effective

	AirSpeed Smart
Dimensions (L x W x H)	560 mm x 270 mm x 290 mm
Weight	12 kg
Power	240 volts, 1 amp
Air supply	Internal ambient

AirSpeed 5000

High speed air cushion system



Alternative products

- 12** AirSpeed Smart
- ??** Fill-Air Cyclone®
- 19** PadPak Compact™
- 21** FillPak TT®

Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes

Product description

- Lightweight and compact air cushion system
- Creates inflatable cushions on-demand using ambient air
- Converts flat, easy-to-store, market leading performance film into lightweight, non-abrasive void-fill cushioning

Applications

- Void-fill cushioning and containment
- Protection from shock, abrasion and vibration during transit
- Ideal for high volume centralised packaging

Advantages

- + Self-contained, compact and portable
- + Easy to operate – just load the film and press start
- + Single system produces inflated cushions of varying lengths and air fill levels
- + Easy installation, operation and low maintenance
- + No compressed air supply or compressor required
- + Can run at over 75 feet per minute
- + No need for bulky storage/dispensing systems

AirSpeed Films

High performance air cushion technology



Product description

- Polyethylene film rolls for use on AirSpeed air cushion systems
- Rolls feature ready perforated cushions for ease of use

Advantages

- + Clean, neat and dust free for improved customer satisfaction
- + Space reduction - rolled film takes up less than 1% of its inflated volume
- + Lightweight - lowest possible shipping cost
- + Air retention - improved film and sealing means lower "leaker" rates
- + Improved yield - truth in sizing means no "skirt" loss and more void fill per roll
- + Stronger seal quality - ensures more reliable performance through transit cycle
- + Excellent tensile strength - greater tear and puncture resistant than standard films
- + Non-abrasive - soft, smooth film surface
- + Transparent - improved product visibility, no product "lost" in packaging
- + Environmentally friendly - cushions are 100% recyclable and reusable

Product range



Item No.	Item description	Roll dimensions	Perf Interval	Unit
69133	Air Film HP	200 mm x 500 m	100 mm	Each
69135	Air Film HP	200 mm x 500 m	150 mm	Each
69136	Air Film HP	200 mm x 500 m	200 mm	Each
69140	Air Film HP	400 mm x 250 m	100 mm	Each
69141	Air Film HP DG	200 mm x 500 m	200 mm	Each
69139	Air Film HP UB	200 mm x 750 m	150 mm	Each
69138	Air Film HP UB	200 mm x 750 m	200 mm	Each
69143	Air Film HPT	200 mm x 500 m	100 mm	Each
69146	Air Film HPT	200 mm x 500 m	200 mm	Each
69148	Air Film HPT	400 mm x 250 m	100 mm	Each
69122	Air Film EP	275 mm x 800 m	200 mm	Each
69121	Air Film EP UB	200 mm x 800 m	200 mm	Each
69120	Air Film EP UB	200 mm x 1220 m	200 mm	Each

Wonderfil™ Wrap

On demand inflatable packaging



Product description

- Unique packaging solution of a low-cost inflator and bag with a one-way valve to create contour voidfill
- Take a WFW and the next one automatically inflates... there's always one waiting



Applications

- Suitable for home, office or industrial use

Available

- Two bag sizes available

Advantages

- + Compact system saves space
- + Quick, clean and durable
- + Dramatically reduces operator skills required in loading
- + No heat sealing and no cutting
- + Reusable – a straw deflates the wrap and re-inflates when needed
- + Recyclable – all polyethylene construction
- + Low energy consumption
- + High reliability at low cost

Product range



Item no.	Item description	Dimensions	Unit
71556	Wonderfil™ Wrap inflator starter kit	140 mm x 200 mm x 120 mm	Each
71572	Wonderfil® Wrap short inflatable bag	387 mm x 276 mm	200 per box
71530	Wonderfil® Wrap long inflatable bag	387 mm x 558 mm	100 per box

Rapid Fill®

Automated void fill system



Product description

- Automated void fill system
- Void detection bag inflation process



Applications

- Fill and seal up to 10 cartons per minute

Available

- Seven void fill bags sizes available

Advantages

- + Easy to use
- + Space efficient
- + Packs safe and secure
- + Cost Effective
- + Fast and reliable
- + Available to rent



When it matters most...

No matter what product needs sending, from blue suede shoes to heavy industrial parts, Antalis Packaging have it covered.

Our range of protective packaging products are ideal for online retailers, third-party logistics and mail order customers.



Pack-it, Seal-it, Post-it, Trust-it.

NewAir I.B.®

Barrier bubble cushioning system



Product description

- Versatile, inflatable cushioning system
- Fast and reliable

Applications

- For all packing environments

Available

- Various films sizes and grades
- Accessories suit all applications

Advantages

- + Patented barrier film bubble cushioning
- + Excellent cushioning properties throughout entire shipping cycle
- + Small foot print, enormous production capabilities
- + Additional bolt on products available



Alternative products

- 12** AirSpeed HC Versa
- 19** PadPak Compact™
- 21** FillPak TT®

Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes



NewAir I.B.® machines

Item no.	Item description	Unit
72409	NewAir I.B.® Express inflatable cushioning system 1001PFA-02 *Available to rent	Each
72432	NewAir I.B.® Express roll winder 1040PAP-01	Each
72433	NewAir I.B.® Express stand assembly 1118PBF-01	Each

NewAir I.B.® film



Item no.	Item description	Dimensions	Unit
72422	Barrier bubble film medium premium (12.7 mm Inflated) 100640583	400 mm x 762 m Perf @ 320 mm	24 Rolls
72428	Barrier bubble film large regular (19 mm Inflated) 100729423	400 mm x 762 m Perf @ 320 mm	24 Rolls
72429	Barrier bubble film large regular (19 mm Inflated) 100645543	800 mm x 610 m Perf @ 320 mm	12 Rolls

FillTek™

Inflatable cushioning system



Product description

- High performance inflatable cushioning system

Applications

- Cushioning, wrapping protection

Available

- Many grades of film to suit all applications

Advantages

- + System allows you to work on line or batch materials off line
- + Material on demand
- + Cost Effective
- + Space saving, high performance protective packaging
- + Available to rent



Alternative products

- 13** AirSpeed 5000
- 19** PadPak Compact™
- 21** FillPak TT®

Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes



PadPak®

Paper cushioning system



- 1 PadPak Junior converter
- 2 PadPak Senior converter
- 3 PadPak coiler to manufacture rolls of cushioning pads
- 4 PadPak Senior under table structure

Additional products

- 48 Polypropylene tape
- 40 Corrugated boxes

Product description

- Cushioning and filling system based on robust kraft paper
- The PadPak® system consists of paper and a converter
- The special two or three layer paper is transformed on-site, in the right quantity and exactly when required into shock-absorbent paper cushioning
- The paper cushioning can be shaped and adapted to fit the goods for packaging
- Easy and ergonomic to use

Applications

- Holds goods in place in outer packaging
- Ideal for wrapping mail order goods
- Flexible cushioning material



Available

- Various converter models can be rented on favourable terms, which includes maintenance
- Easily installed in any packing department

Advantages

- + Rapid production of paper cushioning saves time
- + Reduction in amount of packaging materials used
- + Reduction in transport damage
- + Single-material packaging when used with cardboard boxes
- + Can be used anywhere
- + Ideal for any type of packing department
- + Customised integral solutions using special frames available
- + Paper rolls require little storage space (e.g. compared to loose fill)



PadPak machines

Item no.	Item description	Unit
10698	PadPak junior machine	Each
10699	PadPak senior machine and stand	Each

PadPak paper



Item no.	Item description	Grammage	Dimensions	Unit
10703	PadPak junior paper	70 gsm	160 m	Roll
10701	PadPak senior 2 ply paper	70/70 gsm	290 m	Roll
10702	PadPak senior 2 ply paper	50/70 gsm	335 m	Roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

PadPak: examples of integrations



PadPak Converter is a space-saving addition to your mailroom.



Consumables are directly stored at the workstation in the practical stack and therefore quickly available at all times.



Optimal exploitation of the existing packing room.

PadPak cross: packaging example



Cushioning

PadPak snail: packaging example



Cushioning

PadPak LC™



Alternative products

16 PadPak®

Additional products

48 Polypropylene tape
40 Corrugated boxes



Unparalleled cushioning

Product description

- The PadPak LC system consists of continuous paper and a converter
- The paper is processed in the converter on-site, in the right quantity and exactly when required to form shock-absorbent paper cushioning
- Low paper consumption as single-layer paper is used
- The paper cushioning can be shaped and adapted to fit the goods for packaging
- Simple, ergonomic operation
- Three different operating modes
- The machine is installed quickly and easily

Applications

- Cushioning for lightweight and medium-weight goods
- Holds dispatch goods in place in the outer packaging
- Void-filling material

Available

- Converter can be rented on very favourable terms, including maintenance
- Single-layer paper supplied in boxes, on pallets

Advantages

- + High-speed processing, making it extremely economical
- + Excellent cushioning
- + Versatile and suitable for a wide range of dispatch goods
- + Converter can be adjusted to meet requirements of packaging site and the operating staff
- + Customised integral solutions using special frames available

PadPak LC machine

Item no.	Item description	Unit
10697	PadPak LC light cushioning machine	Pack

PadPak LC paper



Item no.	Item description	Grammage	Dimensions	Unit
10700	PadPak LC paper	90 gsm	300 m	Pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

The Iceberg Principle

We will help you avoid the cost traps!

Packaging materials are classified in the business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs. The potential for optimisation and savings is astronomical.

Just ask Antalis!

100 %

20 %

Packaging material costs
Manufacturing costs

80 %

Upstream and downstream process costs
e.g.
• order processing
• warehousing
• quality control
• administration, etc.



PadPak compact™

Flexible workstation system



Product description

- Tried and tested system comprised of a converter and continuous kraft paper in the form of rolls or packs

Applications

- Excellent cushioning for light to moderately heavy goods
- Blocking and cushioning of the products in the surrounding packaging

Available

- Supplied as a rental system
- Customer-specific integration solutions with special stands available

Advantages

- + Tabletop device can be easily and flexibly integrated into the existing workstation, dispensing with the need for inconvenient round trips
- + Converter can be adjusted to each packing area and packer
- + Can be used in small spaces
- + User-friendly paper loading or changing system
- + Small foot pedal
- + Low noise level
- + Less material consumption through enhanced efficiency
- + Light rolls (8.5 kg) mean comfortable handling for packers
- + Flexible packaging with narrower paper pads in small (<10 l) and medium-sized (10-75 l) boxes
- + Environmentally-friendly packaging material

Alternative products

- 16 PadPak®
- 18 PadPak LC™

Additional products

- 40 Corrugated boxes
- 48 Polypropylene tape



PadPak compact machine

Item no.	Item description	Unit
44022	PadPak compact paper machine	Each



See our dedicated **Packaging Systems** catalogue for our full range of packaging machinery, featuring stretch wrapping and carton handling systems from Lantech, cushioning and foam-in-place from Sealed Air, Airspeed and Intellipack, paper packaging from Ranpak, as well as our own Masterline machine programme.

To find out more, please contact our Systems Sales & Engineering Support team on **01606 567013** or email **packaging-systems@antal.co.uk**



FillPak®

Void-fill system



Alternative products

- 6-7** Tissue papers
- 13** AirSpeed 5000
- 16** PadPak®
- 33** Loose fill
- 21** FillPak TT®

Additional products

- 100** Ergo line packing table
- 48** Polypropylene tape
- 40** Corrugated boxes

Product description

- Void-filling system consisting of a FillPak® converter and single-layered, folded paper
- The paper is crumpled in the converter to form the filling material
- The foot pedal is used to dispense the right amount of material to fill voids in goods packaging
- Strip of paper torn off automatically
- Three speeds: 0.5 m/s, 0.8 m/s, 1.5 m/s

Applications

- For filling voids in dispatch packaging

Available

- Customised integral solutions using special frames available

Advantages

- + Shorter cycle times, low material costs, reduced storage costs
- + For integration into almost any packaging process
- + Simple and ergonomic operation

FillPak® machine

Item no.	Item description	Unit
44031	FillPak® paper machine	Each
44044	FillPak® paper manual machine	Each

Automation with AccuFill



FillPak® AccuFill – the fully-automated paper-based void filling system. With its box filler level sensor, AccuFill automatically measures the void to be filled and calculates the filling amount.



Just ask Antalis about the possibilities of integrating the system into your packing room.



FillPak® void-filling system: 3 cubic metres of void-fill material produced from 0.03 cubic metres of folded paper in 5 minutes

Example of FillPak® and FillPak TT® integration



FillPak® packing station integration



FillPak TT® converter can be a space-saving addition to your mailroom

FillPak TT®

Flexible, portable void-fill system



Product description

- Void-filling system consisting of a FillPak TT® converter and folded paper
- The paper is crumpled in the converter to form the filling material
- A foot pedal is used to dispense the right amount of void-fill material (operation using 2 foot pedals is also possible)
- Perforated for easy tearing

Applications

- For filling voids in packaging boxes



Available

- Single-layer paper is supplied containing 500 m of folded paper
- Can be fixed to packing table with a table clamp, a base fitted with rollers or screwed into place

Advantages

- + Shorter cycle times, lower material costs, reduced storage costs
- + Converter can be set up and positioned exactly where required in the packaging department
- + Simple and ergonomic operation
- + Adaptable for mains or battery-operated use
- + Customised integral solutions using special frames available

Alternative products

- 6-7 Tissue papers
- 13 AirSpeed 5000
- 16 PadPak®
- 20 FillPak®
- 33 Loose fill

Additional products

- 100 Ergo line packing table
- 48 Polypropylene tape
- 40 Corrugated boxes

FillPak TT® machines

Item no.	Item description	Unit
70556	FillPak TT® kraft machine part 1	Each
61042	FillPak TT® kraft machine stand part 2	Each

FillPak TT® kraft paper



Item no.	Item description	Grammage	Dimensions	Unit
70557	FillPak TT® kraft paper fanfolded sheets	50 gsm	380 mm x 500 m	Pack
69519	FillPak TT® kraft paper fanfolded sheets	70 gsm	380 mm x 360 m	Pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



One pack of FillPak TT® paper generates the same volumes as three bags of loose fill and thus takes up less space in your warehouse.



Small machine, big result



Want to improve the ergonomics of your mailroom? The new FillPak TT® Cutter means that you no longer have to manually tear off the strand of paper and cuts off just the right length. The converter is available for a low monthly rental fee. Ask us about it!

FillPak M™

- Folded paper is crumpled by the converter and drawn directly into the box
- Flexible and fast filling system for every packing station
- A cheap solution for low-cost packaging
- Comes with a space-saving, height-adjustable stand



Item no.	Item description
44044	FillPak® manual machine



Instapak®

Foam packaging systems



Alternative products

- 24** Intellipack
- 23** Speedypacker insight

Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes



Product description

- Fast, versatile and cost-effective foam packaging solution
- Cuts your packaging costs without compromising product protection
- Engineered protection with a minimum of material

Applications

- Available to suit all packaging applications
- Suitable for home start business to blue chip multi nationals

Available

- To suit all budgets
- Packaging support right where you need it
- Packaging cost audits available

Advantages

- + Easy to use
- + Cost effective
- + Tried and tested
- + Product enhancing
- + Reduces damages
- + Space saving
- + Easily integrated into operations

Product range



Item no.	Item description	Product	Unit
72441	Instapak Quick®	RT 10	135 per box
72442	Instapak Quick®	RT 20	96 per box
72443	Instapak Quick®	RT 60	78 per box
72444	Instapak Quick®	RT 80	54 per box
72445	Instapak Quick®	RT Quick start kit	16 per box
72455	Instapak® large foam drum 210 litres	A Regular 103000205	250 kg drum
72457	Instapak® large foam drum 210 litres	B Instafill slow 103006150	213 kg drum

Instapak® Simple™

Superior packaging solution

NEW



Product description

- Foam-in-bag packaging system
- Merges the premium performance of Instapak® with an on-demand delivery system
- Packaging that just works, right out of the box

Applications

- Just-in-time foam-in-bag packaging expands on site
- Consistent, pre-determined packaging material every time
- Ensures the right amount of material is used, eliminating excess packaging

Advantages

- + Professional and secure product shipment at the touch of a button
- + Compact, mobile platform
- + Minimal investment, training and service
- + Powered through a standard electrical outlet
- + Pre-set push button operation
- + Small 2.5 gallon material bottles snap into place
- + Virtually mess-free: all foam components and materials are self-contained at all times



SpeedyPacker® Insight™

Packs safe and secure



Alternative products

- 26** AirCap®
- 24** Intellipack
- 30** Packaging foam
- 33** Loose fill

Additional products

- 40** Corrugated boxes
- 48** Polypropylene tape

Product description

- Foam-in-Bag packaging system
- Continuous foam tube (CFT) technology

Applications

- Ideal for electronics, spare parts, gift ware and ceramics
- Provides protection only where it is needed
- Ideal for high speed packing areas

Available

- Easy integration to any packaging department
- Flexible for any products
- Moulding systems available
- Increases the strength to the outer packaging

Advantages

- + Up to 21 foam filled bags per minute
- + Foam expands up to 280 times original volume
- + Cost effective
- + Space saving
- + Reduces damage to shipped goods



Instapak Quick® RT

Foam packaging anywhere instantly



Product description

- Innovative, highly protective foam packaging with no start-up costs
- Expands in seconds to form custom-fit protective foam cushions
- Can be activated straight from the box requiring no additional equipment

Applications

- Protects products of almost any size, shape and weight

Advantages

- + Product arrives in a neat professional package
- + Virtually eliminates shipping damage
- + Takes up little space and is completely mobile so you can use it anywhere
- + No dispensing system or warming unit needed

Create protective foam cushioning in a few simple steps:



Press hard on the component „A“ oval to break seal



Alternately „pat“ back and forth on the „A“ and „B“ ovals fifteen to twenty times



Nestle the product into the rising foam as soon as it begins to expand



Repeat the process with a second bag to form the upper cushion



Seal the box once the foam has stopped expanding

Intellipack

The intelligent foam-in-place process



Alternative products

22 Instapak®

Additional products

48 Polypropylene tape
40 Corrugated boxes



Product description

- Expanded polyurethane foam cushioning contained within polythene film
- Two liquids combine to rapidly expand forming a protective shell around a product

Applications

- Protective void-filling, blocking and bracing, cushioning or pre-moulded pads
- Used in high volume warehouses, distribution centres and manufacturing facilities

Advantages

- + Dynamic property - survives multiple impacts
- + Conforms to any product configuration
- + Superior protection when compared to alternative cushioning medium
- + Integrates into production line
- + Easy to inventory
- + Expands to more than 200 times its original liquid state
- + Outer film supplied flat on a roll
- + Fast

INTELLIPACK®

Product range



Item no.	Item description	Product	Unit
64104	Intellipack SmartFOAM	A-Liquid chemical - Isocyanate LD	55 gallon drum
64138	Intellipack SmartFOAM	B-Liquid chemical - Polyol SLD	55 gallon drum
64096	Intellipack SmartBAGGER film	Silver centrefold 482 mm (19")	Roll
64097	Intellipack SmartBAGGER film	Silver gusseted 482 mm (19")	Roll
64095	Intellipack SmartAIM film	Silver centrefold 1219 mm (48")	Roll
64179	Intellipack SmartLUBE	Cleaning solution	2 x 2.5 gallons

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Our specialist team of experienced service engineers are always on hand to provide installation, servicing or breakdown support for your packaging machinery.

For advice, ordering of spare parts, or to book a visit from one of our engineers, contact our dedicated systems support desk on

01606 567013 or email packaging-systems@antalis.co.uk

SmartBagger® Foam-in-Bag System

- Ergonomic, user-friendly, intuitive machine design
- User-friendly and intuitive display screen
- Programmable control panel
- Large, easy-to-push buttons
- Easy-to-thread film
- Long lasting mixing module and seals
- Zero maintenance expense, minimal downtime to change parts
- Automatic cleaning cycle
- Consistently creates the optimal performing foam
- Bagger options include: SmartTRAX pads or SmartCUSHION system



SmartSHOT® Handheld System

- + Handheld dispenser consistently creates the optimal performing foam
- + Tapered dispenser provides greater access and more precise dispensing
- + Heated dispenser minimises cold-shots
- + Insulated handle stays cool maximising comfort and safety
- + Special mounting plate allows for flexible mounting options
- + Engineered for maximum reliability
- + Long lasting mixing module and seals
- + Zero maintenance expense, minimal downtime to change parts



SmartSHOT® Hybrid Hand-Held/Bagger Machine

- All in one hand-held and bagger machine
- Small footprint, cost effective bagger option for low volume users
- Affordable option for the same maximum SmartSHOT benefits
- Package a wide variety of products with one piece of equipment



See our dedicated **Packaging Systems** catalogue for our full range of packaging machinery, featuring stretch wrapping and carton handling systems from Lantech, cushioning and foam-in-place from Sealed Air, Airspeed and Intellipack, paper packaging from Ranpak, as well as our own Masterline machine programme.

To find out more, please contact our Systems Sales & Engineering Support team on **01606 567013** or email packaging-systems@antalis.co.uk



Filling and cushioning materials

2

AirCap®

Barrier bubble wrap



Alternative products

30 Packaging foam

Additional products

48 Polypropylene tape

40 Corrugated boxes



Product description

- Bubble wrap made of co-extruded film containing barrier material
- Saves on materials because film is thinner than typical bubble wrap or dimpled films

Applications

- Surface protection
- Cushioning packaging
- Void-fill
- Protection against shock, impact and vibrations

Available

- Rolls, short rolls
- Perforated rolls
- Pre-cuts, bags
- Also available with anti-static and self adhesive finishes

Advantages

- + Barrier layer prevents air loss from bubbles
- + Less risk of product damage during shipment
- + Improved reusability
- + Easily removable
- + Recyclable

Product range



Item no.	Item description	Bubble size	Dimensions	Unit
66641	AirCap® EL light barrier sealed bubble wrap	Small bubble	750 mm x 60 m	1 roll per bundle
20442	AirCap® EL light barrier sealed bubble wrap	Small bubble	1500 mm x 75 m	1 roll per bundle
20443	AirCap® EL light barrier sealed bubble wrap	Small bubble	750 mm x 75 m	2 rolls per bundle
20444	AirCap® EL light barrier sealed bubble wrap	Small bubble	500 mm x 75 m	3 rolls per bundle
39720	AirCap® EL light barrier sealed bubble wrap	Small bubble	750 mm x 100 m	1 roll per bundle
96194	AirCap® HL medium barrier sealed bubble wrap	Medium bubble	1500 mm x 45 m	1 roll per bundle
96198	AirCap® HL medium barrier sealed bubble wrap	Medium bubble	750 mm x 45 m	2 rolls per bundle
96210	AirCap® HL medium barrier sealed bubble wrap	Medium bubble	500 mm x 45 m	3 rolls per bundle
96362	AirCap® HL medium barrier sealed bubble wrap	Medium bubble	300 mm x 45 m	5 rolls per bundle
16509	AirCap® TL/TS1 large barrier sealed bubble wrap	Large bubble	1500 mm x 45 m	1 roll per bundle
16510	AirCap® TL/TS1 large barrier sealed bubble wrap	Large bubble	750 mm x 45 m	2 rolls per bundle
16511	AirCap® TL/TS1 large barrier sealed bubble wrap	Large bubble	500 mm x 45 m	3 rolls per bundle
16512	AirCap® TL/TS1 large barrier sealed bubble wrap	Large bubble	300 mm x 45 m	5 rolls per bundle
16496	AirCap® DS extra large barrier sealed bubble wrap	Extra large bubble	1500 mm x 50 m	1 roll per bundle
16497	AirCap® DS extra large barrier sealed bubble wrap	Extra large bubble	750 mm x 50 m	2 rolls per bundle
16498	AirCap® DS extra large barrier sealed bubble wrap	Extra large bubble	500 mm x 50 m	3 rolls per bundle
66519	AirCap® EL light barrier sealed bubble wrap mini rolls	Small bubble	500 mm x 7.5 m	16 rolls per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



PACKAGING

Materials - that save you money
Systems - that save you time
Solutions - that enhance your business
Services - that you can rely on



AirCap® E 200m

Space saving barrier-sealed bubble packaging



Product description

- Bubble wrap innovatively re-configured into 200m length rolls
- This increased roll size can actually save you space whilst providing the same great protection
- At just 600mm in diameter it's not a lot bigger than a standard 100m roll

Available

- Small lightweight barrier sealed bubble slit into standard dimensions

Advantages

- + Efficient in warehousing: the same warehouse space will hold 20% more AirCap® E 200m bubble than standard 100m bundles
- + Effective in protection: AirCap® E 200m barrier-sealed bubble has the same protection as standard E 100m bubble
- + Energy Saving: AirCap® E 200m gives increased handling efficiencies, with less roll changes required, saving valuable time
- + Economical in transport: with AirCap® E200 bubble you can transport more bubble in the same truck, reducing carbon dioxide emissions and giving increased value per m³
- + Environmentally friendly: reusable, recyclable and helps reduce your carbon footprint

Product range



Item no.	Item description	Bubble size	Dimensions	Unit
11687	AirCap® EL light barrier sealed bubble wrap	Small bubble	1500 mm x 200 m	1 roll per bundle
11693	AirCap® EL light barrier sealed bubble wrap	Small bubble	750 mm x 200 m	2 rolls per bundle
11695	AirCap® EL light barrier sealed bubble wrap	Small bubble	500 mm x 200 m	3 rolls per bundle
11694	AirCap® EL light barrier sealed bubble wrap	Small bubble	300 mm x 200 m	5 rolls per bundle
11688	AirCap® EL light barrier sealed bubble wrap	Small bubble	1200 mm x 200 m	1 roll per bundle
11696	AirCap® EL light barrier sealed bubble wrap	Small bubble	600 mm x 200 m	2 rolls per bundle

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

AirCap® Bubble Mask™

Barrier bubble wrap



Product description

- Bubble wrap made from co-extruded film containing laminated barrier material, with a low tack adhesive coating on one side

Applications

- Surface protection
- Cushioning packaging
- Protection against shock, impact and vibrations

Available

- Roll format

Advantages

- + Self adhesive side, allows the bubble to stick to one side whilst protecting the product against damages
- + Less risk of product damage
- + Easily removable with no resin as low tack adhesive



Alternative products

30 Packaging foam

Additional products

48 Polypropylene tape
40 Corrugated boxes

Product range



Item no.	Item description	Bubble size	Dimensions	Unit
16567	AirCap® medium barrier sealed Bubble Mask™	Medium bubble	1500 mm x 100 m	1 roll per bundle

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Jiffy Bubble

Soft cushioning, tough protection



Alternative products

30 Packaging foam

Additional products

48 Polypropylene tape

40 Corrugated boxes



Product description

- Flexible tear resistant transparent plastic packaging
- Air-filled bubbles provide soft cushioning for tough protection against shock, vibration and water damage
- Manufactured using advanced technology incorporating a layer of barrier film
- Fully recyclable green bubble is made using 100% recycled polyethylene

Applications

- Suitable for both heavy and lightweight items on longer storage or journey cycles
- Ideal for interleaving, wrapping, cushioning and as a void-fill

Available

- Available in large and small bubble format, in various strengths
- Also available on a roll, slit, perforated, sheeted and in a self-seal pouch style

Advantages

- + Layer or barrier film reduces air escape for longer lasting protection and performance
- + Lightweight, clean and flexible
- + An economical, effective, high performance solution
- + Transparent, so product identification is instant and easy

Product range

Item no.	Item description	Bubble size	Dimensions	Unit
46046	Jiffy S20L small bubble wrap	Small bubble	500 mm x 3 m	30 rolls per box
46045	Jiffy S20L small bubble wrap	Small bubble	500 mm x 10 m	8 rolls per box
46049	Jiffy S20L small bubble wrap	Small bubble	600 mm x 25 m	1 roll per bundle
45931	Jiffy S20L small bubble wrap	Small bubble	750 mm x 75 m	1 roll per bundle
46050	Jiffy S20L small bubble wrap	Small bubble	900 mm x 100 m	1 roll per bundle
46051	Jiffy S20L small bubble wrap	Small bubble	1000 mm x 100 m	1 roll per bundle
46056	Jiffy S20L small bubble wrap	Small bubble	1500 mm x 100 m	1 roll per bundle
46064	Jiffy S20L small bubble wrap	Small bubble	750 mm x 100 m	2 rolls per bundle
46065	Jiffy S20L small bubble wrap	Small bubble	500 mm x 100 m	3 rolls per bundle
46066	Jiffy S20L small bubble wrap	Small bubble	300 mm x 100 m	5 rolls per bundle
46053	Jiffy S20L small bubble wrap	Small bubble	1200 mm x 100 m	1 roll per bundle
46054	Jiffy S20L small bubble wrap	Small bubble	600 mm x 100 m	2 rolls per bundle
47218	Jiffy S20L small bubble wrap	Small bubble	2000 mm x 100 m	1 roll per bundle
46041	Jiffy S40 small bubble wrap	Small bubble	1500 mm x 100 m	1 roll per bundle
45941	Jiffy Bubble Dispenser Box	Small bubble	300 mm x 50 m	1 roll per box
45942	Jiffy Green Bubble Dispenser Box	Small bubble	300 mm x 50 m	1 roll per box
45954	Jiffy L70L large bubble wrap	Large bubble	1500 mm x 50 m	1 roll per bundle
45932	Jiffy L70L large bubble wrap	Large bubble	750 mm x 50 m	1 roll per bundle
45955	Jiffy L70L large bubble wrap	Large bubble	750 mm x 50 m	2 rolls per bundle
45956	Jiffy L70L large bubble wrap	Large bubble	500 mm x 50 m	3 rolls per bundle
45957	Jiffy L70L large bubble wrap	Large bubble	300 mm x 50 m	5 rolls per bundle
45952	Jiffy L70L large bubble wrap	Large bubble	1200 mm x 50 m	1 roll per bundle
45953	Jiffy L70L large bubble wrap	Large bubble	600 mm x 50 m	2 rolls per bundle

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information


One stop shop for packaging materials, systems, solutions and services:

- Extensive product range
- Tailored service
- Expert advice
- Bespoke design capability
- Reliable deliveries
- Sustainable solutions



The Complete Package for industry, export and logistics

Anti-static bubble wrap



Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes

Cushioning for electronic components

Product description

- Bubble wrap with static inhibitors
- Surface resistance $R_s = 10^{10} - 10^{11} \text{ ohm}$
- Bubble diameter 10 mm, characteristic pink colour

Applications

- Packaging, transport, protection and dispatch of electronic components, circuit boards, hard disks, plug-in cards etc

Available

- Various sizes of rolls, bags and sheets on request

Advantages

- + Protection against moisture, dust and dirt
- + Secure, mechanical protection




Product range



Item no.	Item description	Bubble size	Dimensions	Unit
45702	Anti-static small bubble wrap	Small bubble	1500 mm x 100 m	1 roll per bundle
45697	Anti-static small bubble wrap	Small bubble	750 mm x 100 m	2 rolls per bundle
45717	Anti-static small bubble wrap	Small bubble	500 mm x 100 m	3 rolls per bundle

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Bubble Pouches



Alternative products

- 30** Packaging foam

Additional products

- 48** Adhesive tapes

Simple practical cushioning

Product description

- Bubble bag which provides cushioning, to protect goods whilst being stored or transported

Applications

- Protects surfaces from risk of being scratched
- Cushioning protection for smaller products which can be closed securely within the bag

Available

- Supplied in variety of bag sizes

Advantages

- + Easy to use, self seal adhesive strip for secure closure
- + Tough, tear resistant

Product range




Item no.	Item description	Dimensions	Unit
39141	Self seal bubble pouches BP1	100 mm x 135 mm	750 per box
20137	Self seal bubble pouches BP2	130 mm x 185 mm	500 per box
20138	Self seal bubble pouches BP3	180 mm x 235 mm	300 per box
16550	Self seal bubble pouches BP4	230 mm x 285 mm	300 per box
20139	Self seal bubble pouches BP5	280 mm x 360 mm	200 per box
20140	Self seal bubble pouches BP6	305 mm x 425 mm	150 per box
20141	Self seal bubble pouches BP7	380 mm x 435 mm	100 per box
45657	Anti-static self seal bubble pouches ABP3	180 mm x 235 mm	300 per box
45663	Anti-static self seal bubble pouches ABP4	230 mm x 285 mm	300 per box
45688	Anti-static self seal bubble pouches ABP5	280 mm x 360 mm	200 per box
45691	Anti-static self seal bubble pouches ABP7	380 mm x 435 mm	100 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Packaging foam

Versatile, lightweight material



Alternative products

26-29 Bubble wrap

Additional products

48 Polypropylene tape



Product description

- Low density, micro-cellular, closed-cell polyethylene foam
- Uniform cushioning for 100% protection

Applications

- Cushioning protection
- Edge and surface protection
- Non-slip interleaving
- Insulates, protects against vibration

Available

- Supplied as rolls in various sizes and thicknesses
- Can be slit, perforated or sheeted
- Also available with anti-static or self adhesive finish or coloured on request

Advantages

- + Versatile, elastic, flexible, odourless, water-repellent
- + Dirt-resistant, dust-free, lightweight, heat-sealable
- + Absorbs shocks and prevents scuffs
- + Non-abrasive
- + Retains shape to offer repeat protection, even around corners
- + Environmentally responsible - CFC-free and chemically inert
- + Extremely resistant to solvents, fuels, oils and other chemicals

Product range



Item no.	Item description	Thickness	Dimensions	Unit
45169	Packaging foam roll	0.7 mm thick	500 mm x 300 m	3 rolls per bundle
12515	Packaging foam roll	1.0 mm thick	1500 mm x 300 m	1 roll per bundle
12517	Packaging foam roll	1.0 mm thick	750 mm x 300 m	2 rolls per bundle
12516	Packaging foam roll	1.0 mm thick	500 mm x 300 m	3 rolls per bundle
12514	Packaging foam roll	1.0 mm thick	1200 mm x 300 m	1 roll per bundle
12513	Packaging foam roll	1.0 mm thick	1000 mm x 300 m	1 roll per bundle
45220	Packaging foam roll	1.5 mm thick	1500 mm x 200 m	1 roll per bundle
12519	Packaging foam roll	1.5 mm thick	500 mm x 200 m	3 rolls per bundle
12518	Packaging foam roll	1.5 mm thick	1000 mm x 200 m	1 roll per bundle
12520	Packaging foam roll	2.5 mm thick	1500 mm x 120 m	1 roll per bundle
45267	Packaging foam roll	2.5 mm thick	750 mm x 120 m	2 rolls per bundle
45268	Packaging foam roll	2.5 mm thick	500 mm x 120 m	3 rolls per bundle
45250	Packaging foam roll	2.5 mm thick	1000 mm x 120 m	1 roll per bundle
45359	Packaging foam roll	4.0 mm thick	1500 mm x 75 m	1 roll per bundle

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



PACKAGING

Materials - that save you money
Systems - that save you time
Solutions - that enhance your business
Services - that you can rely on



Combilay underfloor foams

Multi-purpose barrier underlays



Product description

- Technically and visually high quality underlay materials
- Ultra and Multi are cross-linked, closed-cell polyolefin foams

Applications

- Ideal for all laminate, engineered, parquet and solid wood floors
- MULTI adhesive underlay incorporates a strong adhesive coating for strong and quick application

Available

- Most products supplied as rolls in a bag
- Ultra foam also supplied in a Z-fold pack

Advantages

- + Lightweight and elastic, will not break
- + Cross-linked foams are perfectly flat with smooth surface, so easy to cut and lay
- + Impact sound reduction
- + Shock absorbent
- + Anti-fungal, mildew resistant
- + Suitable for underfloor heating systems

Alternative products

30 Packaging foam

Additional products

58 Aluminium adhesive tape

82 Damp proof membrane

Combilay™ PERFORMANCE FLOORING UNDERLAY

Product range



Item description	Colour	Thickness	Size	Dimensions	Unit
Combilay-Ultra	Grey	3 mm	10m2 roll	1020 mm x 9.8 m	20 rolls per pallet
Combilay-Ultra	Grey	3 mm	10m2 Z-fold pack	1020 mm x 9.8 m	40 packs per pallet
Combilay-Ultra	Grey	3 mm	25m2 roll	1020 mm x 24.5 m	12 rolls per pallet
Combilay-Ultra	Grey	3 mm	50m2 roll	1020 mm x 49.0 m	6 rolls per pallet
Combilay-Multi	Black	3 mm	10m2 roll	1000 mm x 10.0 m	20 rolls per pallet
Combilay-Multi	Black	3 mm	25m2 roll	1000 mm x 25.0 m	12 rolls per pallet
Combilay-Multi	Black	3 mm	50m2 roll	1000 mm x 50.0 m	6 rolls per pallet
Combilay-White	White	2 mm	15m2 roll	1000 mm x 15.0 m	5 rolls per pack
Combilay-Silver	Silver	3 mm	15m2 roll	1000 mm x 15.0 m	5 rolls per pack
Combilay-Gold	Gold	3 mm	15m2 roll	1000 mm x 15.0 m	5 rolls per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information




ULTRA



ULTRA



MULTI



MULTI



WHITE



WHITE



SILVER



GOLD

Foam profiles

Different shapes to meet every requirement



Alternative products

- 16** PadPak®
- 26-29** Bubble wrap
- 30** Packaging foam

Product description

- Foam profiles made from polyethylene foam, extruded without the use of CFCs

Applications

- Protection for sharp or delicate edges
- Interleaving for surface protection during storage and transportation of items such as furniture

Available

- Standard profiles are U, L, C or O-shaped, in various lengths
- Other shapes and pre-cut parts available on request, e.g. for round goods
- Multishape is a foam profile with bevel cuts for a better fit on round shapes




Advantages

- + Good cushioning properties, stays in place
- + Flexible, keeps its shape
- + Can be shaped to provide the best possible fit for the goods
- + Resistant to weather and temperature, chemically neutral

Product range

Item no.	Item description	Colour	Dimensions	Unit
78769	Foam profile L50	Blue	6 mm x 50 mm x 50 mm x 2000 mm	240 per box
78770	Foam profile L75	Blue	10 mm x 75 mm x 75 mm x 2000 mm	105 per box
48115	Foam profile Ufix15 Tulip	Blue	5-15 mm x 2000 mm	250 per box
48116	Foam profile Ufix25 Tulip	Blue	15-25 mm x 2000 mm	140 per box
48117	Foam profile Ufix35 Tulip	Blue	25-35 mm x 2000 mm	90 per box
48118	Foam profile Ufix45 Tulip	Blue	35-45 mm x 2000 mm	80 per box
48119	Foam profile Ufix60 Tulip	Blue	45-60 mm x 2000 mm	50 per box
48123	Foam corner Ufix25	Blue	15-25 mm x 100 mm x 100 mm	600 per box
48124	Foam corner Ufix45	Blue	35-45 mm x 100 mm x 100 mm	300 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



One stop shop for packaging materials, systems, solutions and services:

- Extensive product range
- Tailored service
- Expert advice
- Bespoke design capability
- Reliable deliveries
- Sustainable solutions



The Complete Package for industry, export and logistics

Shell boxes



Alternative products

- 69** MediaWrap
- 34** Suspension packaging
- 34** Retention packaging
- 40** Corrugated boxes

Additional products

- 74** Document enclosed envelopes
- 48** Adhesive tapes

Shipping packaging for delicate goods

Product description

- Pre-fabricated shipping packaging made from corrugated cardboard (150 gsm) and environmentally-friendly polyurethane foam
- Shell made from corrugated cardboard and slide-in section consisting of springy polyurethane (PU) dimpled foam insert (foamed CFC-free)

Applications

- For shipping small, delicate parts

Available

- Various standard sizes
- Customised sizes (also small orders) available
- Special forms: white, also with multi-layer corrugated cardboard

Advantages

- + No additional filling material required
- + Single type of packaging for different products
- + Maximum protection against impacts, vibration and damage
- + After use the foam can be separated from the cardboard for recycling

Product range

Item no.	Item description	Interior dimensions without foam	Unit
44041	Shell box (mobile phone size)	135 mm x 75 mm x 40 mm	1500 per pallet

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Loose fill



Alternative products

- 13** AirSpeed 5000
- 20** FillPak®

Additional products

- 48** Polypropylene tape
- 40** Corrugated boxes

Protection for delicate goods

Product description

- Free-flowing filling material for small applications
- Reusable and pourable
- Suitable for use with filling systems (silos hoppers)

Applications

- Protects all fragile and delicate goods
- Decorative insulation material
- Quickly fills voids in cardboard boxes

Available

- Loose product for silos hoppers
- Supplied in various shapes and densities
- Also available made from renewable, plant-based raw materials

Advantages

- + Low shipping costs due to low weight
- + Odourless and abrasion-resistant (dust-free handling)
- + 100% recyclable

Product range

Item no.	Item description	Colour	Dimensions	Unit
65804	Masterline Bio loose fill	Cream	15 cubic ft	Bag
25352	Masterline Loose fill - 100% recycled	White	15 cubic ft	Bag

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Filling and cushioning materials

2

Suspension packaging

For delicate, high quality goods



Alternative products

- 33** Shell boxes
- 69** MediaWrap
- 34** Retention packaging

Additional products

- 74** Document enclosed envelopes
- 48** Polypropylene tape

Product description

- The goods are “suspended” between two sheets of film (membranes) stretched across a corrugated cardboard frame
- Products held securely in place, unable to slide around

Applications

- For protecting delicate goods, such as electronic components
- Despatch packaging for spare parts
- Suitable for repeated use (e.g. ideal for repair services)

Available

- Various standard sizes available from stock
- Other sizes can easily be produced to customer specifications
- Comprises outer box, insert and two film frames (membranes)

Advantages

- + Economical, easy-to-use packaging
- + No additional filling material required
- + One type of packaging for a variety of products
- + Maximum protection against impact, vibration and damage

Product range

Item no.	Item description	Box dimensions	Max product surface	Unit
62207	Suspension box	200 mm x 200 mm x 104 mm	130 mm x 130 mm	Pallet
62217	Suspension box	300 mm x 200 mm x 150 mm	200 mm x 110 mm	Pallet

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Retention packaging

Despatch packaging for delicate goods



Alternative products

- 33** Shell boxes
- 69** MediaWrap
- 34** Suspension packaging

Additional products

- 74** Document enclosed envelopes
- 48** Polypropylene tape

Product description

- One-piece retention packaging
- The goods are fixed in place under a flexible PU film
- Prevents goods from sliding around inside the box

Applications

- For shipping irregularly-shaped or delicate goods
- Despatch packaging for spare parts
- Suitable for repeated use (e.g. ideal for repair services)

Available

- Comprises outer box and stretch film insert (supplied folded flat)
- Wide range of standard sizes available

Advantages

- + Reliable protection for shipped delicate goods
- + No additional filling material required
- + One type of packaging for wide range of products
- + Reusable
- + Easy to use

Product range

Item no.	Item description	Box dimensions	Max product size	Unit
62257	Quick retention box	200 mm x 107 mm x 49 mm	150 mm x 70 mm x 20 mm	Pallet
62259	Quick retention box	250 mm x 151 mm x 57 mm	190 mm x 120 mm x 30 mm	Pallet
62260	Quick retention box	303 mm x 253 mm x 85 mm	250 mm x 180 mm x 50 mm	Pallet
62240	Flex retention box	369 mm x 289 mm x 113 mm	310 mm x 220 mm x 40 mm	Pallet
62252	Flex retention box	415 mm x 347 mm x 138 mm	340 mm x 250 mm x 50 mm	Pallet
62254	Flex retention box	556 mm x 418 mm x 168 mm	400 mm x 300 mm x 50 mm	Pallet

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Corrugated Paper

Tried-and-trusted packaging material



Alternative products

- 6-7** Tissue papers
- 21** FillPak TT®

Additional products

- 100** Cutting stand

Product description

- Corrugated cardboard made of 100% recycled paper
- Cardboard corrugated on one side (linerboard/flutes)

Applications

- Filling material for packaging
- Ideal for wrapping products
- Interleaving
- Surface protection

Available

- Large range of various sized rolls from stock
- Also available in sheets and with an adhesive backing

Advantages

- + Environmentally-friendly, recycled product
- + Easy to use
- + Economical

Product range



Item no.	Item description	Dimensions	Unit
70275	Single faced corrugated paper	250 mm x 75 m	Roll
70276	Single faced corrugated paper	300 mm x 75 m	Roll
16149	Single faced corrugated paper	450 mm x 75 m	Roll
16153	Single faced corrugated paper	600 mm x 75 m	Roll
16155	Single faced corrugated paper	650 mm x 75 m	Roll
16150	Single faced corrugated paper	750 mm x 75 m	Roll
16151	Single faced corrugated paper	900 mm x 75 m	Roll
16154	Single faced corrugated paper	1000 mm x 75 m	Roll
16152	Single faced corrugated paper	1200 mm x 75 m	Roll
63899	Single faced corrugated paper	1500 mm x 75 m	Roll
88842	Single faced corrugated paper	1800 mm x 75 m	Roll
70288	Single faced corrugated paper	2000 mm x 75 m	Roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Corrupad

Superior, cost-effective packaging



Product description

- A patented manufacturing process forms a variety of shapes from single face corrugated material
- Lightweight, totally recyclable, custom designed cushioning elements

Applications

- Protection of computers, electronic instruments, automotive parts, plumbing fixtures, medical and scientific equipment, office equipment, furniture, glass, appliances and a variety of other damage-sensitive products

Available

- Can be manufactured as custom designed angles, channels, flat pads, tri-corners and end caps

Advantages

- + Excellent cushioning properties
- + Resilient and shock absorbent
- + High stacking strength
- + No tooling or molding costs
- + Reusable and 100% recyclable
- + Manufactured from 100% post-consumer waste

Embossed paper



Alternative products

35 Corrugated paper

Additional products

48 Polypropylene tape

Versatile cushioning material

Product description

- Cost-effective cushioning material made entirely of paper
- Made from up to nine layers of different papers which can be adapted to any application (outer surface smooth or dimpled)

Applications

- Interleaving, covering (e.g with PE coating on the outer layer)
- Protection of sensitive surfaces (outer layer made of tissue paper)
- Wrapping fragile objects (embossed kraft paper)

Available

- Embossed paper is supplied in different formats, on rolls (perforated), made into bags or punched into any shape

Advantages

- + 100% recyclable
- + Can be printed in up to seven colours



Protective netting



Product description

- Extruded, knot-free netting made from environmentally-friendly, soft polyethylene
- Highly resistant to mechanical stress
- Unaffected by oils and grease

Applications

- The protective netting is simply pulled over the product
- Surface protection, even for heavy goods
- Also suitable as interleaving
- For transport, handling, storage and dispatch purposes

Available

- Supplied as tubing in various diameters (rolls, pre-cuts)
- Mats of various formats, thicknesses and mesh sizes
- Various colours, can be embossed if required

Advantages

- + Fast, simple packaging
- + Also suitable for unevenly-shaped goods
- + Reusable several times
- + Space-saving packaging material reduces storage costs
- + Ready-made pre-cuts also available

Additional products

40 Corrugated boxes

Product range

Item no.	Item description	Dimensions	Unit
79020	Poly-Net violet	10 mm - 20 mm x 50 m	Roll
79024	Poly-Net yellow	40 mm - 60 mm x 50 m	Roll
79154	Poly-Net orange	90 mm - 150 mm x 50 m	Roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Packaging test laboratory

Antalis Packaging operates an in-house laboratory that inspects incoming goods and conducts quality assurance tests on paper, board, films, tapes and corrosion protection. We test bursting pressure, tensile strength, breaking length, water tightness, pH value, Cobb value, grammage, thickness, etc.

We are also more than happy to carry out material testing on your behalf.

Shockwatch®

Impact indicator



Additional products

- 45 Palletised containers
- 46 Plywood crate
- 40 Corrugated boxes

Product description

- The label on the glass tube of the impact indicator changes colour when a specific acceleration speed is exceeded

Applications

- Monitors stresses that delicate goods are exposed to during transport (e.g. plasma screens, medical devices etc)
- Indicators are fixed to outer packaging in clearly visible positions

Available

- Different models available for goods of different weights which are sensitive to different factors

Advantages

- + Self adhesive, so easily fixed to packaging
- + Certainty that goods have been transported correctly
- + Less transport-related damage
- + Traceable transport damage
- + Sequentially numbered

Product range

Item no.	Item description	Sensitivity	Dimensions	Unit
78839	Shockwatch® yellow label	25 g	100 mm x 100 mm x 50 m/s	50 Pieces
78840	Shockwatch® purple label	37.5 g	100 mm x 100 mm x 50 m/s	50 Pieces
78842	Shockwatch® red label	50 g	100 mm x 100 mm x 50 m/s	50 Pieces
78852	Shockwatch® orange label	75 g	100 mm x 100 mm x 50 m/s	50 Pieces
78853	Shockwatch® green label	100 g	100 mm x 100 mm x 50 m/s	50 Pieces

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Tiltwatch®

Tilt indicator



Additional products

- 45 Palletised containers
- 46 Plywood crate
- 40 Corrugated boxes

Product description

- Indicator for transporting products which must be kept upright
- Indicator turns red when the product is tilted more than 83°
- Only activated when it is applied to the product to be transported
- Not sensitive to moisture, temperature and other environmental factors

Applications

- Monitoring the transport of products which must be kept upright (e.g. electrical cabinets, fridges)

Available

- Tiltwatch® with sequential numbering providing traceability
- Tiltwatch® Plus: for products which can be damaged if tilted only slightly
- Angle of tilt adjustable

Advantages

- + Self adhesive, so easily fixed to packaging
- + Certainty that goods have been transported correctly
- + Less transport-related damage
- + Traceable transport damage

Product range

Item no.	Item description	Dimensions	Unit
78854	Tiltwatch®	75 mm x 60 mm x 20 mm	100 Pieces
78865	Tiltwatch® label	210 mm x 148 mm	100 Pieces

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Dunnage bags

For secure transport



Securing pallets of hazardous material

Additional products










- 85** Textile strapping and buckles
- 87** Plastic edge protectors
- 47** Compressed wood/Inca pallets

Product description

- Dunnage bags are a tried-and-tested method of securing pallets and shipped goods during transport. They are placed in the cavities between the goods and prevent the slippage of the transported goods
- They are supplied deflated for space-saving storage
- We can supply you with dunnage bags in various dimensions and from a range of materials: film or Kraft paper with PE-coat(s).



Safety valve



Examples of dunnage bag solutions for sea, container and rail freight applications

The Iceberg Principle

We will help you avoid the cost traps!

Packaging materials are classified in the business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Just ask Antalis!

100 %

20 %

Packaging material costs
Manufacturing costs

80 %

Upstream and downstream process costs

e.g.
• order processing
• warehousing
• quality control
• administration, etc.



Notbox

Unique reusable crate



Product description

- Revolutionary new eco-friendly multi-purpose box
- Strong alternative to cardboard boxes or plastic containers

Applications

- Suitable for home, storage, removals and supply chain markets

Available

- Four box sizes available in green or blue
- Custom-built options can meet customer needs

Advantages

- + A box when you need it, folds flat when you don't
- + Easy to assemble single-piece construction
- + Returnable, reusable, recyclable
- + Durable and robust longer lasting material
- + Reduces cost in supply chain

Product range



Item no.	Item description	Colour	Dimensions	Unit
85048	Notbox Cube	Green	290 mm x 260 mm x 270 mm	12 per pack
85049	Notbox Cube	Blue	290 mm x 260 mm x 270 mm	12 per pack
85045	Notbox 400	Green	400 mm x 300 mm x 200 mm	12 per pack
85046	Notbox 400	Blue	400 mm x 300 mm x 200 mm	12 per pack
85043	Notbox 460	Green	460 mm x 460 mm x 460 mm	12 per pack
85044	Notbox 460	Blue	460 mm x 460 mm x 460 mm	12 per pack
85041	Notbox 600	Green	600 mm x 300 mm x 400 mm	12 per pack
85042	Notbox 600	Blue	600 mm x 300 mm x 400 mm	12 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Die-cut foam boxes

All-in-one packaging solution



Product description

- Corrugated cartons with foam lining and inserts
- Removable die-cut central foam piece
- Printed with 'Fragile Handle With Care'

Applications

- Suitable for a wide range of electronic components
- Perfect for computer hard drives and circuit boards

Available

- FEFCO 0427 style
- Range of sizes to exactly fit computer components
- Bespoke sizes and prints also available

Advantages

- + Excellent protection for small, fragile items
- + Absorbs shocks and protects against impacts and vibrations
- + Non-abrasive foam eliminates scuffs and scratches

Product range



Item no.	Item description	Size	Dimensions	Unit
56862	Die-cut box with foam	Small PCB	188 mm x 150 mm x 50mm	864 per pallet
56844	Die-cut box with foam	CD-ROM	245 mm x 195 mm x 95mm	324 per pallet
56860	Die-cut box with foam	Large PCB	375 mm x 295 mm x 75mm	184 per pallet
56858	Die-cut box with foam	Notebook	456 mm x 302 mm x 80mm	140 per pallet

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Corrugated boxes



Alternative products

- 45** Palletised containers
- 46** Plywood crate
- 39** Notbox

Additional products

- 48** Polypropylene tape
- 21** FillPak TT®
- 74** Document enclosed envelopes

Single wall

Product description

- Folding boxes made from single wall corrugated cardboard

Applications

- Goods protected during transport
- Packaging as an advertising medium
- Multi-functional transport and storage packaging

Available

- Comprehensive standard range available from stock
- Many other qualities and sizes available, including height-adjustable corrugated cardboard boxes with additional grooves
- Boxes can be printed to customer specifications

Advantages

- + Excellent value for money
- + Modular sizes match pallet dimensions
- + Environmentally-friendly as made largely from recycled paper
- + Space-saving as supplied folded flat

Product range



Item no.	Item description	Material	Dimensions	Unit
56892	Single wall box	Test	127 mm x 127 mm x 127 mm (5" x 5" x 5")	25 per pack
12688	Single wall box	Kraft	152 mm x 152 mm x 152 mm (6" x 6" x 6")	25 per pack
57184	Single wall box	Test	152 mm x 152 mm x 178 mm (6" x 6" x 7")	25 per pack
58005	Single wall box	Test	178 mm x 127 mm x 127 mm (7" x 5" x 5")	25 per pack
44033	Single wall box	Test	178 mm x 178 mm x 178 mm (7" x 7" x 7")	25 per pack
58723	Single wall box	Test	203 mm x 203 mm x 203 mm (8" x 8" x 8")	25 per pack
12691	Single wall box	Test	229 mm x 152 mm x 152 mm (9" x 6" x 6")	25 per pack
58966	Single wall box	Test	229 mm x 222 mm x 171 mm (9" x 8.75" x 6.75")	25 per pack
12692	Single wall box	Test	230 mm x 230 mm x 130 mm (9" x 9" x 5")	25 per pack
59014	Single wall box	Test	254 mm x 152 mm x 152 mm (10" x 6" x 6")	25 per pack
12701	Single wall box	Test	254 mm x 254 mm x 254 mm (10" x 10" x 10")	25 per pack
59061	Single wall box	Test	279 mm x 279 mm x 178 mm (11" x 11" x 7")	25 per pack
86031	Single wall box A4	Test	305 mm x 229 mm x 80 mm (12" x 9" x 3")	25 per pack
86090	Single wall box A4	Kraft	305 mm x 229 mm x 102 mm (12" x 9" x 4")	25 per pack
86092	Single wall box A4 - 2 REAMS	Kraft	305 mm x 229 mm x 114 mm (12" x 9" x 4.5")	25 per pack
86095	Single wall box A4 - 2 REAMS	Kraft	305 mm x 229 mm x 127 mm (12" x 9" x 5")	25 per pack
13837	Single wall box A4 - 3 REAMS TL	Test	305 mm x 229 mm x 152 mm (12" x 9" x 6")	25 per pack
86097	Single wall box A4 - 3 REAMS	Kraft	305 mm x 229 mm x 152 mm (12" x 9" x 6")	25 per pack
12704	Single wall box MULTI-DEPTH	Test	305 mm x 229 mm x 152 mm (12" x 9" x 6")	25 per pack
53296	Single wall box A4 - 3 REAMS	Test	305 mm x 229 mm x 178 mm (12" x 9" x 7")	25 per pack
86098	Single wall box A4 - 3 REAMS	Kraft	305 mm x 229 mm x 178 mm (12" x 9" x 7")	25 per pack
86099	Single wall box A4 - 3 REAMS	Kraft	305 mm x 229 mm x 203 mm (12" x 9" x 8")	25 per pack
13836	Single wall box A4 - 4 REAMS TL	Test	305 mm x 229 mm x 229 mm (12" x 9" x 9")	25 per pack
35279	Single wall box A4 - 4 REAMS	Kraft	305 mm x 229 mm x 229 mm (12" x 9" x 9")	25 per pack
53297	Single wall box A4 - 5 REAMS	Test	305 mm x 229 mm x 305 mm (12" x 9" x 12")	25 per pack
12702	Single wall box	Test	305 mm x 305 mm x 305 mm (12" x 12" x 12")	25 per pack
59131	Single wall box	Kraft	330 mm x 254 mm x 178 mm (13" x 10" x 7")	25 per pack
12705	Single wall box	Test	381 mm x 254 mm x 254 mm (15" x 10" x 10")	25 per pack
59138	Single wall box	Kraft	381 mm x 330 mm x 305 mm (15" x 13" x 12")	25 per pack
59142	Single wall box	Kraft	381 mm x 381 mm x 381 mm (15" x 15" x 15")	25 per pack
12695	Single wall box MULTI-DEPTH	Test	406 mm x 356 mm x 203 mm (16" x 14" x 8")	25 per pack
16202	Single wall box A3 - 4 REAMS	Test	445 mm x 315 mm x 267 mm (17.5" x 12.4" x 10.5")	25 per pack
53425	Single wall box A3 - 5 REAMS	Test	432 mm x 318 mm x 318 mm (17" x 12.5" x 12.5")	25 per pack
44900	Single wall box SMALL PARCEL	Kraft	450 mm x 350 mm x 160 mm (17.7" x 13.8" x 6.3")	25 per pack
12707	Single wall box	Test	457 mm x 305 mm x 305 mm (18" x 12" x 12")	25 per pack
59176	Single wall box	Test	465 mm x 320 mm x 180 mm (18.25" x 12.5" x 7")	25 per pack
59168	Single wall box	Kraft	483 mm x 305 mm x 305 mm (19" x 12" x 12")	25 per pack
12703	Single wall box	Test	508 mm x 356 mm x 356 mm (20" x 14" x 14")	25 per pack
12708	Single wall box	Test	508 mm x 381 mm x 254 mm (20" x 15" x 10")	25 per pack
12697	Single wall box	Test C	610 mm x 457 mm x 305 mm (24" x 18" x 12")	25 per pack
12696	Single wall box	Test C	510 mm x 457 mm x 406 mm (20" x 18" x 16")	25 per pack
12698	Single wall box	Test C	610 mm x 457 mm x 457 mm (24" x 18" x 18")	25 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Corrugated boxes

Double walled



Alternative products

- 45** Palletised containers
- 46** Plywood crate
- 39** Notbox

Additional products

- 48** Polypropylene tape
- 21** FillPak TT®
- 74** Document enclosed envelopes

Product description

- Folding boxes made from double wall corrugated cardboard

Applications


- Goods protected during transport
- Packaging as an advertising medium
- Multi-functional transport and storage packaging

Available

- Comprehensive standard range of double corrugated folding boxes available from stock (also available in white and with automatic base) (pallet boxes, removal boxes, dispatch boxes, tableware boxes, shipping packaging etc.)
- Many other qualities and sizes available, including height-adjustable corrugated cardboard boxes with additional grooves
- Boxes can be printed to customer specifications

Advantages

- + Excellent value for money
- + Modular sizes match pallet dimensions
- + Environmentally-friendly as made largely from recycled paper
- + Space-saving as supplied folded flat



Product range



Item no.	Item description	Material	Dimensions	Unit
59178	Double wall box	Test	200 mm x 200 mm x 200 mm (8" x 8" x 8")	15 per pack
59783	Double wall box	Kraft	229 mm x 152 mm x 152 mm (9" x 6" x 6")	15 per pack
59788	Double wall box	Kraft	254 mm x 254 mm x 254 mm (10" x 10" x 10")	15 per pack
86094	Double wall box A4 - 2 REAMS	Kraft	305 mm x 229 mm x 114 mm (12" x 9" x 4.5")	15 per pack
86096	Double wall box A4 - 2 REAMS	Kraft	305 mm x 229 mm x 127 mm (12" x 9" x 5")	15 per pack
30385	Double wall box A4 - 3 REAMS	Kraft	305 mm x 229 mm x 152 mm (12" x 9" x 6")	15 per pack
74190	Double wall box A4 - 3 REAMS	Kraft	305 mm x 229 mm x 178 mm (12" x 9" x 7")	15 per pack
35280	Double wall box A4 - 4 REAMS	Test	305 mm x 229 mm x 229 mm (12" x 9" x 9")	15 per pack
59797	Double wall box A4 - 4 REAMS	Kraft	305 mm x 229 mm x 229 mm (12" x 9" x 9")	15 per pack
59183	Double wall box MULTI-DEPTH	Test	305 mm x 229 mm x 229 mm (12" x 9" x 9")	15 per pack
59184	Double wall box	Test	305 mm x 305 mm x 200 mm (12" x 12" x 8")	15 per pack
59122	Double wall box	Test	305 mm x 305 mm x 305 mm (12" x 12" x 12")	15 per pack
59784	Double wall box	Kraft	305 mm x 305 mm x 305 mm (12" x 12" x 12")	15 per pack
59798	Double wall box	Kraft	350 mm x 350 mm x 350 mm (14" x 14" x 14")	15 per pack
59794	Double wall box	Kraft	406 mm x 406 mm x 406 mm (16" x 16" x 16")	15 per pack
59187	Double wall box	Test	410 mm x 410 mm x 230 mm (16" x 16" x 9")	15 per pack
59155	Double wall box	Test	457 mm x 305 mm x 254 mm (18" x 12" x 10")	15 per pack
59789	Double wall box	Kraft	457 mm x 305 mm x 254 mm (18" x 12" x 10")	15 per pack
59192	Double wall box	Test	457 mm x 305 mm x 305 mm (18" x 12" x 12")	15 per pack
59787	Double wall box	Kraft	457 mm x 305 mm x 305 mm (18" x 12" x 12")	15 per pack
59790	Double wall box	Kraft	457 mm x 457 mm x 305 mm (18" x 18" x 12")	15 per pack
59189	Double wall box	Test	457 mm x 457 mm x 305 mm (18" x 18" x 12")	15 per pack
59190	Double wall box MULTI-DEPTH	Test	457 mm x 457 mm x 457 mm (18" x 18" x 18")	15 per pack
59786	Double wall box MULTI-DEPTH	Kraft	457 mm x 457 mm x 457 mm (18" x 18" x 18")	15 per pack
59182	Double wall box	Kraft	510 mm x 510 mm x 525 mm (20" x 20" x 21")	15 per pack
59170	Double wall box	Test	559 mm x 508 mm x 406 mm (22" x 20" x 16")	15 per pack
59795	Double wall box	Kraft	566 mm x 366 mm x 254 mm (22" x 14" x 10")	15 per pack
59801	Double wall box	Test	581 mm x 406 mm x 312 mm (22" x 16" x 12")	15 per pack
59799	Double wall box	Kraft	610 mm x 254 mm x 330 mm (24" x 10" x 13")	15 per pack
59193	Double wall box	Test	610 mm x 457 mm x 457 mm (24" x 18" x 18")	15 per pack
59785	Double wall box MULTI-DEPTH	Kraft	610 mm x 457 mm x 457 mm (24" x 18" x 18")	15 per pack
59800	Double wall box	Kraft	610 mm x 508 mm x 406 mm (24" x 20" x 16")	15 per pack
97671	Double wall box	Kraft	610 mm x 610 mm x 610 mm (24" x 24" x 24")	15 per pack
59188	Double wall box	Test	711 mm x 711 mm x 406 mm (28" x 28" x 16")	15 per pack
59792	Double wall box	Kraft	762 mm x 457 mm x 457 mm (30" x 18" x 18")	15 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Business card boxes



Alternative products

- 74** Postal boxes
- 40** Corrugated boxes

Additional products

- 74** Document enclosed envelopes
- 48** Adhesive tapes

Product description

- Business card and compliment slip boxes in cardboard or polyprop

Applications

- Ideal for presentation of business cards and compliment slips, keeps the product protected, specially designed for transport and storage

Available

- Cardboard and polyprop format

Advantages

- + 100% recyclable for the card box
- + Protect from moisture and dust
- + Keeps product clean and dry



Product range



Item no.	Item description	Thickness	Dimensions	Unit
53422	Reduced small solid board business card box and lid	1200 mic	93 mm x 58 mm x 35 mm	200 per box
53423	Reduced small solid board business card box and plastic lid	1200 mic	93 mm x 58 mm x 35 mm	100 per box
53421	Small solid board business card box and lid	1200 mic	97 mm x 65 mm x 35 mm	200 per box
15512	Small plastic business card box and lid	1200 mic	97 mm x 62 mm x 36 mm	250 per box
46582	Large plastic business card box and lid	1200 mic	95 mm x 60 mm x 70 mm	125 per box
61634	Plastic compliment slip box and lid	1200 mic	226 mm x 116 mm x 55 mm	100 per box

Stationery boxes

A4 single ream



Alternative products

- 40** Corrugated boxes

Additional products

- 74** Document enclosed envelopes
- 48** Adhesive tapes
- 84** Strapping band

Product description

- High quality solid board stationery boxes with separate lids

Applications

- Single ream capacity holds 500 sheets of A4
- Ideal for despatching small print jobs such as letterheads or documents
- Also great for storage

Available

- Flat packed for handling and storage convenience

Advantages

- + Pre-glued for quick & easy assembly
- + Easy to assemble by just folding the sides out
- + Collapsible base and lids


Product range



Item no.	Item description	Colour	Dimensions	Unit
88861	Stationery box with lid (A4 - 1 REAM)	White	305 mm x 216 mm x 57 mm	50 per pack
88862	Stationery box with lid (A4 - 1 REAM)	Brown	305 mm x 216 mm x 57 mm	50 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Continuous cartons



Product description

- Special continuous form box

Applications

- For continuous printers with automatic base

Available

- Boxes supplied in flat pack format

Advantages

- + Good resistance to bursting; dampness, vertical compression and temperature variations
- + With a height of more than 152 mm, the lid allows for contents slightly above the height of the box

Alternative products

- 72** Postal wrap
- 72** J-Boxes
- 73** Despatch boxes
- 40** Corrugated boxes

Additional products

- 74** Document enclosed envelopes
- 48** Adhesive tapes
- 84** Strapping band

Product range



Item no.	Item description	Size	Dimensions	Unit
47750	Oyster white continuous carton	1B Base	218 mm x 218 mm x 152 mm	25 per pack
47751	Oyster white continuous carton	1L Lid	218 mm x 218 mm x 152 mm	25 per pack
15459	Oyster white continuous carton	2B Base	262 mm x 212 mm x 152 mm	25 per pack
15460	Oyster white continuous carton	2L Lid	270 mm x 220 mm x 152 mm	25 per pack
15461	Oyster white continuous carton	3B Base	339 mm x 212 mm x 152 mm	25 per pack
15462	Oyster white continuous carton	3L Lid	347 mm x 220 mm x 152 mm	25 per pack
15467	Oyster white continuous carton	6B Base	289 mm x 262 mm x 152 mm	25 per pack
15468	Oyster white continuous carton	6L Lid	297 mm x 270 mm x 152 mm	25 per pack
15469	Oyster white continuous carton	7B Base	313 mm x 288 mm x 152 mm	25 per pack
15470	Oyster white continuous carton	7L Lid	321 mm x 296 mm x 152 mm	25 per pack
15475	Oyster white continuous carton	10B Base	308 mm x 218 mm x 152 mm	25 per pack
15476	Oyster white continuous carton	10L Lid	316 mm x 226 mm x 152 mm	25 per pack
15477	Oyster white continuous carton	11B Base	323 mm x 234 mm x 152 mm	25 per pack
15478	Oyster white continuous carton	11L Lid	331 mm x 242 mm x 152 mm	25 per pack
15483	Oyster white continuous carton	14B Base	310 mm x 260 mm x 152 mm	25 per pack
15484	Oyster white continuous carton	14L Lid	318 mm x 268 mm x 152 mm	25 per pack
15485	Oyster white continuous carton	15B Base	305 mm x 241 mm x 152 mm	25 per pack
15486	Oyster white continuous carton	15L Lid	313 mm x 249 mm x 152 mm	25 per pack
15491	Oyster white continuous carton	18B Base	302 mm x 215 mm x 152 mm	25 per pack
15492	Oyster white continuous carton	18L Lid	310 mm x 223 mm x 152 mm	25 per pack
15497	Oyster white continuous carton	21B Base	286 mm x 248 mm x 152 mm	25 per pack
15498	Oyster white continuous carton	21L Lid	294 mm x 256 mm x 152 mm	25 per pack



Visit our new website!

- New design
- New online shop
- More information

★ www.antalispackaging.co.uk



Better all round.

Wardrobe boxes

For storage and transport of garments



Alternative products

- 45** Palletised containers
- 40** Corrugated boxes
- 45** Correx

Additional products

- 74** Document enclosed envelopes
- 48** Adhesive tapes

Product description

- Robust corrugated wardrobe box available with hanging bar

Applications

- Removals, storage, transport

Available

- Two standard sizes
- Can be printed

Advantages

- + Highly robust design
- + Reusable
- + Can be assembled and closed without adhesive tape



Storage and archive boxes

Protects files and records



Alternative products

- 39** Notbox

Product description

- Corrugated boxes with lids for archival and long-term storage purposes

Applications

- Perfect for storing and archiving documents over long periods of time
- Lift off lid provides protection from dust and grime
- Pre-printed labelling area for easy identification

Available

- Packed flat for storage and convenience, in bundles of ten

Advantages

- + Easy to assemble
- + Lightweight with convenient cut out holes for easy handling
- + Durable to protect files and records for longer

Product range



Item no.	Item description	Colour	Dimensions	Unit
59782	Contract storage box	White	381 mm x 330 mm x 255 mm	10 per pack
59781	Premium storage box	White	381 mm x 330 mm x 255 mm	10 per pack
59779	Heavy duty archive box	White	381 mm x 330 mm x 250 mm	10 per pack
59780	Large storage box	White	440 mm x 370 mm x 255 mm	10 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Palletised containers

Ideal reusable transport system



Alternative products

- 46 Plywood crate
- 40 Corrugated boxes

Additional products

- 84 Strapping band
- 74 Document enclosed envelopes

Product description

- Flexible packaging system for the storage and transportation of bulk products
- The empty pallet box folds up to save space and transport costs

Applications

- Replaces heavy pallet crates
- Reusable transport container
- One container both for storage and transport

Available

- Packs comprise cap, sleeve and tray with integral wooden four-way entry pallet, supplied collapsed flat in a single unit

Advantages

- + Economical in terms of space
- + Can be stacked high
- + Sturdy enough to sustain heavy loads
- + Easy to manoeuvre by forklift
- + Heavy duty corrugated stitched board

Product range



Item no.	Item description	Colour	Dimensions	Unit
97799	Palletised container	Half Europa	770 mm x 570 mm x 660 mm	Each
97798	Palletised container	Full Europa	1170 mm x 770 mm x 660 mm	Each
97795	Palletised container	Half Container	1070 mm x 870 mm x 550 mm	Each
97794	Palletised container	Full Container	1070 mm x 870 mm x 900 mm	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Correx

Reusable container system



Alternative products

- 46 Plywood crate
- 40 Corrugated boxes
- 39 Notbox

Product description

- Stackable containers made from corrugated plastic with a large internal volume

Applications

- Ideal for lightweight and medium-weight goods which small load carriers are too large for

Available


- Small orders can be supplied
- Available in different colours and in anti-static and UV-resistant versions
- Dividers, foam inserts and other inserts available
- Special sizes can be produced
- Can be printed

Advantages

- + Level interior base
- + Very lightweight but extremely stable
- + Easily stackable as a result of modular design

**Tested by the
PackLab® of VDZ
GmbH Dortmund**

Example Correx 02 :
load 200 kg
(box compression test)
internal load 50 kg



Pallet collars



Practical pallet support

Product description

- Made from planed pine
- Can be folded diagonally with 4 hinges
- Also available in plastic
- Also available in integrated pollution prevention + control (IPPC) treated wood

Applications

- Quickly assembled
- Simple containers
- Different heights
- Secured to base of pallet

Advantages

- + Can be stacked
- + Reusable
- + Can be folded so little storage space needed



Product range



Item no.	Item description	Dimensions	Unit
78957	Wooden stacking frame	800 mm x 1200 mm x 195 mm	100 Pieces

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Plywood crate



Alternative products

45 Palletised containers

Robust transport and storage packaging

Product description

- Collapsible packaging made of birchwood
- Held together by high quality, hot dip galvanised steel bands and profiles

Applications

- Lightweight, space-saving export, transport or reusable packaging
- One container for both storage and transport

Available

- Available in a wide range of standard sizes, always kept in stock
- Even small orders for special sizes accepted

Advantages

- + Minimum storage and shipping costs as supplied folded flat
- + Quick and easy to assemble
- + Integrated latches eliminate the need for additional banding
- + Watertight and impermeable to moisture
- + Up to 50% lighter in weight than solid wood crates the same size
- + No special siren treatment required
- + Conforms to Australian health regulations, the North American resolution and Chinese regulations



When it matters most...

No matter what product needs sending, from blue suede shoes to heavy industrial parts, Antalis Packaging have it covered.

Our range of protective packaging products are ideal for online retailers, third-party logistics and mail order customers.



Pack-it, Seal-it, Post-it, Trust-it.

Compressed wood/Inca pallets Space-saving, stackable



Product description

- Compression-moulded pallets made of 85% wood and max. 15% urea resin

Applications

- Ideal for use in combination with stretch or shrink films
- Shipping, storage and display pallets
- Economical alternative to wooden pallets
- Air freight (low net weight)
- Ideal for export purposes

Available

- Standard sizes available: 60 x 80, 80 x 120 cm

Advantages

- + Stackable and nestable
- + Can be handled from all sides
- + Lightweight
- + Consistent quality, accurate sizing
- + No risk of injury due to nails or screws
- + No siren treatment required for export



Alternative products

- 45 Palletised containers
- 46 Plywood crate

Additional products

- 84 Strapping band
- 40 Corrugated boxes

Product range

Item no.	Item description	Dimensions	Unit
78872	Inca pallet	600 mm x 800 mm 500 kg	100 Pieces
78873	Inca pallet	800 mm x 1200 mm 900 kg	50 Pieces

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Plastic pallets

Robust shipping solution



Product description

- Standard plastic pallets and special plastic pallets for use in hygienic storage areas and in high rack warehouses
- Resistant to temperature, acids and alkalis

Applications

- Reusable transport packaging
- Load carrier for air freight and export

Available

- Various sizes and models available (e.g. standard Euro pallet 800 mm x 1200 mm)
- Disposable pallets manufactured according to customer specifications on request

Advantages

- + Easy to clean, sterilisable transport packaging
- + Very economical due to frequent re-use




See our dedicated **Packaging Systems** catalogue for our full range of packaging machinery, featuring stretch wrapping and carton handling systems from Lantech, cushioning and foam-in-place from Sealed Air, Airspeed and Intellipack, paper packaging from Ranpak, as well as our own Masterline machine programme.

To find out more, please contact our Systems Sales & Engineering Support team on **01606 567013** or email packaging-systems@antalisco.uk



Vibac polypropylene tape

Secure fastening




Alternative products

54 Gummed paper tape

Additional products

97 Adhesive tape dispenser



Product description

- Clear or brown self adhesive tape made of polypropylene (PP) with different adhesives
- PP: economical, environmentally friendly, tear resistant, high tear strength, printable

Applications


- For sealing mailing cartons, boxes and packaged goods made of paper and cardboard
- For sealing light to medium weight packaged items
- Printable as an advertising medium

Available

- Clear or brown
- Packing tape for hand or automated use
- Can be individually printed in several colours

Advantages

- + Ensures fast, cost-effective work processes
- + Excellent value for money
- + Different grades available for all applications



Product range




Item no.	Item description	Colour	Specification	Dimensions	Unit
69107	Vibac polypropylene tape	Clear	Solvent	12 mm x 66 m	144 coils per carton
69108	Vibac polypropylene tape	Clear	Solvent	19 mm x 66 m	90 coils per carton
69109	Vibac polypropylene tape	Clear	Solvent	25 mm x 66 m	72 coils per carton
49962	Vibac polypropylene tape	Clear	Hotmelt	25 mm x 66 m	72 coils per carton
49937	Vibac polypropylene tape	Clear	Hotmelt	48 mm x 66 m	36 coils per carton
69110	Vibac polypropylene tape	Clear	Solvent	48 mm x 66 m	36 coils per carton
69111	Vibac polypropylene tape	Clear	Solvent Low noise	48 mm x 66 m	36 coils per carton
83795	Vibac polypropylene tape	Clear	Acrylic Low noise	48 mm x 66 m	36 coils per carton
69112	Vibac polypropylene tape	Clear	Solvent	48 mm x 132 m	36 coils per carton
68706	Vibac polypropylene tape	Clear	Hotmelt	48 mm x 132 m	36 coils per carton
49960	Vibac polypropylene tape	Clear	Hotmelt	38 mm x 990 m	8 coils per carton
49959	Vibac polypropylene tape	Clear	Hotmelt	48 mm x 990 m	6 coils per carton
69114	Vibac polypropylene tape	Clear	Solvent	48 mm x 990 m	6 coils per carton
68709	Vibac polypropylene tape	Clear	Hotmelt	75 mm x 990 m	4 coils per carton
49958	Vibac polypropylene tape	Brown	Hotmelt	48 mm x 66 m	36 coils per carton
69102	Vibac polypropylene tape	Brown	Solvent	48 mm x 66 m	36 coils per carton
68702	Vibac polypropylene tape	Brown	Hotmelt	48 mm x 132 m	72 coils per carton
83792	Vibac polypropylene tape	Brown	Solvent	48 mm x 990 m	6 coils per carton
69103	Vibac polypropylene tape	Brown	Solvent Low noise	48 mm x 66 m	36 coils per carton
83794	Vibac polypropylene tape	Brown	Acrylic Low noise	48 mm x 66 m	36 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



3M Polypropylene hand tape Carton sealing tape



Product description

- 3M Polypropylene tape offers high tack for immediate adhesion making it suitable for sealing thicker walled and heavier boxes

Applications

- Household and industrial application tapes, excellent for cold/hot temperature storage

Available

- Available in hand rolls, clear or brown 25 mm to 75 mm width

Advantages

- + Clear or brown self adhesive tape, environmentally-friendly, tear resistant and printable as an advertising medium
- + Use for sealing light to medium weight packaged items

Alternative products

- 84** Strapping band
- 62** Glue gun and/or sticks

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser

Product range



Item no.	Item description	Colour	Specification	Dimensions	Unit
18847	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	25 mm x 66 m	72 coils per carton
18848	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	38 mm x 66 m	48 coils per carton
18849	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	48 mm x 66 m	36 coils per carton
18851	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	48 mm x 132 m	36 coils per carton
18850	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	75 mm x 66 m	24 coils per carton
18855	3M Scotch polypropylene tape	Brown	Ref: 371 Hotmelt	48 mm x 66 m	36 coils per carton
18856	3M Scotch polypropylene tape	Brown	Ref: 371 Hotmelt	48 mm x 132 m	36 coils per carton
47753	3M Scotch polypropylene tape	Brown	Ref: 371 Hotmelt	75 mm x 66 m	24 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



3M Polypropylene machine tape Carton sealing tape



Product description

- The 3M range of machine applied polyprop tape offers the same properties as the hand applied range but in longer lengths for automail case taping machines

Applications

- Industrial application tapes used with box sealing machines, excellent for cold/hot temperature storage

Available

- Available in machine rolls, clear or brown 990 m to 1500 m length

Advantages

- + Clear or brown self adhesive tape, environmentally friendly, tear resistant and printable as an advertising medium
- + Use for sealing light to medium weight packaged items
- Applied by a machine carton sealer

Alternative products

- 84** Strapping band
- 62** Glue gun and/or sticks

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser

Product range



Item no.	Item description	Colour	Specification	Dimensions	Unit
18853	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	38 mm x 990 m	8 coils per carton
18852	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	48 mm x 990 m	6 coils per carton
53457	3M Scotch polypropylene tape	Clear	Ref: 371 Hotmelt	48 mm x 1500 m	6 coils per carton
18857	3M Scotch polypropylene tape	Brown	Ref: 371 Hotmelt	48 mm x 990 m	6 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

3M Scotch cellulose tape

Easy to use



Product description

- Bio-degradable clear self adhesive tape

Applications

- General office and stationery applications

Available

- Available in hand rolls, clear in 19 mm to 25 mm width

Advantages

- + Clear bio-degradable self adhesive tape with high tack adhesive, release coated for easy unwind
- + Easy tear feature makes it ideal for general office and stationery applications

Alternative products

- 84** Strapping band
- 62** Glue gun and/or sticks
- 54** Gummed paper tape

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser

Product range




Item no.	Item description	Colour	Specification	Dimensions	Unit
21946	Cellulose tape	Clear	Ref: 607	25 mm x 66 m	72 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Vibac PVC tape

Tough and strong



Product description

- A tough and strong vinyl tape with an aggressive natural rubber based adhesive

Applications

- Household and industrial application tape which needs extra adhesion strength for its application

Available

- Supplied in hand roll format, clear or brown

Advantages

- + High tack adhesive qualities, securely seals a wide range of products
- + Silent unwind from the roll and easy to tear



Alternative products

- 62** Glue gun and/or sticks
- 54** Gummed paper tape
- 48** Polypropylene tape

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser

Product range




Item no.	Item description	Colour	Adhesive	Dimensions	Unit
83799	Vibac vinyl tape	Clear	Rubber	25 mm x 66 m	72 coils per carton
68696	Vibac vinyl tape	Clear	Rubber	48 mm x 66 m	36 coils per carton
68694	Vibac vinyl tape	Brown	Rubber	48 mm x 66 m	36 coils per carton
83797	Vibac vinyl tape	Brown	Rubber	48 mm x 132 m	36 coils per carton
83798	Vibac vinyl tape	Brown	Rubber	75 mm x 66 m	24 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Coloured tape

Good identification



Alternative products

- 62** Glue gun and/or sticks
- 50** PVC tapes
- 48** Polypropylene tape

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser

Product description

- Polypropylene coloured tape

Applications

- Household and industrial application tapes, good for identification via the different colours

Available

- Supplied in hand roll format, in a variety of colours
- Machine length rolls also available

Advantages

- + Colours good for identification on pallets/packages

Product range



Item no.	Item description	Colour	Specification	Dimensions	Unit
11847	Coloured polypropylene tape	Red	Acrylic	48 mm x 66 m	36 coils per carton
21281	Coloured polypropylene tape	White	Acrylic	48 mm x 66 m	36 coils per carton
11849	Coloured polypropylene tape	Yellow	Acrylic	48 mm x 66 m	36 coils per carton
11844	Coloured polypropylene tape	Green	Acrylic	48 mm x 66 m	36 coils per carton
11839	Coloured polypropylene tape	Blue	Acrylic	48 mm x 66 m	36 coils per carton
68644	Coloured polypropylene tape	Red	Acrylic low noise	48 mm x 66 m	36 coils per carton
68647	Coloured polypropylene tape	White	Acrylic low noise	48 mm x 66 m	36 coils per carton
68642	Coloured polypropylene tape	Green	Acrylic low noise	48 mm x 66 m	36 coils per carton
68635	Coloured polypropylene tape	Blue	Acrylic low noise	48 mm x 66 m	36 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Hazard warning tapes

Highly visual safety aid



Alternative products

- 51** Coloured tape

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser

Product description

- Self adhesive visual warning tape with alternating diagonal stripes

Applications

- Excellent for marking floors, walkways, machinery, low beams or scaffolding
- High weather resistance so can also be used externally

Available

- Two colour combinations supplied in 50 mm x 33 m rolls

Advantages

- + Helps to warn of an impending hazard
- + Alternating stripes make it sure to be seen
- + Excellent adhesion will stick to most surfaces
- + High abrasion resistance
- + Easy to apply

Product range



Item no.	Item description	Colour	Adhesive	Dimensions	Unit
69026	Vinyl hazard warning tape	Red / white	Rubber	50 mm x 33 m	6 coils per pack
69027	Vinyl hazard warning tape	Yellow / black	Rubber	50 mm x 33 m	6 coils per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Printed tape

For everyday use



Alternative products

- 53** Brother Tape Creator
- 50** PVC tapes
- 48** Polypropylene tape

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser

Product description

- Pre-printed with standard transit, security, handling or general information messages

Applications

- Apply to package/product which gives clear printed messages for all to see

Available

- Polypropylene tape printed, supplied in hand roll format

Advantages

- + Message printed clearly in red on a white background
- + Silent unwind from the roll

Product range

Item no.	Item description	Colour	Specification	Dimensions	Unit
52750	Fragile	White tape printed red	Acrylic	48 mm x 66 m	36 coils per carton
11908	Glass with care	White tape printed red	Acrylic	48 mm x 66 m	36 coils per carton
11866	Handle with care	White tape printed red	Acrylic	48 mm x 66 m	36 coils per carton
11868	Caution	White tape printed red	Acrylic	48 mm x 66 m	36 coils per carton
11962	QC Inspected	White tape printed red	Acrylic	48 mm x 66 m	36 coils per carton
12111	This way up	White tape printed red	Acrylic	48 mm x 66 m	36 coils per carton
12069	Security and contents checked	White tape printed red	Acrylic	48 mm x 66 m	36 coils per carton
68889	Fragile	White tape printed red	Acrylic low noise	48 mm x 66 m	36 coils per carton
68884	Glass with care	White tape printed red	Acrylic low noise	48 mm x 66 m	36 coils per carton
68955	Handle with care	White tape printed red	Acrylic low noise	48 mm x 66 m	36 coils per carton
68960	Security	White tape printed red	Acrylic low noise	48 mm x 66 m	36 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Customised printed adhesive tapes

Packing tapes can be individually printed to your specifications.

The advantages

- + **Advertising impact:** your logo and/or slogan on each box that leaves your company
- + **Theft protection:** the box cannot be opened and resealed
- + **Image:** professional and serious image
- + **Identification:** printing of contact details, instructions, etc.
- + **Recognition:** the sender can be immediately identified

The options:

- + Printing on packing tapes made from PP or PVC material
- + Base : white, brown or transparent packing tape
- + Up to 3 colour print possible
- + Mixing of individual shades such as Pantone, HKS or RAL colours also possible

The various types:

- + Standard printing
- + Reverse printing



Various printing possibilities



1 colour standard printing
white packing tape



2 colour standard printing
white packing tape



1 colour standard printing
brown packing tape



2 colour standard printing
brown packing tape



1 colour reverse printing
white packing tape



2 colour reverse printing
white packing tape

Brother Tape Creator

A revolution in personalised print



Alternative products

- 52** Printed tape
- 50** PVC tapes
- 48** Polypropylene tape

Additional products

- 40** Corrugated boxes
- 97** Adhesive tape dispenser



brother
at your side

Product description

- A desktop plug in and play machine that allows you to create personalised printed tape in minutes
- Simply load the tape, and then from the user friendly software select your template from one of the wide range of different designs, and type in your message
- Change the font or design, or for that extra special personal touch, you can also upload your own image or design to print onto the tape
- Simply click "Print", and watch the Brother Tape Creator produce your own personalised adhesive tape in seconds

Applications

- Ideal for gift wrapping
- Corporate branding
- Promotional messaging
- Customised warning tapes

Available

- Prints 50mm wide tape as standard
- 38mm wide tape also available
- Wide variety of colour combinations
- Minimum roll length 1 metre
- Maximum roll length 66 metre

Advantages

- + Customised Tape on Demand
- + Plug and Play
- + User friendly software
- + 200 standard designs
- + Personalised designs and images can also be uploaded

Brother Tape Creator

Item no.	Item description	Dimensions	Unit
85701	Brother Tape Creator TP-M5000N	650 mm x 170 mm x 370 mm	Each

Brother Tape Creator Consumables



Item no.	Item description	Colour	Dimensions	Unit
85702	Brother Tape Creator Blank Roll	White	50 mm x 310 m	Each
85706	Brother Tape Creator Blank Roll	Clear	50 mm x 310 m	Each
85707	Brother Tape Creator Blank Roll	Red	50 mm x 310 m	Each
85708	Brother Tape Creator Blank Roll	Blue	50 mm x 310 m	Each
85709	Brother Tape Creator Blank Roll	Yellow	50 mm x 310 m	Each
85711	Brother Tape Creator Blank Roll	Pink	50 mm x 310 m	Each
85719	Brother Tape Creator Ribbon	White	50 mm x 310 m	Each
85720	Brother Tape Creator Ribbon	Red	50 mm x 310 m	Each
85721	Brother Tape Creator Ribbon	Blue	50 mm x 310 m	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

When it matters most...

No matter what product needs sending, from blue suede shoes to heavy industrial parts, Antalis Packaging have it covered.

Our range of protective packaging products are ideal for online retailers, third-party logistics and mail order customers.



Pack-it, Seal-it, Post-it, Trust-it.

Gummed paper tape

For secure packaging



Alternative products

- 48** Polypropylene tape
- 84** Strapping band

Additional products

- 97** Gummed paper tape dispenser

Product description

- Adhesive tape made of gummed paper
- Lasting protection for packaged goods during shipment and storage
- Used together with tape wetting devices

Applications

- For sealing folding boxes made of corrugated and solid fibreboard, as well as packaging made of paper and cardboard
- For reinforcing, bundling and strapping

Available

- Supplied in rolls
- Standard roll length: non reinforced tape 200 m, reinforced tape 150 m and 200 m
- Available in brown, white or printed
- 1 or 2 colour positive or negative advertising print available on request

Advantages

- + Extremely stable in all climates
- + Unrolls quietly and smoothly
- + Good immediate and lasting adhesive qualities, including test liners
- + Adheres well to dusty surfaces

Product range



Item no.	Item description	Colour	Specification	Dimensions	Unit
19221	Standard	Brown	wound gum out (WGO)	50 mm x 200 m	14 coils per carton
20189	Standard	Brown	wound gum in (WGI)	50 mm x 200 m	24 coils per carton
19223	Standard	Brown	wound gum out (WGO)	70 mm x 200 m	16 coils per carton
20188	Standard	Brown	wound gum in (WGI)	70 mm x 200 m	16 coils per carton
19949	Medium	Brown	wound gum out (WGO)	50 mm x 200 m	24 coils per carton
19951	Medium	Brown	wound gum out (WGO)	60 mm x 200 m	12 coils per carton
19225	Medium	Brown	wound gum out (WGO)	70 mm x 200 m	16 coils per carton
19224	Medium	Brown	wound gum out (WGO)	70 mm x 200 m	10 coils per carton
19950	Medium	Brown	wound gum out (WGO)	96 mm x 200 m	12 coils per carton
20022	Medium	White	wound gum out (WGO)	50 mm x 200 m	24 coils per carton
30743	Medium	Brown	wound gum out (WGO)	60 mm x 200 m	20 coils per carton
20023	Medium	White	wound gum out (WGO)	70 mm x 200 m	8 coils per carton
19226	Heavy	Brown	wound gum out (WGO)	70 mm x 150 m	16 coils per carton
19954	Medium	Brown	Super reinforced	70 mm x 100 m	12 coils per carton
20380	Medium	White	Super reinforced	70 mm x 100 m	12 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Adhesive die cuts



- Die cuts can be made from almost all adhesive tapes to your specifications in a vast array of styles. Just ask Antalis!

Linson book binding tape

Ideal for binding



Product description

- Embossed paper tape coated with hot melt adhesive

Applications

- Designed for binding applications such as books and cheque books

Available

- Available in hand rolls in a variety of colours and sizes

Advantages

- + Wide range of coloured embossed tape coated with hot melt adhesive to give high initial grab and tack ensuring the pages being bound remain in the correct position

Product range



Item no.	Item description	Colour	Specification	Dimensions	Unit
69657	Book binding / splicing tape	Black	180 gsm	25 mm x 50 m	6 coils per pack
69661	Book binding / splicing tape	Blue	180 gsm	38 mm x 50 m	4 coils per pack
69659	Book binding / splicing tape	Black	180 gsm	38 mm x 50 m	4 coils per pack
69664	Book binding / splicing tape	Red	180 gsm	50 mm x 50 m	3 coils per pack
69666	Book binding / splicing tape	Green	180 gsm	50 mm x 50 m	3 coils per pack
69665	Book binding / splicing tape	Sapphire Blue	180 gsm	50 mm x 50 m	3 coils per pack
69663	Book binding / splicing tape	Black	180 gsm	50 mm x 50 m	3 coils per pack
69667	Book binding / splicing tape	Black	180 gsm	75 mm x 50 m	2 coils per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

See our dedicated **Packaging Systems** catalogue for our full range of packaging machinery, featuring stretch wrapping and carton handling systems from Lantech, cushioning and foam-in-place from Sealed Air, Airspeed and Intellipack, paper packaging from Ranpak, as well as our own Masterline machine programme.

To find out more, please contact our Systems Sales & Engineering Support team on **01606 567013** or email packaging-systems@antal.co.uk



packCONSULT: the right advice every time!




The packCONSULT team analyses the internal packaging logistics of your company, the packing material used as well as the packaging process. The aim of the study is to pinpoint the areas where savings can be made and to draw up proposals for improvement in the form of a packaging concept. See also page 119.

On your behalf, we will optimise:

- Purchasing costs
- Warehousing costs
- Workstation ergonomics
- Packaging handling



Masking tape



Additional products

8 Masking paper

Crepe paper tape

Product description

- Adhesive paper tape, fine or coarse crepe surface

Applications

- For masking surfaces prior to painting or coating
- Fixing items in place

Available

- Ranges from low-priced decorator's masking tape to high quality, heat resistant masking tape for use in vehicle painting
- Widths according to customer specifications

Advantages

- + Easy to use, can be hand torn
- + Good value for money

Product range



Item no.	Item description	Dimensions	Unit
17851	3M Scotch masking tape	50 mm x 50 m	24 rolls per carton
83790	Vibac masking tape	24 mm x 50 m	36 rolls per carton
83791	Vibac masking tape	48 mm x 50 m	24 rolls per carton
92832	Blue PT14 U.V. Masking Tape	24 mm x 50 m	36 rolls per carton
92970	Blue PT14 U.V. Masking Tape	48 mm x 50 m	24 rolls per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Cross weave tape



Alternative products

84 Strapping band

Packaging, protecting and fixing



Product description

- Adhesive tape made of PP film, reinforced lengthways with polyester fibre

Applications

- Bundling packaged goods
- Packaging hazardous goods
- Heavy goods packaging
- Suitable for waxed and recycled paper materials

Available

- Standard widths between 19 mm and 75 mm

Advantages

- + Waterproof
- + Some types are UV-resistant




Product range



Item no.	Item description	Dimensions	Unit
72507	3M Tartan cross weave filament tape	19 mm x 50 m	48 rolls per carton
72578	3M Tartan cross weave filament tape	25 mm x 50 m	36 rolls per carton
72580	3M Tartan cross weave filament tape	50 mm x 50 m	18 rolls per carton
72581	3M Tartan cross weave filament tape	75 mm x 50 m	12 rolls per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

PE packing tape



Secure fastening tape

Product description

- High quality PE packing tape
- White in colour
- Acrylic adhesive

Applications

- Fastening film bags
- Securing cover films
- Repairing poly tunnel greenhouses

Available

- Rolls format

Advantages

- + Resistant to ageing, UV and weather
- + Ideally suited for film packaging
- + Highly versatile
- + Easy to unroll



3M adhesive transfer tape

For bonding surfaces



Product description

- General purpose clear acrylic adhesive transfer tape on polycoated paper liner

Applications

- Great for all hobby/craft needs. Ideal for paper, card, tissue, cloth fabric and glitter
- Miscellaneous joining and holding where high initial adhesion and long bonding is required

Available

- Supplied in 12 mm x 44 m rolls

Advantages

- + Easy to use double sided tape for paper and card



Alternative products

- 62** Glue gun and/or sticks

Product range



Item no.	Item description	Colour	Dimensions	Unit
15501	Adhesive transfer tape ref 904	Clear	12 mm x 44 m	36 rolls per carton
15505	Adhesive transfer applicator gun ref ATG700	-	-	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Packaging test laboratory

Antalis Packaging operates an in-house laboratory that inspects incoming goods and conducts quality assurance tests on paper, board, films, tapes and corrosion protection. We test bursting pressure, tensile strength, breaking length, water tightness, pH value, Cobb value, grammage, thickness, etc.

We are also more than happy to carry out material testing on your behalf.

Double sided tape

Joining, splicing, installing



Product description

- High quality, double sided adhesive tape

Applications

- For joining different materials
- For assembly purposes
- For splicing

Available

- Available in various roll widths

Advantages

- + Silicone paper backing easily removed
- + Excellent adhesion to different materials
- + Aggressive adhesive
- + Manually removable

Product range

Item no.	Item description	Dimensions	Unit
11340	Double sided fingerlift tissue tape	6/12 mm x 50 m	60 coils per carton
15503	Double sided fingerlift tissue tape	12/18 mm x 50 m	40 coils per carton
83789	Double sided fingerlift tissue tape	18/24 mm x 50 m	30 coils per carton
28502	Hitack double sided tape	25 mm x 50 m	24 coils per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Aluminium adhesive tape

Sealing, covering, insulating



Additional products

- 31 Combilay underfloor foams

Product description

- High grade aluminium foil tape with excellent adhesion

Applications

- Applications include air conditioning, refrigeration and electronics
- Ideal for use with all Combilay flooring products

Available

- Also available in various widths and thicknesses according to customer specifications

Advantages

- + High thermal resistance - class O fire-rated
- + Resistant to heat, cold and moisture

Product range

Item no.	Item description	Thickness	Dimensions	Unit
78786	Aluminium foil tape	30 mic	50 mm x 45 m	24 rolls per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Visit our new website!


- New design
- New online shop
- More information

Better all round.

★ www.antalispackaging.co.uk



Cloth tape



Masking and sealing

Product description

- Coated and non coated fabric base material
- Various types of adhesive coating available

Applications

- For protection and masking in the automotive industry
- Construction industry
- Electronics industry

Available

- Manufactured in all widths according to customer specifications

Advantages

- + Water-proof repair tape
- + Some tapes leave no residue on removal
- + Often referred to as gaffer tape

Product range



Item no.	Item description	Dimensions	Unit
78787	White cloth tape	50 mm x 50 m	24 rolls per carton
78788	Silver cloth tape	50 mm x 50 m	24 rolls per carton
78790	Silver cloth tape	75 mm x 50 m	16 rolls per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Pouch tape



Protection for labels and documents

Product description

- Clear film made from PP

Applications

- Self adhesive film for holding documents in place
- Labels remain legible, ensures smooth logistics processes

Available

- Roll format

Advantages

- + Easy to use with table roll dispenser
- + Protects labels against moisture, dirt and damage
- + Recipient receives clean and tidy documents

Dispenser for
Polypouch tape



Alternative products

- 74 Document enclosed envelopes

Additional products

- 48 Polypropylene tape
- 40 Corrugated boxes

One stop shop for packaging materials, systems, solutions and services:

- Extensive product range
- Tailored service
- Expert advice
- Bespoke design capability
- Reliable deliveries
- Sustainable solutions



The Complete Package for industry, export and logistics

Zebra printers

Improving customers' business performance



Stay in front with Zebra

In a fast-track world, Zebra's on-demand digital printing and automatic-identification solutions help identify, track and locate assets, transactions and people. So you'll always be one step ahead.

- Transportation and logistics
- Manufacturing
- Retail
- Healthcare
- Post and parcel
- Government
- Hospitality
- Mobile workforce
- Education
- Banking



High-performance printers

Zebra's high-performance printers stand up to the most demanding needs, delivering the power and reliability required for your mission-critical applications.



Mid-range printers

Zebra's mid-range industrial and commercial printers offer reliable and economical solutions for a wide range of applications and environments.



Kiosk and embedded printers

Zebra's robust kiosk printers offer a range of features designed to provide fast, reliable and versatile printing performance across many applications.



Desktop printers

Where space is limited, Zebra desktop printers are a compact, affordable and easy-to-operate solution.



Mobile printers

Zebra's broad range of mobile printers, combined with wireless technology, enable on-the-spot label and receipt printing in almost any environment.



Wristband printers

The HC100™ wristband printer with integrated media cartridge offers a total solution for wristband printing.



Print engines

OEM print engines are designed to be integrated into label-applicator machinery, providing reliable high-performance label printing for unattended applications.



RFID printer/encoders

RFID printer/encoders assist in the implementation of instant, measurable improvements in operating efficiency, accuracy and supply-chain visibility.



Card printers

Zebra's wide range of card printers produce sharp monochrome or full-colour cards on demand, from fast personalisation to vivid, high-resolution ID cards.

Zebra supplies

The natural choice for your Zebra printer



Get the best performance from your Zebra printer by using genuine Zebra supplies

Specifically developed for Zebra printers, our supplies are all made to a high standard.

- Labels, tags, receipt papers, wristbands, card and ribbons
- All labels and ribbons are laboratory-tested for optimum performance
- Genuine Zebra supplies minimise wear and tear on printheads
- A wide range of materials supports the full Zebra range of barcode, kiosk and card printers

Quality

Zebra supplies are made by Zebra, for Zebra printers, to the highest standards. They are all extensively tested to ensure best print quality and performance before they are branded and introduced into the range. Tested on the printers they will be used on, in the combinations they will be used in, they are developed specifically for users' requirements.

Performance and reliability

Using genuine Zebra supplies will give optimum printer performance and minimise printhead wear and tear. By using Zebra supplies, you can be sure of consistent performance and can eliminate scanning and printing issues that you may experience with other manufacturers' labels, receipts and tags.

Wide product range

Zebra has a wide range of label, tag and receipt materials as well as specialist products such as wristbands. Paper and synthetic, direct-thermal and thermal-transfer, self-adhesive and tags: we've got it covered. Zebra can also deliver expert solutions, such as tamper-evident labels, high-temperature labels and special adhesives.

Convenience

With a full range of branded supplies solutions in stock, as well as made-to-order (custom) supplies, we can respond to all your labelling needs and reduce the need to source from different suppliers.

Zebra develops supplies specifically for its printer range and the markets served by its printers.

- Logistics
- Manufacturing
- Post and parcel
- Parking
- Public transport
- Retail
- Hospitality, service and leisure
- Healthcare
- Government
- Utilities
- Mobile workforce



SEE MORE.
DO MORE.

Trusted all over the world, more than 90% of Fortune 500 companies use Zebra printers, supplies, RFID products and software to increase productivity, improve quality, lower costs and deliver better customer service.



From traditional compliance-labelling and security needs through to business improvement solutions that deliver impressive ROI, you can rely on Zebra.

Glue gun

Simple and easy to use



Glue Gun - Light P-312

- Uses 12 mm glue sticks
- Operates from 100-230 V
- Light duty industrial tool, weighs only 230 g
- Dispenses 12 mm hot melt up to 750 g/Hr
- With "power-on" LED display

Glue Gun - Medium P-912

- Uses 12 mm glue sticks
- Operates at 230 V
- Industrial tool dispenses 12 mm hot melt up to 2 kgs/Hr
- Easy change thermostat values for low melt glues
- Ergonomic design with "soft feel" handle and adjustable trigger stroke
- Weighs only 500 g

Product range

Item no.	Item description	Reference	Unit
78974	Light duty glue gun	P-312	Each
78975	Medium duty glue gun	P-912	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Glue sticks

Bonds surfaces together



Fast setting glue

- For cartons, paper, board etc.
- 96-12-300-5

Medium setting glue

- For general use
- 95-12-300-5

Product range

Item no.	Item description	Colour	Dimensions	Unit
78976	Fast set glue sticks	Clear	300 mm x 12 mm	5 kg
78977	Medium set glue sticks	Clear	300 mm x 12 mm	5 kg

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Our commitment...

Dedicated Account Management

- Professional account manager
- Regular business reviews & detailed reports
- Industry leading product knowledge
- Innovative approach to your packaging needs
- Working within your business to identify solutions for your packaging needs

Personal Administration Support Contact

- Central contact, prompt response to all enquiries
- Knowledgeable, trained & efficient personnel
- Personal and courteous approach to your business
- Effective stock & account management

Tailored Service Solutions

- Individual service agreements
- Cost efficiency programmes
- Total supply chain management
- Performance enhanced through design
- New product performance evaluation
- Packaging waste management service

Systems Sales & Engineering Support

- Engineering back-up
- Spare parts supplies
- Repairs and maintenance services



Masterline postal bags



Alternative products

- ?? Solid board envelopes
- 68 Jiffy padded bags

Additional products

- 74 Document enclosed envelopes

Bubble-lined envelopes



Product description

- Stable, pliable mailing envelope made of gold or white kraft paper
- Inner cushioning made of lightweight polyethylene bubble wrap

Applications

- For mailing promotional items, CDs, DVDs, books, watches and jewellery

Available

- Supplied with a self adhesive strip
- Standard range in 10 different sizes

Advantages

- + Protects products against shocks, moisture and dirt
- + Stable, pliable, tough, lightweight
- + Available with adhesive document pocket for COD on request
- + Can be printed in 1, 2, 3 or 4 colours

Product range



Item no.	Item description	Colour	Size	Dimensions	Unit
14126	Masterline gold postal bags	Gold	A/000	90 mm x 145 mm	200 per box
14127	Masterline gold postal bags	Gold	B/00	115 mm x 195 mm	200 per box
14128	Masterline gold postal bags	Gold	C/0	140 mm x 195 mm	100 per box
14129	Masterline gold postal bags	Gold	D/1	170 mm x 245 mm	100 per box
14130	Masterline gold postal bags	Gold	E/2	205 mm x 245 mm	100 per box
14131	Masterline gold postal bags	Gold	F/3	220 mm x 320 mm	100 per box
14132	Masterline gold postal bags	Gold	G/4	240 mm x 320 mm	100 per box
14133	Masterline gold postal bags	Gold	H/5	260 mm x 345 mm	100 per box
14134	Masterline gold postal bags	Gold	J/6	290 mm x 445 mm	50 per box
14135	Masterline gold postal bags	Gold	K/7	340 mm x 445 mm	50 per box
14116	Masterline white postal bags	White	A/000	90 mm x 145 mm	200 per box
14117	Masterline white postal bags	White	B/00	115 mm x 195 mm	200 per box
14118	Masterline white postal bags	White	C/0	140 mm x 195 mm	100 per box
14119	Masterline white postal bags	White	D/1	170 mm x 245 mm	100 per box
14120	Masterline white postal bags	White	E/2	205 mm x 245 mm	100 per box
14121	Masterline white postal bags	White	F/3	220 mm x 320 mm	100 per box
14122	Masterline white postal bags	White	G/4	240 mm x 320 mm	100 per box
14123	Masterline white postal bags	White	H/5	260 mm x 345 mm	100 per box
14124	Masterline white postal bags	White	J/6	290 mm x 445 mm	50 per box
14125	Masterline white postal bags	White	K/7	340 mm x 445 mm	50 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

When it matters most...

No matter what product needs sending, from blue suede shoes to heavy industrial parts, Antalis have it covered.

Our range of protective packaging products are ideal for online retailers, third-party logistics and mail order customers.



Pack-it, Seal-it, Post-it, Trust-it.

Mail Lite® Round Trip



Reusable protective mailer

NEW

Product description

- Bubble-lined mailing envelope with innovative double sealing strips
- Features inner layer of AirCap® barrier bubble

Applications

- Ideal for e-commerce returns and exchanges

Available

- Supplied in white in large letter size

Advantages

- + Two seals make it quick and easy for your customer to re-use
- + Reduce waste and save money – no need for a second mailer
- + Large letter size eliminates sending goods at parcel rates
- + Lightweight but tough cushioning protection against shocks, moisture and dirt

Product range




Item no.	Item description	Colour	Size	Dimensions	Unit
85151	Mail Lite® Round Trip postal bag	White	LL	230 mm x 330 mm	50 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Mail Lite®

Postal bags



Product description

- Economical, practical and lightweight postal bag



Applications

- Lightweight postal applications with seal strip on flap which saves time in busy packing and postal departments

Available

- Supplied in gold/white and oyster with a variety of sizes

Advantages

- + Cost effective mailing envelope made of strong white or gold kraft paper, with an inner layer of bubble wrap to give cushioned protection for light weight items
- + Protects products against shocks, moisture and dirt
- + The envelope has a self seal adhesive strip which saves time in postal departments

Alternative products

- ?? Solid board envelopes
- 68 Jiffy padded bags

Additional products

- 74 Document enclosed envelopes

Product range



Item description	Item no. Oyster	Item no. Gold	Item no. White	Size	Dimensions	Unit
Mail Lite® postal bag	21038	61528	52440	A/000	110 mm x 160 mm	100 per box
Mail Lite® postal bag	21039	61530	52441	B/00	120 mm x 210 mm	100 per box
Mail Lite® postal bag	21040	61531	52450	C/0	150 mm x 210 mm	100 per box
Mail Lite® postal bag	21041	61532	52443	D/1	180 mm x 260 mm	100 per box
Mail Lite® postal bag	21042	61533	52444	E/2	220 mm x 260 mm	100 per box
Mail Lite® postal bag	21043	61534	52445	F/3	220 mm x 330 mm	50 per box
Mail Lite® postal bag	21044	61535	52446	G/4	240 mm x 330 mm	50 per box
Mail Lite® postal bag	21045	61536	52447	H/5	270 mm x 360 mm	50 per box
Mail Lite® postal bag	21046	61537	52448	J/6	300 mm x 440 mm	50 per box
Mail Lite® postal bag	21047	61529	52449	K/7	350 mm x 470 mm	50 per box
Mail Lite® postal bag	35049	35051	35050	LL	230 mm x 330 mm	50 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Mail Lite® Tuff

Water resistant cushioned mailer



Alternative products

- 71** Solid board envelopes
- 68** Jiffy padded bags

Additional products

- 74** Document enclosed envelopes

Product description

- Puncture and tear resistant three layer polythene mailing bag

Applications

- Polyethylene construction protects contents from water and outdoor weather conditions
- Bubble film lining guarantees outstanding protection, safeguarding products from shock and vibration

Available

- Six sizes stocked, all featuring self seal strip

Advantages

- + High puncture and tear resistance, due to an extra-strong polyethylene outer layer
- + Shockproof and flexible
- + Completely waterproof
- + 100% recyclable



Product range

Item no.	Item description	Colour	Size	Dimensions	Unit
61577	Mail Lite® Tuff - cushioned postal bag	White	C/O	150 mm x 210 mm	100 per box
61576	Mail Lite® Tuff - cushioned postal bag	White	CD	80 mm x 160 mm	100 per box
61578	Mail Lite® Tuff - cushioned postal bag	White	D/1	180 mm x 260 mm	100 per box
61579	Mail Lite® Tuff - cushioned postal bag	White	G/4	240 mm x 330 mm	50 per box
61580	Mail Lite® Tuff - cushioned postal bag	White	H/5	270 mm x 360 mm	50 per box
61581	Mail Lite® Tuff - cushioned postal bag	White	K/7	350 mm x 470 mm	50 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Mail Tuff™

Durable polythene postal bag



Alternative products

- 71** Solid board envelopes
- 68** Jiffy padded bags

Additional products

- 74** Document enclosed envelopes

Product description

- Shipping pouch made from 100% polyethylene for strength and light weight

Applications

- Waterproof and opaque postal bag with a seal self strip for tamper evident strip to prevent unauthorised opening
- Ideal for mail order as its waterproof and opaque material gives good security when used within the postal system

Available

- Supplied in grey durable polythene in a variety of sizes

Advantages

- + Tear resistant
- + Completely waterproof
- + 100% recyclable
- + Easily addressable (can be written on with ball pen)



Product range

Item no.	Item description	Colour	Size	Dimensions	Unit
32132	Mail Tuff™ - durable polythene postal bag	Grey	MT1	165 mm x 240 mm	100 per box
32133	Mail Tuff™ - durable polythene postal bag	Grey	MT2	230 mm x 320 mm	100 per box
32134	Mail Tuff™ - durable polythene postal bag	Grey	MT3	250 mm x 350 mm	100 per box
32135	Mail Tuff™ - durable polythene postal bag	Grey	MT4	295 mm x 415 mm	100 per box
32136	Mail Tuff™ - durable polythene postal bag	Grey	MT5	406 mm x 400 mm	100 per box
32137	Mail Tuff™ - durable polythene postal bag	Grey	MT6	450 mm x 525 mm	100 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Jiffy® Aircraft



Alternative products

- 64** Mail Lite®
- 63** Masterline postal bags
- 67** Jiffy Mailmiser

Additional products

- 74** Document enclosed envelopes

Bubble-lined postal bags

Product description

- Lightweight economical mailer

Applications

- Perfect for items that are susceptible to impact during transit
- Ideal for use in large volume mailings

Available

- Standard range of ten sizes, in white and gold
- Multipack options also available

Advantages

- + Super light bubble lining
- + Excellent tear and puncture resistance
- + Strong self seal closure
- + High quality glazed finish



Product range

Item no.	Item description	Colour	Size	Dimensions	Unit
34559	Jiffy Aircraft bubble-lined postal bags	Gold	JL000	90 mm x 145 mm	150 per box
34298	Jiffy Aircraft bubble-lined postal bags	Gold	JL00	115 mm x 195 mm	100 per box
11837	Jiffy Aircraft bubble-lined postal bags	Gold	JL00	115 mm x 195 mm	Multipack – 10 x 10 per box
34095	Jiffy Aircraft bubble-lined postal bags	Gold	JL0	140 mm x 195 mm	100 per box
12000	Jiffy Aircraft bubble-lined postal bags	Gold	JL0	140 mm x 195 mm	Multipack – 10 x 10 per box
34560	Jiffy Aircraft bubble-lined postal bags	Gold	JL1	170 mm x 245 mm	100 per box
12028	Jiffy Aircraft bubble-lined postal bags	Gold	JL1	170 mm x 245 mm	Multipack – 10 x 10 per box
34578	Jiffy Aircraft bubble-lined postal bags	Gold	JL2	205 mm x 245 mm	100 per box
12040	Jiffy Aircraft bubble-lined postal bags	Gold	JL2	205 mm x 245 mm	Multipack – 10 x 10 per box
34580	Jiffy Aircraft bubble-lined postal bags	Gold	JL3	220 mm x 320 mm	50 per box
12006	Jiffy Aircraft bubble-lined postal bags	Gold	JL3	220 mm x 320 mm	Multipack – 5 x 10 per box
35021	Jiffy Aircraft bubble-lined postal bags	Gold	JL4	240 mm x 320 mm	50 per box
33452	Jiffy Aircraft bubble-lined postal bags	Gold	JL4	240 mm x 320 mm	Multipack – 5 x 10 per box
35110	Jiffy Aircraft bubble-lined postal bags	Gold	JL5	260 mm x 345 mm	50 per box
12174	Jiffy Aircraft bubble-lined postal bags	Gold	JL5	260 mm x 345 mm	Multipack – 5 x 10 per box
35245	Jiffy Aircraft bubble-lined postal bags	Gold	JL6	290 mm x 445 mm	50 per box
12179	Jiffy Aircraft bubble-lined postal bags	Gold	JL6	290 mm x 445 mm	Multipack – 5 x 10 per box
35247	Jiffy Aircraft bubble-lined postal bags	Gold	JL7	340 mm x 445 mm	50 per box
12188	Jiffy Aircraft bubble-lined postal bags	Gold	JL7	340 mm x 445 mm	Multipack – 5 x 10 per box
88660	Jiffy Aircraft bubble-lined postal bags	Gold	JL8	450 mm x 650 mm	50 per box
33402	Jiffy Aircraft bubble-lined postal bags	White	JL000	90 mm x 145 mm	150 per box
33396	Jiffy Aircraft bubble-lined postal bags	White	JL00	115 mm x 195 mm	100 per box
33391	Jiffy Aircraft bubble-lined postal bags	White	JL0	140 mm x 195 mm	100 per box
33403	Jiffy Aircraft bubble-lined postal bags	White	JL1	170 mm x 245 mm	100 per box
33404	Jiffy Aircraft bubble-lined postal bags	White	JL2	205 mm x 245 mm	100 per box
33407	Jiffy Aircraft bubble-lined postal bags	White	JL3	220 mm x 320 mm	50 per box
33408	Jiffy Aircraft bubble-lined postal bags	White	JL4	240 mm x 320 mm	50 per box
12171	Jiffy Aircraft bubble-lined postal bags	White	JL4	240 mm x 320 mm	Multipack – 5 x 10 per box
33409	Jiffy Aircraft bubble-lined postal bags	White	JL5	260 mm x 345 mm	50 per box
33426	Jiffy Aircraft bubble-lined postal bags	White	JL6	290 mm x 445 mm	50 per box
33433	Jiffy Aircraft bubble-lined postal bags	White	JL7	340 mm x 445 mm	50 per box
33460	Jiffy Aircraft bubble-lined postal bags	White	JL7	340 mm x 445 mm	Multipack – 5 x 10 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Jiffy® Mailmiser

Bubble-lined postal bags



Product description

- Premium lightweight bag with heavyweight performance

Applications

- Ideal for heavy duty, domestic and overseas mailings

Available

- Standard range of ten sizes, in white and gold
- Multipack options also available

Advantages

- + Top quality strong kraft paper outer with strong side welds
- + Light laminated bubble lining
- + Excellent tear and burst resistance
- + Super strong self seal strip as standard



Alternative products

- 64** Mail Lite®
- 68** Jiffy padded bags
- 66** Jiffy Aircraft

Additional products


- 74** Document enclosed envelopes

Product range



Item no.	Item description	Colour	Size	Dimensions	Unit
31631	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM000	90 mm x 145 mm	150 per box
31625	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM00	115 mm x 195 mm	100 per box
31601	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM0	140 mm x 195 mm	100 per box
31636	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM1	170 mm x 245 mm	100 per box
31761	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM2	205 mm x 245 mm	100 per box
31789	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM3	220 mm x 320 mm	50 per box
31939	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM4	240 mm x 320 mm	50 per box
32144	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM5	260 mm x 345 mm	50 per box
32145	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM6	290 mm x 445 mm	50 per box
32146	Jiffy Mailmiser bubble-lined postal bags	Gold	JMM7	340 mm x 445 mm	50 per box
32479	Jiffy Mailmiser bubble-lined postal bags	White	JMM000	90 mm x 145 mm	150 per box
32477	Jiffy Mailmiser bubble-lined postal bags	White	JMM00	115 mm x 195 mm	100 per box
32151	Jiffy Mailmiser bubble-lined postal bags	White	JMM0	140 mm x 195 mm	100 per box
33260	Jiffy Mailmiser bubble-lined postal bags	White	JMM0	140 mm x 195 mm	Multipack – 10 x 10 per box
33094	Jiffy Mailmiser bubble-lined postal bags	White	JMM1	170 mm x 245 mm	100 per box
33240	Jiffy Mailmiser bubble-lined postal bags	White	JMM2	205 mm x 245 mm	100 per box
33242	Jiffy Mailmiser bubble-lined postal bags	White	JMM3	220 mm x 320 mm	50 per box
33243	Jiffy Mailmiser bubble-lined postal bags	White	JMM4	240 mm x 320 mm	50 per box
33248	Jiffy Mailmiser bubble-lined postal bags	White	JMM5	260 mm x 345 mm	50 per box
33253	Jiffy Mailmiser bubble-lined postal bags	White	JMM6	290 mm x 445 mm	50 per box
33259	Jiffy Mailmiser bubble-lined postal bags	White	JMM7	340 mm x 445 mm	50 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Jiffy® Padded Bags



Alternative products

- 71** Solid board envelopes
- 67** Jiffy Mailmiser

Additional products

- 74** Document enclosed envelopes

Paper postal bags

Product description

- Tough, recyclable 100% paper padded bag

Applications

- Heavy duty postal applications with seal strip on flap which saves time in busy packing and postal departments

Available

- Supplied in boxes, various sizes available

Advantages

- + Mailing envelope made of strong gold kraft paper, with padding made from recyclable material.
- + Ideal for protection of heavy duty products during mailing
- + Protects products against shocks, moisture and dirt
- + The envelope has a self seal adhesive strip



Product range



Item no.	Item description	Colour	Size	Dimensions	Unit
61441	Jiffy padded bag	Gold	PB00	105 mm x 229 mm	200 per box
61442	Jiffy padded bag	Gold	PB0	135 mm x 229 mm	200 per box
31121	Jiffy padded bag	Gold	PB0	135 mm x 229 mm	Multipack – 20 x 10 per box
61443	Jiffy padded bag	Gold	PB1	165 mm x 280 mm	100 per box
31129	Jiffy padded bag	Gold	PB1	165 mm x 280 mm	Multipack – 10 x 10 per box
61444	Jiffy padded bag	Gold	PB2	195 mm x 280 mm	100 per box
61445	Jiffy padded bag	Gold	PB3	195 mm x 343 mm	100 per box
31132	Jiffy padded bag	Gold	PB3	195 mm x 343 mm	Multipack – 10 x 10 per box
61446	Jiffy padded bag	Gold	PB4	225 mm x 343 mm	100 per box
61447	Jiffy padded bag	Gold	PB5	245 mm x 381 mm	100 per box
31133	Jiffy padded bag	Gold	PB5	245 mm x 381 mm	Multipack – 10 x 10 per box
61448	Jiffy padded bag	Gold	PB6	295 mm x 458 mm	50 per box
61449	Jiffy padded bag	Gold	PB7	341 mm x 483 mm	50 per box
31139	Jiffy padded bag	Gold	PB7	341 mm x 483 mm	Multipack – 5 x 10 per box
31120	Jiffy padded bag	Gold	PB8	442 mm x 661 mm	50 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Our commitment...

Dedicated Account Management

- Professional account manager
- Regular business reviews & detailed reports
- Industry leading product knowledge
- Innovative approach to your packaging needs
- Working within your business to identify solutions for your packaging needs

Personal Administration Support Contact

- Central contact, prompt response to all enquiries
- Knowledgeable, trained & efficient personnel
- Personal and courteous approach to your business
- Effective stock & account management

Tailored Service Solutions

- Individual service agreements
- Cost efficiency programmes
- Total supply chain management
- Performance enhanced through design
- New product performance evaluation
- Packaging waste management service

Systems Sales & Engineering Support

- Engineering back-up
- Spare parts supplies
- Repairs and maintenance services



MediaWrap™

More performance - less packing

NEW




Alternative products

- 72** J-Boxes
- 33** Shell boxes

Additional products

- 74** Document enclosed envelopes



Product description

- A new simple all-in-one concept for the packaging of smartphones and tablets
- Specially designed with load bearing foam to counteract impact
- Tamper evident, secure self-seal packaging with lock-in tab
- Also features a locking crease at each end for added security

Applications

- Bumper support gives all round protection for 10" & 7" tablets
- Ideal for repair or trade-in sectors

Available

- Two standard sizes to fit any size of tablet or smartphone
- Special slimmed down version especially suited to trade-ins
- Available printed or plain

Advantages

- + Shipping costs are reduced by 30-50%
- + Speeds up packing times by 20-30%
- + Fits within Royal Mail regulations: small letter (Smartphone), large letter (Tablet)
- + 50% smaller than most other competitive products
- + Offers the versatility of both suspension and retention packaging
- + High performance protective qualities, allowing less material to be used
- + Ships and stores flat, reducing transportation and storage costs
- + Recycled board and peelable foam make pack 100% recyclable
- + MediaWrap foam can be reused multiple times without losing its protective qualities
- + MediaWrap foam is made from at least 65% recycled content
- + Can be recycled curb side or returned to a designated facility for reclamation

Features

- Double edge creasing around all sides to protect against side impact
- Hidden panel which can be used for direct advertising to end user
- Load bearing foam also acts as a compression aid to enable the pack to be stacked without crushing or damage
- Unique locking crease prevents pack from being tampered with: only way to gain access to product inside is by tear off strip
- Any attempt at tampering would result in damage to the locking crease which would be clearly evident to the recipient
- The creases also stop lateral movement by keeping the product away from the edge of the carton
- Two tear off strips - one to send the phone or tablet into the repair centre, one to send back to the customer, halving packaging costs!
- Packs printed with instructions of how to dispose of the packaging
- Worldwide patent pending

Printing options

- 1-6 colours using litho, flexo, digital and screenprint.
- Two-sided printing also available.
- Plus option to print on one hidden panel, ideal for advertising direct to smartphone and tablet users



Mail order postal sacks



Grey polythene despatch bags

Product description

- Heavy duty co-extruded durable polythene mail order postal sack
- Opaque with a tamper evident self seal strip

Applications

- Ideal for all despatch centres, warehouse, home or office.

Available

- Printed safety warning notice using environmentally friendly water based inks
- Can be supplied in various colours with bespoke printing

Advantages

- + Co-extruded for maximum strength and puncture resistance
- + Maximum opacity to ensure confidentiality
- + Degradable recyclable material

Product range



Item no.	Item description	Size	Thickness	Dimensions	Unit
41746	Grey polythene mail order sack	T01	50 mic	250 mm x 300 mm + 40 mm lip	1000 per box
42666	Grey polythene mail order sack	T10	50 mic	350 mm x 400 mm + 40 mm lip	500 per box
42801	Grey polythene mail order sack	T15	55 mic	400 mm x 525 mm + 40 mm lip	500 per box
44641	Grey polythene mail order sack	T20P	60 mic	525 mm x 600 mm + 40 mm lip	200 per box
44815	Grey polythene mail order sack	T25	60 mic	600 mm x 700 mm + 40 mm lip	200 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Poly Mailers



100% polythene postal bag

Product description

- Heavy duty co-extruded durable polythene mail order postal sack
- Opaque with a strong and secure tamper evident self-seal strip

Applications

- Ideal for all despatch centres, warehouses, home or office

Available

- Six sizes available from stock
- Boxed in easy access dispenser carton

Advantages

- + Environmentally friendly and 100% recyclable and degradable
- + Accepts handwriting, stamps or franking or labels
- + Waterproof, tear and puncture resistant
- + Especially lightweight, saving on postage costs

Product range



Item no.	Item description	Size	Thickness	Dimensions	Unit
45075	Opaque poly mailer	PJ1	75 mic	165 mm x 240 mm + 75 mm lip	100 per box
45083	Opaque poly mailer	PJ3	75 mic	250 mm x 310 mm + 75 mm lip	100 per box
45091	Opaque poly mailer	PJ4	75 mic	255 mm x 340 mm + 75 mm lip	100 per box
45097	Opaque poly mailer	PJ5	75 mic	415 mm x 325 mm + 75 mm lip	100 per box
45098	Opaque poly mailer	PJ6	75 mic	355 mm x 430 mm + 75 mm lip	100 per box
45099	Opaque poly mailer	PJ7	75 mic	506 mm x 353 mm + 75 mm lip	100 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

RigiKraft™ plus

Robust and cost-effective



Product description

- Rigid corrugated envelope with a self-seal closure
- Variable height with creased grooves all the way round

Applications

- Ideal for mailing promotional items, brochures, catalogues, pictures, books, CDs/DVDs etc.

Available

- Seven standard sizes stocked, all featuring a self seal strip

Advantages

- + Protects against dirt and dust
- + Prevents the contents from being bent
- + Tough and light
- + Easy open tear strip
- + Can be used individually
- + 100% recyclable (recycled paper)

Alternative products

- 64** Mail Lite®
- 40** Corrugated boxes
- 68** Jiffy padded bags
- 67** Jiffy Mailmiser

Additional products

- 74** Document enclosed envelopes

Product range



Item no.	Item description	Colour	Size	Dimensions	Unit
38375	RigiKraft™ plus	Kraft	RKP1	167 mm x 267 mm	100 per box
38490	RigiKraft™ plus	Kraft	RKP2	200 mm x 288 mm	100 per box
39110	RigiKraft™ plus	Kraft	RKP3	230 mm x 310 mm	100 per box
39111	RigiKraft™ plus	Kraft	RKP4	263 mm x 355 mm	100 per box
39112	RigiKraft™ plus	Kraft	RKP5	263 mm x 373 mm	100 per box
39119	RigiKraft™ plus	Kraft	RKP6	302 mm x 415 mm	100 per box
39120	RigiKraft™ plus	Kraft	RKP7	353 mm x 518 mm	100 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Humber board backed envelopes Tough and light



Product description

- Comprehensive range of manilla board backed envelopes with peel & seal closure

Applications

- For mailing brochures, catalogues, literature etc.

Advantages

- + Envelope printed please 'do not bend' in red to add good security and good presentation of documents
- + Recyclable

Alternative products

- 64** Mail Lite®
- 40** Corrugated boxes
- 68** Jiffy padded bags
- 67** Jiffy Mailmiser

Additional products

- 74** Document enclosed envelopes

Product range



Item no.	Item description	Colour	Grammage	Dimensions	Unit
02115	Humber board backed envelope	Manilla	115 gsm	190 mm x 140 mm	125 per box
02116	Humber board backed envelope	Manilla	115 gsm	241 mm x 178 mm	125 per box
02119	Humber board backed envelope	Manilla	115 gsm	318 mm x 267 mm	125 per box
02121	Humber board backed envelope	Manilla - C4	115 gsm	324 mm x 229 mm	125 per box
02137	Humber board backed envelope	White - C4	115 gsm	324 mm x 229 mm	125 per box
02122	Humber board backed envelope	Manilla	115 gsm	394 mm x 318 mm	100 per box
02124	Humber board backed envelope	Manilla	115 gsm	444 mm x 368 mm	50 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

J-Boxes



Alternative products

- 72** Postal wraps
- 73** Despatch folders
- 69** MediaWrap
- 68** Jiffy padded bags

Additional products

- 74** Document enclosed envelopes

Corrugated mailing boxes

Product description

- Variable height wrap-around mailing boxes
- Filer for file shipment or storage

Applications

- Suitable for safely posting items such as CDs, DVDs and books
- Filer is the ideal solution for shipping arch files, binders and manuals ranging from 35-80 mm in height

Available

- Standard range features nine sizes plus the Filer
- All supplied flat-packed

Advantages

- + Self-adhesive closure strip
- + Tear open strip guarantees easy removal of contents
- + Special reinforced edges

Product range



Item no.	Item description	Internal dimensions	External dimensions	Unit
11066	J-Box 51	147 mm x 126 mm x 55 mm	205 mm x 140 mm x 60 mm	20 per pack
11207	J-Box 52	217 mm x 155 mm x 60 mm	275 mm x 165 mm x 70 mm	20 per pack
11208	J-Box 54	251 mm x 165 mm x 60 mm	305 mm x 175 mm x 80 mm	20 per pack
11210	J-Box 56	270 mm x 190 mm x 80 mm	325 mm x 195 mm x 60 mm	20 per pack
11435	J-Box 58	302 mm x 215 mm x 80 mm	360 mm x 225 mm x 100 mm	20 per pack
11489	J-Box 62	325 mm x 250 mm x 80 mm	390 mm x 260 mm x 90 mm	20 per pack
11490	J-Box 64	350 mm x 270 mm x 80 mm	390 mm x 280 mm x 90 mm	20 per pack
11491	J-Box 67	380 mm x 290 mm x 80 mm	440 mm x 295 mm x 90 mm	20 per pack
11492	J-Box 68	455 mm x 320 mm x 70 mm	502 mm x 325 mm x 79 mm	20 per pack
11493	Filer	320 mm x 290 mm x 35-80 mm	365 mm x 300 mm x 40-85 mm	20 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Postal wraps



Alternative products

- 69** MediaWrap
- 40** Corrugated boxes

Additional products

- 74** Document enclosed envelopes

Practical shipping packaging

Product description

- Shipping packaging made from corrugated cardboard
- Easy to use one piece packaging
- Self adhesive closure and perforated tear-strip

Applications

- Secure packaging for shipping products such as books, CDs, disks and files

Available

- Standard range in various sizes, with and without self adhesive closure
- Special solutions, including printing, available for larger orders

Advantages

- + No additional filling or cushioning material required
- + High level of protection for products during transportation
- + Good edge protection
- + Little storage space needed, as supplied folded flat

Product range



Item no.	Item description	Material	Dimensions	Unit
79159	Postal wrap CWF54	125K/E/125T	245 mm x 165 mm x 70 mm	2880 per Pallet
79161	Postal wrap CWF60	125K/E/125T	310 mm x 250 mm x 70 mm	1920 per Pallet

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Despatch boxes

For safe postage



Product description

- Corrugated despatch boxes with adhesive sealing strip

Applications

- For the safe despatch of spare and electronic parts, storage media

Available

- Standard range of four sizes available in white or brown
- Flat packed for delivery and storage convenience

Advantages

- + Simple assembly
- + Extremely sturdy and suitable for stacking
- + Suitable for conveyor belt
- + Anti-theft protection due to patented self-sealing strip

Product range



Item no.	Item description	Colour	Internal dimensions	External dimensions	Unit
13097	Despatch box 02	Brown	140 mm x 101 mm x 43 mm	160 mm x 107 mm x 48 mm	20 per pack
13098	Despatch box 52	White	140 mm x 101 mm x 43 mm	160 mm x 107 mm x 48 mm	20 per pack
13099	Despatch box 04	Brown	192 mm x 155 mm x 43 mm	212 mm x 161 mm x 48 mm	20 per pack
13100	Despatch box 54	White	192 mm x 155 mm x 43 mm	212 mm x 161 mm x 48 mm	20 per pack
13101	Despatch box 06	Brown	192 mm x 155 mm x 91 mm	212 mm x 161 mm x 96 mm	20 per pack
13102	Despatch box 56	White	192 mm x 155 mm x 91 mm	212 mm x 161 mm x 96 mm	20 per pack
13103	Despatch box 08	Brown	305 mm x 210 mm x 91 mm	325 mm x 216 mm x 96 mm	20 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Despatch folders

Strong universal despatch packaging



Product description

- Variable height corrugated wraps with adhesive sealing strip

Applications

- For the safe despatch of books, gifts, catalogues, printed materials, games etc
- Folders suitable for A4 file folders with variable pack depths from 35 to 80mm

Available

- Range includes a variety of sizes available from stock
- Flat packed for delivery and storage convenience

Advantages

- + Variable pack depth
- + Economic handling
- + All round edge and corner protection for secure despatch
- + Tear off strip for quick and easy opening
- + File folders have an additional self-seal strip for added security

Product range



Item no.	Item description	Colour	Internal dimensions	External dimensions	Unit
13092	Despatch folder 01	Brown	230 mm x 165 mm x 70 mm	280 mm x 185 mm x 85 mm	20 per pack
13093	Despatch folder 04	Brown	350 mm x 260 mm x 70 mm	400 mm x 280 mm x 85 mm	20 per pack
13095	File folder 01	Brown	320 mm x 290 mm x 35-80 mm	377 mm x 295 mm x 40-85 mm	20 per pack
13096	File folder 51	White	320 mm x 290 mm x 35-80 mm	377 mm x 295 mm x 40-85 mm	20 per pack
11493	Filer	Brown	320 mm x 290 mm x 35-80 mm	365 mm x 300 mm x 40-85 mm	20 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Postal boxes



Cartons for packaging and mailing

Product description

- Strong self-assembly corrugated cardboard mailing postal box
- High quality single walled corrugated board with mottled white outer

Applications

- Suitable for a variety of packaging and mailing applications

Available

- FEFCO 0427 style
- Range of sizes available
- Bespoke sizes produced
- Can be printed to customer specification

Advantages

- + Lightweight but strong
- + Supplied flat for storage
- + Easily assembled
- + Excellent protection
- + Recyclable

Product range



Item no.	Item description	Colour	Dimensions	Unit
56815	Postal box	Mottled white	100 mm x 75 mm x 60 mm	50 per pack
56816	Postal box	Mottled white	152 mm x 152 mm x 60 mm	50 per pack
56819	Postal box	Mottled white	280 mm x 220 mm x 80 mm	50 per pack
56818	Postal box	Mottled white	305 mm x 240 mm x 100 mm	50 per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Document enclosed envelopes For accompanying documents



Product description

- Self adhesive pocket for use on packaging materials
- Easy to apply, usable immediately thanks to self adhesive backing

Applications

- For holding invoices, documents, delivery notes

Available

- Standard sizes DIN C7 to C4
- Plain or printed

Advantages

- + Accompanying documents are not overlooked
- + Fast and secure application
- + Usable immediately after application
- + Temperature-resistant, highly adhesive

Alternative products

59 Pouch tape

Additional products

40 Corrugated boxes

Product range



Item no.	Item description	Dimensions	Unit
81627	A7 Plain	113 mm x 100 mm	1000 per carton
81629	A6 Plain	158 mm x 110 mm	1000 per carton
69713	DL Plain	225 mm x 125 mm	1000 per carton
81633	A5 Plain	225 mm x 165 mm	1000 per carton
81634	A4 Plain	318 mm x 235 mm	500 per carton
81626	A7 Printed	113 mm x 100 mm	1000 per carton
81628	A6 Printed	158 mm x 110 mm	1000 per carton
81630	DL Printed	225 mm x 125 mm	1000 per carton
81632	A5 Printed	225 mm x 165 mm	1000 per carton
15804	A4 Printed	318 mm x 235 mm	500 per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Postal tubes

For sending rolled up goods



Product description

- Postal tubes provide excellent robust protection for items sent through the post
- Reusable with end caps

Applications

- For sending rolled up goods without having to pay bulk surcharge
- For example films, posters, proofs, sketches, calendars etc

Available

- Supplied in various lengths and diameters
- With or without end caps

Advantages

- + Easy to use
- + Approved postal packaging (no bulk surcharge)

Alternative products

72 Postal wrap

Additional products

74 Document enclosed envelopes

Product range




Item no.	Item description	Thickness	Diameter	Length	Unit
70179	Postal tube	1.5 mm	50 mm	305 mm	10 per box
13205	Postal tube - A3/A4	1.5 mm	50 mm	330 mm	25 per box
13206	Postal tube - A2	1.5 mm	50 mm	450 mm	25 per box
70185	Postal tube	1.5 mm	50 mm	610 mm	10 per box
70176	Postal tube - A1	1.5 mm	50 mm	625 mm	25 per box
70187	Postal tube	1.5 mm	50 mm	762 mm	10 per box
70191	Postal tube - A0	1.5 mm	50 mm	890 mm	25 per box
70188	Postal tube	1.5 mm	50 mm	940 mm	10 per box
70214	Postal tube	1.5 mm	76 mm	305 mm	12 per box
70216	Postal tube	1.5 mm	76 mm	450 mm	12 per box
70218	Postal tube	1.5 mm	76 mm	610 mm	12 per box
73809	Postal tube	1.5 mm	76 mm	630 mm	12 per box
70221	Postal tube	1.5 mm	76 mm	760 mm	12 per box
70223	Postal tube	1.5 mm	76 mm	890 mm	12 per box
70224	Postal tube	1.5 mm	76 mm	940 mm	12 per box
70247	Postal tube	1.5 mm	102 mm	711 mm	4 per box
70248	Postal tube	1.5 mm	102 mm	720 mm	12 per box
70250	Postal tube	1.5 mm	102 mm	965 mm	4 per box
70251	Postal tube	1.5 mm	102 mm	970 mm	12 per box
70252	Postal tube	1.5 mm	102 mm	1117 mm	4 per box
70253	Postal tube	1.5 mm	102 mm	1140 mm	12 per box
70203	Postal tube	4.0 mm	57 mm	1630 mm	250 per pallet

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

When it matters most...

No matter what product needs sending, from blue suede shoes to heavy industrial parts, Antalis have it covered.

Our range of protective packaging products are ideal for online retailers, third-party logistics and mail order customers.



Pack-it, Seal-it, Post-it, Trust-it.

Cast hand stretch film

Ideal for securing loads



Alternative products

- 77** Blown hand stretch film
- 78** Pre stretch hand film
- 78** Pre stretch machine film
- 80** Machine stretch film

Additional products

- 82** Pallet top sheets
- 96** Stretch film dispensers

Product description

- Manual stretch films

Applications

- Transparent film for securing pallets
- Protects against dirt, dust and moisture
- Can be used as a winding or banding film

Available

- Standard or extended cores
- Standard width: 40/50 cm
- Standard colours: transparent or other colours available on request

Advantages

- + Easy to use
- + Transparency for easy identification of products
- + Secure wrapping for pallets
- + Highly transparent, good tear strength, good stretching properties
- + Thin, but still highly puncture resistant
- + Food-safe, environmentally friendly and recyclable

Product range


Item no.	Item description	Thickness	Core	Dimensions	Unit
71903	Masterline premier cast hand stretch film	14 mic	Standard	400 mm x 300 m	6 Rolls
52665	Masterline premier cast hand stretch film	14 mic	Extended	400 mm x 300 m	6 Rolls
71905	Masterline premier cast hand stretch film	16 mic	Standard	400 mm x 300 m	6 Rolls
52668	Masterline premier cast hand stretch film	19 mic	Extended	400 mm x 300 m	6 Rolls
52669	Masterline premier cast hand stretch film	22 mic	Extended	400 mm x 300 m	6 Rolls
71912	Masterline premier cast hand stretch film	16 mic	Standard	500 mm x 300 m	5 Rolls
35710	Masterline premier cast hand stretch film	19 mic	Standard	500 mm x 300 m	6 Rolls
35705	Masterline premier cast hand stretch film	22 mic	Standard	500 mm x 300 m	6 Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Not every film is the same

As shown in the figure, compared to standard stretch films, oriented stretch films offer much higher retention forces. At the same time, a minimum stretch is sufficient in order to obtain the optimal retention forces.

In the case of machine-stretching, this reduces the wear on your stretching technology, and, in the case of hand stretching, facilitates the work of your employees.



stretchconsult – your film specialists

You want to make efficient use of stretch films, cut costs and need professional advice ? The secret is to reduce film consumption per pallet to a minimum by using the right stretch film while at the same time ensuring optimal unit load security. With our new stretchCONSULT service, we help you find the optimal solution for your unit load security by analysing the entire packaging process.

As usual, this service is offered to you by Antalis in complete independence from the manufacturers.

Put the stretchCONSULT know-how to good use.

We are more than happy to answer any questions you may have on:
packaging@antalispackaging.co.uk

Blown hand stretch film

Ideal for securing loads



Alternative products

- 76** Hand stretch film
- 78** Pre stretch hand film
- 78** Pre stretch machine film
- 80** Machine stretch film

Additional products

- 82** Pallet top sheets
- 96** Stretch film dispensers

Product description

- Economical option for pallet wrapping

Applications

- Hand Stretch Film which is applied by hand, which is used for secure wrapping of pallets
- Within the range there is an extended core version which makes the film easier to use
- High tack film
- The film can also be applied with a dispenser

Available

- Available in 400 mm to 500 mm widths, 11 micron to 34 micron, including Black and Blue film

Advantages

- + Holds goods firm on pallets during storage and transit

Product range



Item no.	Item description	Thickness	Core	Dimensions	Unit
44110	High performance blown hand stretch film	Extralight	Standard	400 mm	6 Rolls
48112	High performance blown hand stretch film	Extralight	Extended	400 mm	6 Rolls
44111	High performance blown hand stretch film	Medium	Standard	400 mm	6 Rolls
44114	High performance blown hand stretch film	Heavy	Standard	400 mm	6 Rolls
48114	High performance blown hand stretch film	Superheavy	Extended	400 mm	6 Rolls
48113	High performance blown hand stretch film	Supermedium	Extended	400 mm	6 Rolls
68536	Masterline blown hand stretch film	14 mic	Standard	400 mm x 300 m	6 Rolls
68538	Masterline blown hand stretch film	14 mic	Extended	400 mm x 300 m	6 Rolls
68543	Masterline blown hand stretch film	15 mic	Standard	400 mm x 250 m	6 Rolls
16926	Masterline handiwrap blown stretch film	17 mic	Mini	100 mm x 150 m	45 Rolls
68549	Masterline blown hand stretch film	17 mic	Standard	400 mm x 250 m	6 Rolls
68547	Masterline blown hand stretch film	17 mic	Standard	400 mm x 300 m	6 Rolls
68553	Masterline blown hand stretch film	17 mic	Extended	400 mm x 300 m	6 Rolls
68557	Masterline blown hand stretch film	17 mic	Standard	500 mm x 300 m	6 Rolls
68561	Masterline blown hand stretch film	20 mic	Standard	400 mm x 250 m	6 Rolls
68560	Masterline blown hand stretch film	20 mic	Standard	400 mm x 300 m	6 Rolls
68562	Masterline blown hand stretch film	20 mic	Extended	400 mm x 300 m	6 Rolls
68563	Masterline blown hand stretch film	20 mic	Standard	500 mm x 300 m	6 Rolls
68565	Masterline blown hand stretch film	23 mic	Standard	400 mm x 300 m	6 Rolls
68566	Masterline blown hand stretch film	23 mic	Extended	400 mm x 300 m	6 Rolls
68571	Masterline blown hand stretch film	35 mic	Standard	400 mm x 200 m	6 Rolls
68573	Masterline blown hand stretch film	35 mic	Extended	400 mm x 200 m	6 Rolls
20150	Masterline XS blown hand stretch film	34 mic	Standard	500 mm x 150 m	6 Rolls
20151	Masterline XS blown hand stretch film	34 mic	Extended	500 mm x 150 m	6 Rolls
68554	Masterline blown hand stretch film - blue	17 mic	Extended	400 mm x 300 m	6 Rolls
61038	Masterline blown hand stretch film - blue	17 mic	Standard	500 mm x 250 m	6 Rolls
68551	Masterline blown hand stretch film - black	17 mic	Standard	400 mm x 250 m	6 Rolls
68558	Masterline blown hand stretch film - black	17 mic	Standard	500 mm x 250 m	6 Rolls
68569	Masterline blown hand stretch film - black	25 mic	Standard	500 mm x 250 m	6 Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Pre-stretched hand film

Less film, better grip



Alternative products

- 76** Hand stretch film
- 77** Blown hand stretch film
- 78** Pre stretch machine film
- 80** Machine stretch film

Additional products

- 82** Pallet top sheets
- 96** Stretch film dispensers

Available

- Standard thicknesses: 7 micron
 - Standard width: 40 cm
- With and without core on request

Product description

- Hand pre-stretched film
- Film edges folded over for greater strength
- Completely non-cling outer surface
- Only requires minimum tension on winding
- Returns to original shape (memory) after unwinding
- Higher puncture resistance despite film being thin
- Good adhesive properties, highly transparent, good tear strength

Applications

- Transparent film for securing pallets, or winding and banding
- Prevents load from sliding around (fastens load units in place)
- Protects against dirt and moisture
- Anti-theft protection

Advantages

- + Improved handling as roll is extremely lightweight and does not require stretching
- + Faster working speed with less physical effort
- + More secure loads due to improved hold
- + Saves on materials and costs as up to 50% less packaging material required
- + Reduced risk of accidents as film is wrapped forwards

Product range



Item no.	Item description	Thickness	Core	Dimensions	Unit
44115	Masterline pre-stretched hand film	7 mic	Standard	400 mm x 250 m	8 Rolls
13753	Masterline pre-stretched hand film	7 mic	Extended	400 mm x 600 m	6 Rolls
68518	Masterline pre-stretched hand film	7 mic	Standard	400 mm x 600 m	320 Rolls
68526	Wrapsmart pre-stretched hand film	7 mic	Extended	400 mm x 600 m	240 Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Pre-stretched machine film

The modern way to secure pallet load units



Additional products

- 87** Cardboard edgeguards
- 94** Masterline stretch wrapper 710 S or P
- 82** Pallet top sheets
- 93** Lantech stretch wrappers

Product description

- Maximum holding strength without the need to pre-stretch
- Higher puncture resistance despite film being thin
- Good holding properties, highly transparent, good tear strength
- Film edges folded over for greater strength

Applications

- For use with all semi and fully-automated stretch machines without pre-stretching system
- For securing pallets
- Covering, anti-theft protection
- Attractive sales packaging

Available

- Standard width: 430 mm
- Special form: narrow rolls from 50 mm upwards

Advantages

- + Very slippery outer surface
- + Up to 60% less packaging material required
- + Excellent load holding
- + Up to 2800 m per roll, so fewer roll changes needed
- + Pallets do not need to be bonded together, which makes loading and unloading from trucks easier.

Product range



Item no.	Item description	Thickness	Dimensions	Unit
47712	Pre stretched machine film	7 mic	430 mm x 2800 m	40 Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

FiberFilm



Additional products

96 Stretch film dispensers



Reinforced cast stretch film

Product description

- High performance cast stretch film reinforced with unique polyethylene strands

Applications

- Maintains and improves load containment
- Matches the performance of many heavier films

Available

- Available for both hand and machine applications

Advantages

- Reduced stretch wrapping costs and improved yields
- Increased film strength
- Excellent load holding and puncture resistance
- Clear and consistent quality of performance
- Significantly reduced packaging waste and environmental impact
- Increased productivity
- 100% recyclable
- Damage proof edges
- Excellent memory retention and no propagation if punctured
- Easier to unwind and use
- No noise

The revolutionary new Fiber Film can be used on both semi and fully automatic wrapping equipment and **frequently delivers material savings in excess of 40%** compared to traditional types of stretch film.

Product range



Item no.	Item description	Dimensions	Unit
68587	Reinforced fibre cast hand stretch film	500 mm	6 Rolls
68603	Reinforced fibre cast machine stretch film	500 mm	46 Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Stretch bands

For secure stacking and palletising



Product description

- Highly elastic, transparent, ready made polyethylene stretch bands

Applications

- Securing packaged goods
- Securing upper layers
- Fixing edge protectors, boxes, trays and containers to secure goods during internal transport

Available

- Standard colours: red or clear
- Other colours available on request

Advantages

- Easy to use
- Prevent goods from slipping during stacking or palletising
- Can be disposed of together with stretch and shrink films
- Made from recyclable LDPE



Dispenser



Machine stretch film

The right film for any application



Alternative products

- 78** Pre stretch machine film
- 84** Strapping band

Additional products

- 87** Cardboard edgguards
- 94** Masterline stretch wrapper 710 S or P
- 82** Pallet top sheets
- 93** Lantech stretch wrappers

Product description

- Cast machine stretch films made from LLDPE (linear low density polyethylene)

Applications

- For use with all semi and fully automated stretch machines
- Transparent film for securing pallets
- Protects against dirt, dust and moisture
- Anti theft protection

Available

- Standard films, power and superpower films with extra-high tear strength and stretchability
- Standard colours: transparent, other colours available on request
- Special form: anti-corrosion finish (VCI stretch film)
- Also UV stabilised, anti-static, printed, with perforations or with very slippery surface on one side

Advantages

- + The most cost effective method of securing pallets
- + Highly transparent, good tear strength, good stretching properties
- + Thin, but still highly puncture-resistant
- + Food-safe
- + Environmentally friendly, recyclable

Product range

Item no.	Item description	Thickness	Roll Width	Unit
13482	Masterline PPS cast machine stretch film	15 mic	500 mm	46 Rolls
13496	Masterline PPS cast machine stretch film	17 mic	500 mm	46 Rolls
13457	Masterline PPS cast machine stretch film	20 mic	500 mm	46 Rolls
13463	Masterline PPS cast machine stretch film	23 mic	500 mm	46 Rolls
68590	Masterline PPM cast machine stretch film	15 mic	500 mm	40 Rolls
68900	Masterline PPM cast machine stretch film	17 mic	500 mm	40 Rolls
67165	Masterline PPM cast machine stretch film	20 mic	500 mm	40 Rolls
68600	Masterline PPM cast machine stretch film	23 mic	500 mm	40 Rolls
68608	Masterline PPH cast machine stretch film	17 mic	500 mm	40 Rolls
68609	Masterline PPH cast machine stretch film	20 mic	500 mm	40 Rolls
68508	Masterline PPB blown machine stretch film - black	25 mic	500 mm	40 Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

The Iceberg Principle

We will help you avoid the cost traps!

Packaging materials are classified in the business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Just ask Antalis!

100 %

20 %

Packaging material costs
Manufacturing costs

80 %

Upstream and downstream process costs

e.g.
• order processing
• warehousing
• quality control
• administration, etc.



PVC centrefold shrink film

Enhances presentation of products



Alternative products

- 76** Hand stretch film
- 80** Machine stretch film
- 81** Polyolefin shrink film

Additional products

- 95** Masterline 650R Shrink packaging machine
- 96** Stretch film dispensers

Product description

- A plastic film which will shrink after being heated by either a shrink heat system or gas shrink gun system.

Applications

- Film used to display a wide range of products from videos to stationery.

Available

- Supplied in centre folded versions 400 mm to 1000 mm width, 19 mic and 25 mic

Advantages

- + Cost-effective film suitable for regular shaped products

Product range

Item no.	Item description	Thickness	Dimensions	Unit
53137	PVC centrefold shrink film	19 mic	400 mm / 800 mm x 600 m	Rolls
53428	PVC centrefold shrink film	25 mic	450 mm / 900 mm x 425 m	Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Polyolefin centrefold shrinkfilm High gloss display packaging



Alternative products

- 76** Hand stretch film
- 80** Machine stretch film
- 81** PVC shrink film

Additional products

- 95** Masterline 650R Shrink packaging machine
- 96** Stretch film dispensers

Product description

- Thin shrink film for excellent packaging results

Applications

- Protection against dirt and moisture
- Ideal for binding products
- Ideal for shrinkwrapping products

Available

- Centre fold film, gusseted tubing on request
- Films for automated application, shaped into shrink bags or gusseted hoods
- Perforated or unperforated
- Transparent/coloured on request
- Special forms: anti-static/UV-stabilised finish

Advantages

- + Smart appearance
- + High level of shrinking
- + Strong sealing seams
- + High strength

Product range

Item no.	Item description	Thickness	Dimensions	Unit
63704	Polyolefin centrefold shrink film	13 mic	200 mm / 400 mm x 1500 m	Rolls
72503	Polyolefin centrefold shrink film	13 mic	250 mm / 500 mm x 1550 m	Rolls
88671	Polyolefin centrefold shrink film	15 mic	200 mm / 400 mm x 1332 m	Rolls
63655	Polyolefin centrefold shrink film	19 mic	550 mm / 1100 mm x 1000 m	Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Pallet top sheets

Protects against moisture, dirt and scratches



Product description

- Transparent, tear-resistant LDPE covering sheets

Applications

- Placed across the upper surface of the pallet (top sheet)
- Protects the top of the pallet
- With perforation for manual fitting

Available

- Perforated on a roll
- Sizes to suit various pallet dimensions

Advantages

- + Easy to use due to perforation
- + Protection against moisture, dirt, dust and scratches

Product range



Item no.	Item description	Thickness	Dimensions	Unit
27779	Polythene top sheets perf on roll	30 mic	1400 mm x 1400 mm	500 per roll
69212	Polythene centre fold top sheets perf on roll	30 mic	794 mm / 1588 mm x 1588 m	400 per roll
69214	Polythene centre fold top sheets perf on roll	30 mic	900 mm / 1800 mm x 1600 mm	275 per roll
16641	Polythene centre fold top sheets perf on roll	40 mic	900 mm / 1800 mm x 1600 mm	200 per roll
20159	Polythene centre fold top sheets perf on roll - builders film	100 mic	1000 mm / 2000 mm x 100 m	Rolls

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Combilay-DPM

Damp proof membrane



Additional products

- 31 Combilay underfloor foams
- 58 Aluminium adhesive tape

Product description

- Visqueen BBA Damp Proof Membrane
- 250 micron blown film of extruded low-density polyethylene

Applications

- Can be used in conjunction with Combilay-White foam to ensure extra protection against humidity

Available

- Supplied as a single packed 3m x 4m sheet

Advantages

- + Moisture barrier
- + Lightweight
- + Dust free, no odour, allergy friendly
- + Anti fungal, mildew resistant
- + Quality, smooth polythene
- + Easy to lay

Product range



Item no.	Item description	Thickness	Dimensions	Unit
Combilay-DPM	Black	250 mic	3 m x 4 m	1 sheet per pack

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Shrink hoods

Secure solution offering all-round protection



Alternative products

- 76** Hand stretch film
- 80** Machine stretch film

Additional products

- 47** Plastic pallets
- 47** Compressed wood/Inca pallets

Product description

- PE shrink hoods with gussets for securing loads
- Ideally suited for heavy and irregularly-shaped products

Applications

- For securing loads on pallets
- All-round protection from moisture and dirt

Available

- Perforated roll

Advantages

- + Loads can be secured and protected in one simple step with a shrink film gun
- + Can also be used as normal protective hoods

Product range



Item no.	Item description	Thickness	Dimensions	Unit
78819	Shrink hood small	125 mic	1300 mm / 2150 mm x 1200 mm	30 per roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Polythene layflat tubing



Product description

- Range of tubing supplied a roll which can be converted into sleeves made of LPDE

Applications

- Ideal for packaging 'difficult to wrap' items. Simply insert item into tubing and cut to required length
- Heat Seal both ends to create made-to measure bags

Available

- Supplied in variety of widths and thicknesses

Advantages

- + Create made to measure bags
- + High tear and puncture resistant
- + Protection against dust, moisture and dirt

Alternative products

- 103** Polythene bags

Additional products

- 48** Adhesive tapes

Product range



Item no.	Item description	Colour	Thickness	Roll width	Unit
11921	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	50 mm	Roll
11922	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	75 mm	Roll
11923	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	100 mm	Roll
11924	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	150 mm	Roll
11925	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	175 mm	Roll
11926	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	200 mm	Roll
11927	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	250 mm	Roll
11928	Polythene layflat tubing	Clear	Medium gauge - 250 g 62.5 mic	300 mm	Roll
11929	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	50 mm	Roll
11931	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	75 mm	Roll
11934	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	100 mm	Roll
11936	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	150 mm	Roll
11937	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	175 mm	Roll
11940	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	200 mm	Roll
11942	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	250 mm	Roll
11943	Polythene layflat tubing	Clear	Heavy gauge - 500 g 125 mic	300 mm	Roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Strapping band

Secures even heavy goods



Alternative products

- 76** Hand stretch film
- 80** Machine stretch film
- 85** Textile strapping

Additional products

- 88** Masterline hand strapping devices
- 89** Masterline strapping machines
- 86** Strapping equipment
- 87** Cardboard edgeguards
- 87** Plastic edge protectors
- 32** Foam profiles

Product description

- Strapping made of PET or PP
- For use with a wide range of strapping systems
- Universal application, high tear-resistance, heatproof and UV-resistant (PET only)

Applications

- For securing pallets
- Anti theft protection
- Strapping heavy goods
- Securing goods with delicate surfaces
- Also suitable for outdoor storage purposes, e.g. storage of wood, stone, crates (PET only)

Advantages

- + Better mechanical properties than steel bands (PET only)
- + Broad range of bands available, suitable for all devices
- + Good shock absorption (PET only)
- + Can be printed to customer specifications



Strapping Band



Item no.	Item description	Dimensions	Breaking Strain	Unit
38959	PP hand strap black - light duty	12 mm x 2000 m	135 kgs	1 coil per box
16473	PP hand strap black - medium duty	12 mm x 1500 m	190 kgs	1 coil per box
69830	PP hand strap black - heavy duty	12 mm x 1300 m	220 kgs	1 coil per box
69831	PP hand strap black - heavy duty	12 mm x 1000 m	300 kgs	1 coil per box
69832	PP hand strap black dispenser box	12 mm x 750 m	120 kgs	1 coil per box
67317	PP fully auto machine strap white	5 mm x 7000 m	69 kgs	2 coils per box
67313	PP fully auto machine strap white	8 mm x 4000 m	86 kgs	2 coils per box
67314	PP fully auto machine strap black	8 mm x 4000 m	86 kgs	2 coils per box
67315	PP semi auto machine strap white	12 mm x 3000 m	110 kgs	2 coils per box
67316	PP fully auto machine strap black	12 mm x 3000 m	133 kgs	2 coils per box
63888	PET strap green 13-3M100GP	12.5 mm x 2500 m	290 kgs	1 coil per box
63890	PET strap green 16-4M100GP	15.5 mm x 2000 m	401 kgs	1 coil per box
63891	PET strap green 16-5M100GP	15.5 mm x 1750 m	439 kgs	1 coil per box
63892	PET strap green 16-5M900GP	15.5 mm x 1500 m	534 kgs	1 coil per box

Strapping Seals

Item no.	Item description	Size	Unit
27531	Semi open standard strapping seal	12 mm	2000 per box
27532	Semi open heavy duty strapping seal	12 mm	2000 per box
69896	EBK serrated seals	12 mm	1000 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

One stop shop for packaging materials, systems, solutions and services:

- Extensive product range
- Tailored service
- Expert advice
- Bespoke design capability
- Reliable deliveries
- Sustainable solutions



The Complete Package for industry, export and logistics

Textile strapping and buckles Secures even heavy goods



Alternative products

- 76** Hand stretch film
- 80** Machine stretch film
- 84** Strapping band

Additional products

- 89** Masterline strapping machines
- 88** Masterline hand strapping devices
- 86** Strapping equipment
- 87** Cardboard edgeguards
- 87** Plastic edge protectors
- 32** Foam profiles

Product description

- Textile strapping bands made from polyester fibres
- Hot melt, woven or hot melt/woven quality coated with co-extruded plastic

Applications

- Load security for various applications
- Can be used with medium to heavy loads

Advantages

- + Withstands harsh weather conditions
- + Good elasticity and shock absorption
- + No risk of injury during use
- + No corrosion or corrosion deposits on the load
- + Specially suitable for sensitive surfaces
- + Can be re-tensioned via the clamping system



Product range

Item no.	Item description	Tensile strength	Dimensions	Unit
44053	Woven cord polyester strapping	1100 kg breaking strain	19 mm x 500 m	2 coils per box
39232	Galvanised buckle	3.3 mm	13 mm	1000 per box
69818	Galvanised buckle	3.5 mm	16 mm	1000 per box
60566	Galvanised buckle	3.8 mm	19 mm	1000 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Packaging twine

Secures parcels and boxes



Product description

- Cotton, sisal and polypropylene twines for securing parcels and boxes

Applications

- Cotton twine is ideal for small parcels, commonly used for bundling and sealing
- Sisal twine is suitable for large boxes
- Polypropylene twine ensures cartons will not burst open

Advantages

- + Cotton twine is strong and cost-effective
- + Sisal twine is heavier, stronger and durable
- + Polypropylene twine is virtually unbreakable and does not easily degrade

Product range

Item no.	Item description	Size	Unit
69915	Cotton twine	250 g No. 4 Medium	6 reels
69916	Cotton twine	500 g No. 4 Medium	6 reels
69904	Sisal twine	2.5 kg 3 ply	10 reels
69920	Polypropylene twine	500 g Medium	8 reels
69922	Polypropylene twine	2.25 kg Medium	8 reels

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Strapping Equipment

Tensioners, sealers and dispensers


Strapping tensioner



Standard tensioner for polypropylene strapping, tightens and cuts the strap.

Item no.	Dimensions	Unit
69886	12mm	Each

Strapping sealer



Standard sealer for polypropylene strapping, secures the strap by crushing seal.

Item no.	Dimensions	Unit
69885	12mm	Each

Strapping combination tool



Tensions, seals and cuts strapping.

Item no.	Dimensions	Unit
69884	12mm	Each

Strapping trolley dispenser



Mobile dispenser with tray suitable for plastic reels.

Item no.	Dimensions	Unit
69811	12mm	Each

Strapping floor dispenser



Floor dispenser suitable for plastic reels.

Item no.	Dimensions	Unit
69809	12mm	Each

Staplers

Secure fastening for cardboard boxes



78970:
Carton top stapler

Alternative products

- 48** Adhesive tapes
- 79** Strapping band

Additional products

- 74** Document enclosed envelopes
- 40** Corrugated boxes

Product description

- Manual staplers for fastening cardboard boxes
- Some pneumatic models available

Applications

- Fastening folding boxes and cartons
- Fixing cover sheets and interleaving in place
- Joining materials (single and double corrugated card)

Available

- Staples available for manual staplers

Advantages

- + Fastening folding boxes securely and quickly
- + Cost-effective
- + Tough and reliable fastening, high dimensional stability
- + Prevents goods being lost during transport

78971
Rapid stapler ref 31



78972
Rapid stapler
ref 33 gun tacker



Staplers

Item no.	Item description	Unit
78970	Carton top stapler	Each
78971	Rapid stapler ref 31	Each
78972	Rapid stapler ref 33 gun tacker	Each

Other specifications on request. Please contact us for an up to date quotation.
Please visit www.antalispackaging.co.uk for more information

Cardboard edgeguards

Protection and stability for palletised goods



Alternative products

- 114** Corrugated plastic sheets
- 87** Plastic edge protectors
- 32** Foam profiles
- 35** Corrugated paper

Additional products

- 76** Hand stretch film
- 84** Strapping band
- 85** Textile strapping and buckles
- 88** Masterline hand strapping devices

Product description

- Profiles made from cardboard (recycled paper)
- Stackable when nested
- Easy to fit

Applications

- Protect products during storage and shipment
- Prevent straps from cutting into packaged goods
- Prevent lightweight goods from being deformed when secured with stretch film and straps
- Stop loads from slipping when fixed with bands or stretch film
- Stabilise pallets

Available

- Various lengths, widths and thicknesses available
- Can also be supplied cut to length
- Flexible edge protection profiles also available

Advantages

- + Safety and protection for box edges
- + Easy to use
- + Requires little storage space

Product range



Item no.	Item description	Thickness	Dimensions	Unit
20145	Cardboard edge protectors	3 mm	35 mm x 35 mm x 1000 mm	40 per bundle
20146	Cardboard edge protectors	3 mm	35 mm x 35 mm x 1500 mm	40 per bundle
20147	Cardboard edge protectors	3 mm	60 mm x 60 mm x 1100 mm	40 per bundle
49444	Cardboard edge protectors	4 mm	50 mm x 50 mm x 1200 mm	40 per bundle

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Plastic edge protectors

Protects corners and strapping bands



Alternative products

- 87** Cardboard edgeguards
- 32** Foam profiles

Additional products

- 84** Strapping bands
- 85** Textile strapping and buckles
- 88** Masterline hand strapping devices

Product description

- Robust plastic corner protector
- For strapping bands up to 30 mm in width

Applications

- Underlayer for strapping bands
- Protects the corners of the transported goods

Advantages

- + Protects corners against damage through denting
- + Better secured thanks to the deflection of the forces in the strapping band
- + Cheap and stable

Product range



Item no.	Item description	Width	Dimensions	Unit
78773	Small black edge piece	19 mm	28 mm x 25 mm	2000 per box
78774	Large black edge piece	30 mm	37 mm x 32 mm	2000 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

MASTERLINE® 480 Hand strapping device



Application areas

- Wood and sawn products
- Building materials, bricks, concrete blocks and composite stones
- Metal products, steel/aluminium profiles, laminations, etc.
- Pallets and tie-downs
- Suitable for both polypropylene and polyester strapping

Advantages

- + Simple fitting of the strapping
- + Adjustable strap tensioning
- + A single hand movement suffices for tension, weld and seal
- + Ergonomic shape makes handling easy
- + Press button adjustment of welding time
- + Permanent battery level display

Masterline 480	Hand strapping device
Item no.	78656
Weight	3.8 kg
Electrical connection	Battery
Tension force	2300 N / 230 kg
Strap type	PP and PET
Strap width	10-16 mm
Strap thickness	0.5 - 1.0 mm
Charge time	approx. 20 minutes
Strapping per battery charge	up to 240 strappings per battery

MASTERLINE® 490 Hand strapping device



Advantages

- + Easy handling due to ergonomic shape of the device
- + Four adjustable functions: Automatic, Semi-automatic, Manual and Soft
- + Multifunctional start button
- + Digital display (tension; welding time; battery charging level)
- + Light and fast device
- + Easy to operate
- + Second battery included
- + Short battery charging time
- + Quick battery change

Application areas

- Wood and sawn products
- Building materials, bricks, concrete blocks and composite stones
- Metal products, steel/aluminium profiles, laminations, etc.
- Pallets and tie-downs
- Suitable for both polypropylene and polyester strapping

Masterline 490	Hand strapping device
Item no.	96363
Weight	3.7 kg (incl. battery)
Dimensions	330 mm x 105 mm x 165 mm
Electrical connection	Makita Lithium battery 14.4 V, 3.0 Ah
Tension force	2750 N / 275 kg
Tension force (soft strap)	500 N / 50 kg (for fragile packages)
Strap type	PP and PET
Strap width	10-16 mm
Strap thickness	0.5 - 1.1 mm
Charge time	approx. 20 minutes
Maximum speed	approx. 15 m per minute
Sealing procedure	Friction weld seal
Noise emission	86,8 dB



Visit our new website!

- New design
- New online shop
- More information

 www.antalispackaging.co.uk



Better all round.

MASTERLINE® 410A Automatic strapping machine



Alternative products

84 Strapping band

Additional products

88 Hand strapping devices

Application areas

- Strapping of shipping packages
- Strapping of cartons
- Collation of packages

Advantages

- + Fully automatic strap adjustment
- + Simple reel swap and simple threading system
- + Adjustable strap tensioning
- + Mobile, i.e. flexible applications
- + Positively controlled strap operation
- + Simple installation and operation
- + High performance, high efficiency
- + Low maintenance
- + Soft strapping of individual or very soft packages
- + 8mm or 5mm strap options available

Masterline 410A	Automatic strapping machine
Item no.	78655
Weight	130 kg
Electrical connection	230 V
Working height	800 - 905 mm
Dimensions (L x W x H)	990 mm x 610 mm x 1370 - 1475 mm
Strap type	PP
Strap width	5 and 8 mm
Strap thickness	5 x 0.47 mm or 8 x 0.45 mm
Frame size	600 x 500 mm
Speed	up to 35 straps per minute
Sealing procedure	Heatseal

MASTERLINE® 410T Table strapping machine



Alternative products

84 Strapping band

Additional products

88 Hand strapping devices

Application areas

- Strapping of shipping packages
- Strapping of cartons
- Collation of packages

Advantages

- + Simple reel swap over
- + Continuously adjustable strap tensioning
- + Mobile, i.e. flexible applications
- + Very quiet sealing head
- + Simple installation and operation
- + Low maintenance

Masterline 410T	Semi-auto table strapping machine
Item no.	78654
Weight	76 kg
Electrical connection	120 V, 220 V, 230V, single phase AC current, 50/60 Hz
Dimensions (L x W x H)	850 mm x 560 mm x 780-950 mm
Strap type	PP
Strap dimensions	5 mic 13 mm
Strap tensioning	80 - 450 N / 8 - 45 kg
Noise emission	65 dB

MASTERLINE® 320 Box Closing Machine



Alternative products

90 Lantech CS-300

Additional products

40 Corrugated boxes
48 Adhesive tapes

MASTERLINE®

Applications

- Automatic closing of boxes on the top and bottom with tape
- Suitable for use in various industries such as logistics, retails, wholesalers, food industry such as in baking and butchery, contract packers

Advantages

- + Simple and flexible closing
- + Safe and user-friendly operating
- + Easy to adjust for different case sizes
- + Easy tape and dispenser replacement
- + Low maintenance and spare parts costs
- + Can be used in a mobile and flexible way
- + Wide range of carton sizes can be used
- + Adjustable tape tension, pressure, knife
- + Various additional items available

Masterline 320	Box closing machine
Item no.	87634
Weight	220 kg
Power supply	AC230 V 50/60Hz, 1ph, 400W
Case dimensions (for Fefco 201 and 200)	L 150 - unlimited mm, W 100 - 480 mm, H 120 - 480 mm
Dimensions (L x W x H)	1096 mm x 890 mm x 1480 mm
Working height	608 - 818 mm
Material	PVC or PP tape
Maximum width of tape	50 mm (optional 75 mm)
Tape overlap	40 - 55 mm

8

Lantech® CS-300

Automatic carton sealer



Alternative products

90 Masterline 320 Box closing machine

Additional products

40 Corrugated boxes
48 Adhesive tapes

Product description

- Automatic carton sealer from Lantech
- A new standard for productivity and efficiency in carton sealing applications

Applications

- Handles all types of flutes, double wall and single wall, and most common size cartons
- Rapid adjustment for different carton size
- Safe and easy to operate with a reliable performance

Advantages

- + No scheduled maintenance
- + Folding area fully guarded
- + No fine tuning required
- + No periodic lubrication necessary
- + Long life drive belts
- + Innovative construction of drive belts simplifies changeovers

Lantech.com

Lantech C-Series

Automatic carton erectors



Product description

- Automatic carton erectors from Lantech
- Erect and seal a wide variety of carton types

Applications

- Lantech carton erectors always open cartons squarely
- Flaps folded without overlapping where they meet in the middle
- Tape is applied securely and evenly along the bottom centreline

Advantages

- + Faster, safer and more productive than manually formed cartons
- + Erects cartons with imperfect glue joints, eliminating machine jams
- + Pickup frame provides positive control of carton
- + Overcomes common carton manufacturing variation
- + Ergonomic design of powered magazine allows easy and consistent loading of blanks
- + Bottom flaps are folded while the carton is held stationary in the pickup frame
- + Adjustment wheels, counters, and "help" chart make carton adjustments easy to do
- + Compact, small footprint

Machine	Production speed
Lantech C-300	Up to 10 cartons per minute
Lantech C-400	Up to 8 cartons per minute
Lantech C-1000	Up to 22 cartons per minute
Lantech C-2000	Up to 15 cartons per minute

Alternative products

90 Masterline 320 Box closing machine

Additional products

40 Corrugated boxes
48 Adhesive tapes

Lantech.com

8



Unique hinged pickup and folding frame reliably opens cartons by placing erecting frame suction cups on two panels of blanks



Innovative slotted flap folders fold major flap along their entire length for maximum control



All flaps are folded while carton is held square in the erecting frame



Flexible belt drive exit pulls carton over tape head

See our dedicated **Packaging Systems** catalogue for our full range of packaging machinery, featuring stretch wrapping and carton handling systems from Lantech, cushioning and foam-in-place from Sealed Air, Airspeed and Intellipack, paper packaging from Ranpak, as well as our own Masterline machine programme.

To find out more, please contact our Systems Sales & Engineering Support team on **01606 567013** or email **packaging-systems@antaldis.co.uk**



Lantech® Semi-automatics

Stretch wrapping systems



Lantech Q-300

Alternative products

- 93** Lantech Automatic Stretchwrappers
- 94** Masterline Stretchwrappers

Additional products

- 80** Machine stretch film
- 78** Pre-stretched machine film
- 79** Fiber Stretch Film



Lantech Q-300XT



Lantech S-300

Product description

- Semi-automated turntable and straddle stretch wrappers
- From the pioneers of stretch wrapping systems

Features

- There is a Lantech model to match your material handling needs - forktruck, pallet truck or conveyor
- Semi-automated models offer dual turntable, pit mounted design, scale ready turntable, auto film cut-off and top platen load stabiliser, as well as extended wrap height option and pallet grip
- Lantech systems pre-stretch any quality commercial film up to 300%
- Modular design and retro fits available

Systems

- Q-300 - the power pre-stretch roll carriage gives greater coverage with less material
- S-300 - straddle system ideal for light, heavy or unstable loads
- XT models automatically attach and cut the film, improving productivity by keeping the operator on the fork truck
- Q-300 XT Plus model wraps the load and moves it out of the way for the next load, eliminating double-handling

Advantages

- + No scheduled maintenance
- + Lowest cost to wrap your loads
- + The best load containment results, load after load
- + Film loading is fast and easy due to the patented E-Z thread roll carriage
- + No scheduled maintenance on semi-automatics
- + 3 year and 5 year warranties available

Semi-automatic machines	Wrap system	Production speed
Lantech Q-300	Turntable	Up to 25 loads per hour
Lantech Q-300XT	Turntable	Up to 25 loads per hour
Lantech Q-300XT Plus	Turntable	Up to 30 loads per hour
Lantech Q-400	Turntable	Up to 35 loads per hour
Lantech Q-400XT	Turntable	Up to 40 loads per hour
Lantech S-300	Straddle	Up to 35 loads per hour
Lantech S-300XT	Straddle	Up to 40 loads per hour

Lantech.com



PACKAGING

Materials - that save you money
Systems - that save you time
Solutions - that enhance your business
Services - that you can rely on



Lantech® Automatics

Stretch wrapping systems



Lantech Q-1000

Alternative products

- 92** Lantech Semi-automatic Stretchwrappers
- 94** Masterline Stretchwrappers

Additional products

- 80** Machine stretch film
- 78** Pre-stretched machine film
- 79** Fiber Stretch Film



Lantech S-3500



Lantech RS-600

Product description

- Fully-automated turntable, straddle and ring stretch wrappers
- From the pioneers of stretch wrapping systems

Features

- Automation with minimum floor space required
- Q-Series automated models offer 14 load/unload choices, top sheet dispenser, top platen load stabiliser, 90° infeed/exit flow, load underwrap, extended mast and a variety of conveyor configurations
- Lantech systems pre-stretch any quality commercial film up to 300%
- Light, tall unstable loads – no need to rotate on S and RS series

Systems

- Q-1000 - lowest cost system in the automatic range
- S-1500 - increase throughput with minimum space requirements
- S-2500 - reliable operation in demanding high speed applications
- S-3500 - meets high throughput requirements; wraps tall, lightweight unstable loads
- S-4000 - special conveyor staging eliminates wasted time to achieve over 120 loads per hour
- RS-6000 - ring wrapper achieves up to 180 loads per hour

Advantages

- + Includes Lantech exclusive Lan-Logix operator control
- + Film loading is fast and easy due to the patented E-Z thread roll carriage
- + Pallet-grip locks the load to the pallet
- + Load seeking clamp holds film against the load
- + Precise application of wrap force
- + Lowest cost to wrap your loads, shift after shift
- + 3 year and 5 year warranties available
- + Bespoke and design service available

Automatic machines	Wrap system	Production speed
Lantech Q-1000	Turntable	Up to 60 loads per hour
Lantech S-1200	Straddle	Up to 45 loads per hour
Lantech S-1500	Straddle	Up to 60 loads per hour
Lantech S-2500	Straddle	Up to 80 loads per hour
Lantech S-3500	Straddle	Up to 90 loads per hour
Lantech S-4000	Straddle	Up to 120 loads per hour
Lantech RS-6000	Ring	Up to 180 loads per hour

Lantech®.com



Our specialist team of experienced service engineers are always on hand to provide installation, servicing or breakdown support for your packaging machinery.

For advice, ordering of spare parts, or to book a visit from one of our engineers, contact our dedicated systems support desk on

01606 567013 or email packaging-systems@antalis.co.uk

MASTERLINE® 710S Stretch wrapper



Application areas

- Semi-automatic pallet wrapping
- Protection against damp and dirt, theft proof

Advantages

- + Height detection by means of photocell
- + Adjustable turntable and film carriage speed + Adjustable top and bottom wraps
- + Mechanical film carriage
- + Mechanical film brake
- + Optional ramp available for pallet trucks or low-floor vehicles
- + Cost effective for customers who wrap up to 30 pallets per day

Masterline 710S	Semi-automatic stretch wrapper
Item no.	78650
Weight	750 kg
Electrical connection	230 V Ph-N / 50 hz / 1.39 kW
Dimensions (L x W x H)	2400 mm x 1650 mm x 2500 mm
Maximum pallet size	1200 mm x 1000 mm
Working load maximum	2000 kg
Turntable diameter	1650 mm
Turntable height	80 mm

Item no.	Item description	Unit	Unit
44058	Pallet Truck Ramp For 710S + 710P Stretchwrapper	1060 mm x 1500 mm x 75 mm	Each
44059	Vehicle Ramp For 710S + 710P Stretchwrapper	1060 mm x 2000 mm x 75 mm	Each
44060	Steel pit frame	1780 mm x 2670 mm	Each

MASTERLINE® 710P Stretch wrapper



Application areas

- Pre-stretch pallet wrapping
- Protection against damp and dirt, theft proof

Advantages

- + Height detection by means of photocell
- + Adjustable turntable and film carriage speed + Adjustable top and bottom wraps
- + 3 different wrapping programs: Simple, cross and rainproof wrapping
- + Mechanical film carriage
- + Pre-stretch up to 200%
- + Optional ramp available for pallet trucks or low-floor vehicles
- + Cost effective for customers who wrap up to 30 pallets per day

Masterline 710P	Semi-automatic stretch wrapper
Item no.	78651
Weight	750 kg
Electrical connection	230 V Ph-N / 50 hz / 1.39 kW
Dimensions (L x W x H)	2400 mm x 1650 mm x 2500 mm
Maximum pallet size	1200 mm x 1000 mm
Working load maximum	2000 kg
Turntable diameter	1650 mm
Turntable height	80 mm

Alternative products

92-93 Lantech stretch wrappers

Additional products

80 Machine stretch film
78 Pre-stretched machine film
79 Fiber Stretch Film

MASTERLINE® 650R Shrink packaging machine



Application areas


- Protective film covering for products
- Bonding and shrinking in one process step
- Application in the newspaper and printing industries as well as the food industry / finished goods

Advantages

- + Particularly suitable for ecologically favourable polyolefin film
- + Mobile, i.e. flexible applications
- + 10 adjustable programs available
- + Security check of bonding arms
- + Electronic display
- + High speed
- + Shrink and seal in one go

Masterline 650R	Semi-automatic stretch wrapper
Item no.	78652
Weight	75 kg
Electrical connection	220 V, 230 V 1ph, 3.15 kW
Dimensions (closed)	1230 x 770 x 1165 mm
Dimensions (open)	1230 x 770 x 1280 mm
Working height	920 mm
Bonding arms	540 mm x 390 mm
Maximum pack size	540 mm x 390 mm
Maximum output	0-300 items per hour

MASTERLINE MACHINE RANGE



EXCLUSIVE TO ANTALIS

For more information on our exclusive range of Masterline Packaging Machinery, please visit our dedicated website www.masterline-machines.com

See our dedicated **Packaging Systems** catalogue for our full range of packaging machinery, featuring stretch wrapping and carton handling systems from Lantech, cushioning and foam-in-place from Sealed Air, Airspeed and Intellipack, paper packaging from Ranpak, as well as our own Masterline machine programme.

To find out more, please contact our Systems Sales & Engineering Support team on **01606 567013** or email packaging-systems@antalis.co.uk



Stretch film dispensers



Additional products
76-79 Hand stretch film

Securing loads ergonomically

Product description

- Hand held dispenser for use with stretch film
- Essential tool when manually packaging goods and products for shipment with stretch film
- Easily adjustable resistance brake keeps film under tension (not necessary for orientated films)

Applications

- For stretch-wrapping pallets manually

Advantages

- + Allows stretch films to be used quickly, easily and safely
- + No "hot hands"

Product range

Item no.	Item description		Unit
16470	Hand stretch film dispenser	38, 50 and 70 mm	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

8

Shrink film gun



For processing shrink film

Product description

- Robust hand-held shrink film device with swivelling burner
- The shrink film shrinks to form a protective covering when heat is applied and takes on the shape of the product
- Adjustable DIN pressure regulator with dual safety device, hose failure safety device and start button
- Modular system extends the working radius to up to 2 m
- BS (safety tested) symbol

Applications

- For securing loads, binding, covering
- Film provides protection against moisture, dirt and theft
- Also suitable for irregularly shaped goods

Available

- Hand held shrink film device supplied with carry case and following accessories:
- One adjustable safety pressure regulator
- 8 m propane gas high pressure hose with rotatable connector
- One assembly key
- One operating manual with guarantee card

Advantages

- + Lightweight device, can be used in any position
- + Burner swivels (during operation)
- + Modular extension system
- + Pressure regulator adjustable to the thickness of the film

Product range

Item no.	Item description	Unit
78987	Ripack 2200 shrink gun	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Hand held dispenser for self adhesive tape

For quick, efficient results



Additional products

- 48 Adhesive tapes
- 40 Corrugated boxes

Product description

- Hand held dispenser for all common self adhesive tapes

Applications

- For sealing boxes and packages easily

Advantages

- + Fast, easy and reliable use of self adhesive tapes
- + Ergonomic design

Product range

Item no.	Item description	Width	Unit
16469	Pistol & grip brake adhesive tape dispenser PD712	Max width 50 mm	Each
68665	Adhesive tape dispenser with retractable blade PD707P	Max width 50 mm	Each
68681	Pro-series heavy duty premium tape dispenser HPG50B	Max width 50 mm	Each
68679	Pistol grip adhesive tape dispenser	Max width 75 mm	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Gummed paper tape dispenser

For wet adhesive tape



Additional products

- 54 Gummed paper tape
- 40 Corrugated boxes

Product description

- For paper weights from 40 gsm up to fibre-reinforced products
- No noise when ready for operation
- Roll of tape can be dispensed with the adhesive upwards or downwards
- Electronic or mechanical operation options also available

Applications

- For use with all standard-sized wet adhesive tape
- For sealing dispatch packaging

Advantages

- + Easy and not tiring to use
- + Reliable operation
- + Saves time and increases productivity

Product range

Item no.	Item description	Width	Unit
11639	Manual pull and tear gummed paper tape dispenser EPS80	Suitable for plain tape up to 80 mm wide	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Heat sealing tongs

For barrier materials



Additional products

- 109** VACUPAC composite aluminium foil
- 111** Desiccant bags
- 109** Daubrite disks

Product description

- Heat sealing tongs for creating airtight and waterproof packaging using, for example, barrier materials and PE-coated papers
- Continuous adjustment of sealing temperature up to 250°C
- Low maintenance
- Complies with CE standard

Applications

- For making hoods, crate inserts, export packaging using VACUPAC and desiccants
- For re-sealing opened packaging
- For sealing all heat-sealable barrier films and materials
- Not suitable for PE films

Advantages

- + Continuously adjustable temperature setting
- + Easy to use
- + Lightweight
- + Low energy consumption
- + Low maintenance

Product range


Item no.	Item description	Width	Unit
78984	Heat sealing tongs for foil	150 mm	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

8

Impulse sealing tongs

For plastic films



Product description

- Hand held device for sealing polyethylene, polypropylene and PVC up to max. 0.4 mm thick
- Includes mains supply unit and connecting cable
- Automatic sealing impulse on closing the device

Applications

- For sealing polyethylene, polypropylene and PVC films up to 0.4 mm thick

Available

- Four models available: For sealing lengths of 200, 300, 450 or 630 mm
- Each of them has a sealing seam width of 3 mm on both sides
- Table clamp also available as accessory

Advantages

- + Seals securely, robust seam
- + Easy to use
- + Simple to operate
- + Continuously adjustable sealing time

Product range

Item no.	Item description	Width	Unit
78985	Impulse sealing tongs for plastic	150 mm	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Impulse sealing devices

For plastic films



Product description

- Sealing time is continuously adjustable
- Consistent pressure
- 230V power supply
- Some devices can be operated with a foot pedal

Applications

- Sealing bags
- Packaging small parts

Available

- Devices can be supplied with a stand on request
- Different models available for every application

Advantages

- + Very easy to use
- + Impulse sealing process means that no warm-up time is required
- + Seals thermoplastic films of any kind

Alternative products

- 98** Impulse sealing tongs
- 102** Grip seal bags


Additional products

- 103** Polythene bags
- 83** Polythene layflat tubing

Product range

Item no.	Item description	Dimensions	Unit
70459	Desktop impulse sealer	400 mm	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



For further information on our other desktop and industrial impulse heat sealers, **Just ask Antalis!**

Our commitment...

Dedicated Account Management

- Professional account manager
- Regular business reviews & detailed reports
- Industry leading product knowledge
- Innovative approach to your packaging needs
- Working within your business to identify solutions for your packaging needs

Personal Administration Support Contact

- Central contact, prompt response to all enquiries
- Knowledgeable, trained & efficient personnel
- Personal and courteous approach to your business
- Effective stock & account management

Tailored Service Solutions

- Individual service agreements
- Cost efficiency programmes
- Total supply chain management
- Performance enhanced through design
- New product performance evaluation
- Packaging waste management service

Systems Sales & Engineering Support

- Engineering back-up
- Spare parts supplies
- Repairs and maintenance services



Ergo line packing table

Ergonomic solution for the dispatch department

Product description

- Professional and flexible packing table system offering a wide range of design options from a single table to a complete packing line
- The system can be adapted to your specific packaging processes and can be extended, converted or modified at any time
- We will be happy to design complete packing tables, dispatch and packaging lines for you, with all the necessary packaging machines and materials



8

Stand dispensers and cutters

Stable and safe

Bench mounted paper roll dispenser



Take-off height: 890/1215 mm,
max. reel diameter 750 mm,
max. weight 150 kg per reel.
D x H 970 x 1740 mm

Dual paper roll dispenser



Take-off height: infinitely
adjustable, max. reel diameter
of 800 mm each, max total
weight 130 kg.
D x H 920 x 1665 mm

Mobile stand dispenser and cutter



Take-off height: 890 mm, max.
reel diameter 1000 mm, max.
weight 200 kg.
D x H 970 x 1060 mm

Dual mobile stand dispenser and cutter



Take-off height: infinitely
adjustable, max. reel diameter
800 mm, max. weight 100 kg.
D x H 920 x 1165 mm

100

Anti-static shielding bags - Electrostatic shielding



The recyclable and weldable film bags shield against electrostatic discharge during conveying and the sending of electronic components. They can also be printed and fulfil the following technical requirements:

- Outer layer from conductive polyester
- Surface resistance $R_s = 10^{10} - 10^{11} \text{ Ohm}$
- Electrostatic shield $< 15 \text{ nJ}$
- (energy test, HBM with 1000 volts)
- Metallisation – aluminisation
- Inner surface – conductive polyethylene



Anti-static flat bags and tubular film - ESD packaging



Anti-static flat bags or tubular films made from polyethylene offer high protection for the sending, conveying or warehousing of sensitive electronic components. They come with the following standard printing: type description, ESD warning symbol, recycling symbol and batch number.



For further information about conductive, anti-static and insulating packaging products that are tailored to meet the demands of the electrical and electronic industries... **Just ask Antalis!**



Packaging test laboratory

Antalis Packaging operates an in-house laboratory that inspects incoming goods and conducts quality assurance tests on paper, board, films, tapes and corrosion protection. We test bursting pressure, tensile strength, breaking length, water tightness, pH value, Cobb value, grammage, thickness, etc.

We are also more than happy to carry out material testing on your behalf.

When it matters most...

No matter what product needs sending, from blue suede shoes to heavy industrial parts, Antalis have it covered.

Our range of protective packaging products are ideal for online retailers, third-party logistics and mail order customers.



Pack-it, Seal-it, Post-it, Trust-it.

Grip seal bags

Versatile, fast and practical



Product description

- Resealable, reusable mini-grip bags made from polyethylene

Applications

- For storing small items

Available

- Supplied in many sizes and thicknesses
- Also available with anti-static or electrically-conductive (ESD) finish, with Euro-standard punched holes or write-on strip

Advantages

- + Reusable
- + Highly transparent
- + Food safe
- + Tough
- + Easy and quick to seal



Alternative products

63-75 Postal products

Additional products

40 Corrugated boxes

Product range




Item no.	Item description	Ref	Dimensions	Unit
72497	Grip seal clear polythene bags - plain	GL00	40 mm x 65 mm (1.5" x 2.5")	1000 per box
52993	Grip seal clear polythene bags - plain	GL01	55 mm x 55 mm (2.25" x 2.25")	1000 per box
11887	Grip seal clear polythene bags - plain	GL02	55 mm x 75 mm (2.25" x 3")	1000 per box
52995	Grip seal clear polythene bags - plain	GL03	75 mm x 85 mm (3" x 3.25")	1000 per box
52996	Grip seal clear polythene bags - plain	GL04	90 mm x 115 mm (3.5" x 4.5")	1000 per box
11888	Grip seal clear polythene bags - plain	GL05	115 mm x 115 mm (4.5" x 4.5")	1000 per box
52998	Grip seal clear polythene bags - plain	GL06	100 mm x 140 mm (4" x 5.5")	1000 per box
72499	Grip seal clear polythene bags - plain	GL07	140 mm x 140 mm (5.5" x 5.5")	1000 per box
69321	Grip seal clear polythene bags - plain	GL08	75 mm x 190 mm (3" x 7.5")	1000 per box
53001	Grip seal clear polythene bags - plain	GL09	125 mm x 190 mm (5" x 7.5")	1000 per box
69325	Grip seal clear polythene bags - plain	GL10	190 mm x 190 mm (7.5" x 7.5")	1000 per box
53003	Grip seal clear polythene bags - plain	GL11	150 mm x 230 mm (6" x 9")	1000 per box
53004	Grip seal clear polythene bags - plain	GL12	205 mm x 280 mm (8" x 11")	1000 per box
69328	Grip seal clear polythene bags - plain	GL13	325 mm x 325 mm (12.75" x 12.75")	1000 per box
53005	Grip seal clear polythene bags - plain	GLA4	230 mm x 325 mm (9" x 12.75")	1000 per box
53007	Grip seal clear polythene bags - plain	GL14	255 mm x 355 mm (10" x 14")	1000 per box
11913	Grip seal clear polythene bags - plain	GL16	325 mm x 455 mm (13" x 18")	1000 per box
11914	Grip seal clear polythene bags - plain	GL17	380 mm x 510 mm (15" x 20")	1000 per box
69333	Grip seal clear polythene bags - plain	GL20	127 mm x 203 mm (5" x 8")	1000 per box
69334	Grip seal clear polythene bags - plain	GL40	205 mm x 305 mm (8" x 12")	1000 per box
53015	Grip seal clear polythene bags - plain	GL60	305 mm x 410 mm (12" x 16")	1000 per box
69255	Grip seal clear polythene bags - with write on panels	GA020	40 mm x 65 mm (1.5" x 2.5")	1000 per box
69256	Grip seal clear polythene bags - with write on panels	GA120	55 mm x 55 mm (2.25" x 2.25")	1000 per box
69258	Grip seal clear polythene bags - with write on panels	GA121	55 mm x 75 mm (2.25" x 3")	1000 per box
69260	Grip seal clear polythene bags - with write on panels	GA122	75 mm x 85 mm (3" x 3.25")	1000 per box
11917	Grip seal clear polythene bags - with write on panels	GA123	90 mm x 115 mm (3.5" x 4.5")	1000 per box
11918	Grip seal clear polythene bags - with write on panels	GA125	100 mm x 140 mm (4" x 5.5")	1000 per box
69265	Grip seal clear polythene bags - with write on panels	GA126	140 mm x 140 mm (5.5" x 5.5")	1000 per box
69267	Grip seal clear polythene bags - with write on panels	GA128	125 mm x 190 mm (5" x 7.5")	1000 per box
53028	Grip seal clear polythene bags - with write on panels	GA130	150 mm x 230 mm (6" x 9")	1000 per box
69275	Grip seal clear polythene bags - with write on panels	GA131	205 mm x 280 mm (8" x 11")	1000 per box
53030	Grip seal clear polythene bags - with write on panels	GA132	230 mm x 325 mm (9" x 12.75")	1000 per box
11920	Grip seal clear polythene bags - with write on panels	GA133	255 mm x 355 mm (10" x 14")	1000 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Polythene bags

Simple and practical



Alternative products

98 Impulse sealing tongs

Additional products

48 Adhesive tapes

Product description

- Transparent flat bags made from food-safe LDPE film

Applications

- Storage and protection of small items and spare parts

Available

- Different sizes supplied in boxes
- Can be printed to customer specifications

Advantages

- + Flexible and tear-resistant
- + Reusable
- + Highly transparent
- + Food safe

Product range



Item no.	Item description	Thickness	Dimensions	Unit
69645	Open top clear polythene bags	Light gauge	150 mm x 200 mm (6" x 8")	1000 per box
69646	Open top clear polythene bags	Light gauge	180 mm x 230 mm (7" x 9")	1000 per box
11812	Open top clear polythene bags	Light gauge	200 mm x 250 mm (8" x 10")	1000 per box
69651	Open top clear polythene bags	Light gauge	200 mm x 305 mm (8" x 12")	1000 per box
69653	Open top clear polythene bags	Light gauge	255 mm x 305 mm (10" x 12")	1000 per box
11852	Open top clear polythene bags	Light gauge	250 mm x 375 mm (10" x 15")	3000 per box
11853	Open top clear polythene bags	Light gauge	300 mm x 375 mm (12" x 15")	2000 per box
52980	Open top clear polythene bags	Light gauge	300 mm x 450 mm (12" x 18")	1000 per box
69670	Open top clear polythene bags	Light gauge	380 mm x 510 mm (15" x 20")	1000 per box
98503	Open top clear polythene bags	Light gauge	450 mm x 600 mm (18" x 24")	1000 per box
11855	Open top clear polythene bags	Light gauge	500 mm x 750 mm (20" x 30")	500 per box
11857	Open top clear polythene bags	Light gauge	600 mm x 900 mm (24" x 36")	500 per box
52954	Open top clear polythene bags	Medium gauge	100 mm x 150 mm (4" x 6")	1000 per box
11858	Open top clear polythene bags	Medium gauge	150 mm x 200 mm (6" x 8")	1000 per box
11862	Open top clear polythene bags	Medium gauge	175 mm x 225 mm (7" x 9")	1000 per box
11874	Open top clear polythene bags	Medium gauge	200 mm x 250 mm (8" x 10")	1000 per box
11875	Open top clear polythene bags	Medium gauge	200 mm x 300 mm (8" x 12")	1000 per box
52972	Open top clear polythene bags	Medium gauge	250 mm x 300 mm (10" x 12")	500 per box
11876	Open top clear polythene bags	Medium gauge	250 mm x 375 mm (10" x 15")	1000 per box
11877	Open top clear polythene bags	Medium gauge	300 mm x 375 mm (12" x 15")	1000 per box
69668	Open top clear polythene bags	Medium gauge	300 mm x 460 mm (12" x 18")	1000 per box
11878	Open top clear polythene bags	Medium gauge	375 mm x 500 mm (15" x 20")	250 per box
11879	Open top clear polythene bags	Medium gauge	450 mm x 600 mm (17.5" x 23.5")	125 per box
69675	Open top clear polythene bags	Medium gauge	460 mm x 610 mm (18" x 24")	500 per box
11880	Open top clear polythene bags	Medium gauge	500 mm x 750 mm (20" x 30")	125 per box
11881	Open top clear polythene bags	Medium gauge	600 mm x 900 mm (24" x 36")	125 per box
11882	Open top clear polythene bags	Heavy gauge	250 mm x 300 mm (10" x 12")	250 per box
11883	Open top clear polythene bags	Heavy gauge	250 mm x 375 mm (10" x 15")	500 per box
69660	Open top clear polythene bags	Heavy gauge	300 mm x 450 mm (12" x 18")	250 per box
11885	Open top clear polythene bags	Heavy gauge	500 mm x 750 mm (20" x 30")	200 per box
11886	Open top clear polythene bags	Heavy gauge	600 mm x 900 mm (24" x 36")	100 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

LDPE gusseted bags



Alternative products

103 Polythene bags

Additional products

48 Adhesive tapes

Practical protective film

Product description

- Ready-made bags made of LDPE on a roll with tear-off perforation

Applications

- Lining for crate pallets, boxes and containers
- Cover for pallets or products

Available

- Supplied on a perforated roll to save space
- Sized to fit Euro pallets

Advantages

- + Highly tear and puncture resistant
- + Protection against dust, moisture and dirt
- + Easy and quick to use

Product range



Item no.	Item description	Thickness	Width / Width two side folds together x length	Unit
78819	Gusseted polybag	125 mic	1300 mm / 2150 mm x 1200 mm	30 per roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Refuse bags

Simple and practical



Alternative products

103 Polythene bags

Additional products

48 Adhesive tapes

Product description

- Top quality black polythene refuse bags

Applications

- A range of bags to suit many purposes

Available

- Stocked in various standard sizes for all applications

Advantages

- + Environmentally-friendly
- + Strong and durable
- + Easy and quick to use
- + Suitable for industrial use

Product range



Item no.	Item description	Thickness	Dimensions	Unit
72500	Black polythene refuse sack	35 mic	457 mm x 725 mm x 850 mm (18" x 29" x 34")	200 per box
16317	Black polythene refuse sack	40 mic	450 mm x 725 mm x 975 mm (18" x 29" x 39")	200 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



PACKAGING

Materials - that save you money
Systems - that save you time
Solutions - that enhance your business
Services - that you can rely on



Carrier bags



Alternative products

103 Polythene bags

Additional products

48 Adhesive tapes

Product description

- White gusseted polythene carriers with reinforced-patch handles
- Low density white patch handle carrier bags
- High density candy striped vest carrier bags
- High tensile 100% degradable vest style eco carrier bag
- Brown block bottom paper carrier bag with flat handles

Applications

- A range of bags to suit many purposes

Available

- Stocked in various standard sizes for all applications

Advantages

- + Environmentally-friendly
- + Strong and durable
- + Easy and quick to use
- + Reusable

Product range



Item no.	Item description	Thickness	Dimensions	Unit
69174	White LDPE patch handle carrier bag	30 mic	375 mm x 450 mm x 75 mm (14.75" x 17.7" x 3")	500 per box
69177	White LDPE patch handle carrier bag	30 mic	381 mm x 457 mm x 76 mm (15" x 18" x 3")	500 per box
69170	Popular vest style striped HDPE carrier bag	30 mic	280 mm x 432 mm x 533 mm (11" x 17" x 21")	2000 per box
69178	White eco-degradable vest style carrier bag	16 mic	280 mm x 420 mm x 520 mm (11" x 16.5" x 20.5")	2000 per box
69968	Medium brown take-away paper bag	80 gsm	216 mm x 330 mm x 254 mm (8.5" x 13" x 10")	250 per box
69969	Large brown take-away paper bag	80 gsm	254 mm x 400 mm x 305 mm (10" x 15.75" x 12")	250 per box

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

One stop shop for packaging materials, systems, solutions and services:

- Extensive product range
- Tailored service
- Expert advice
- Bespoke design capability
- Reliable deliveries
- Sustainable solutions



The Complete Package for industry, export and logistics



Visit our new website!

- New design
- New online shop
- More information

★ www.antalispackaging.co.uk



Better all round.

Non-stick baking paper



The tried-and-trusted baking paper

Product description

- Non-printed white baking paper coated on both sides and resistant to high temperatures

Applications

- Reliably prevents baked foods from sticking
- Promotes even browning when baking

Available

- Supplied in rolls
- Bleached/unbleached baking paper available

Advantages

- + No greasing or cleaning required, non-stick
- + Saves time and money
- + Makes all types of baking easier and faster
- + Can be re-used several times at medium baking temperatures

Product range



Item no.	Item description	Grammage	Dimensions	Unit
79163	Multi-Bake greaseproof paper	41 gsm	450 mm x 750 mm	Ream
79169	Natural pure greaseproof paper	34 gsm	500 mm x 750 mm	Ream

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Parchment substitute



Smooth, versatile

Product description

- White, opaque, greaseproof cellulose paper

Applications

- Insert or lining for carrier boxes
- Used to protect meat and cakes etc
- For covering cream-topped foods
- Separate slices of cake

Available

- Sheets, formats, rolls, narrow rolls
- Bleached/unbleached
- Variants: coloured, opaque, sealable

Advantages

- + Food safe, tasteless, odourless
- + Highly transparent and very smooth

Product range



Item no.	Item description	Grammage	Dimensions	Unit
79162	Vegetable parchment paper	42 gsm	500 mm x 750 mm	Ream

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

For the food industry, we can also offer you the following products:

Flat bags ...

... from food-safe LDPE film : flexible and rip resistant, fast and secure fastening.

Find out more on page 103

Gusset bags ...

... from LDPE film : ready-for-use, rolled up bag with tear perforation.

Find out more on page 104

Shrink film ...

... for an optimal product presentation : highly transparent

Find out more on page 81

H1 plastic pallets ...

... for the optimal delivery of your products according to the hygiene regulations of the food industry.

Find out more on page 47

Corrugated plastic boards ...

... from polypropylene : suitable as covers and interleaving for shock freezing, deep freezing, cooling, storage and transportation. Simple to clean!

Find out more on page 114

Why anti-corrosion protection?

At US \$2.2 trillion, the annual cost of corrosion worldwide is over 3% of the world's GDP. For Europe as a whole, the loss is estimated at over EUR 200 billion. The consequences of corrosion are not only high costs due to the need to rework or replace products, it can also cost the manufacturer its reputation.

And yet corrosion is perfectly avoidable! Protect your products properly against corrosion and avoid the irksome and costly consequences. Antalis Packaging can give you all the help you need! Put your trust in our over 50 years of experience of corrosion protection packaging! To find out more please contact us at vci-packaging@antalispackaging.co.uk

When is anti-corrosion packaging needed?

Anti-corrosion packaging is used in the following cases:

- Export of goods over long distances (especially by ship) and in / through different climate zones
- Long term storage of metal goods (e.g. spare parts)
- Metals that are sensitive for corrosion
- CKD shipment e.g. of cars
- Temporarily laying of machines, planes

There are three methods for anti-corrosion packaging:

1. Volatile Corrosion Inhibitor (VCI) papers and films
2. Aluminum barrier foil in combination with desiccants
3. Coating methods (oils or liquids)



Advantages of VCI packaging

Time saving

- + Easy and quick to apply
- + Products can directly be used after unpacking

Low cost

- + Can combine packaging and anti-corrosion in one product (e.g. bags, boxes etc.).
- + No cleaning of (oiled) parts needed at destination
- + Suitable for small and large products

Save

- + Packaging must not be sealed and can be opened (e.g. at customs) which means better protection
- + Approved anti-corrosion method avoids damage costs

Environmental friendly

- + Materials can be recycled

VCI anti-corrosion packaging can be based on:



Cellulose: paper sheets or rolls, cardboard and VCI chips



Films: sheets, rolls, hoods, bubble wrap, stretch film



Liquids: corrosion protection oils and water soluble corrosion protection

Comparing VCI paper and film

VCI paper

- Saturation of VCI inside packaging reached within ca. 15 minutes (non-ferrous metals after 24 hours)
- Protection duration up to 3 years (BRANOROST)
- Convertible to sheets, rolls, chips

VCI film

- Saturation of VCI inside packaging reached up to 20 h max. depending on packaging volume.
- Protection duration up to one year (BRANOFOL)
- Transparent
- Convertible to hoods, bags, sheets, rolls

The material of polyethylene (film) is less suitable to absorb large volumes of VCI concentrate than paper. We therefore recommend, where suitable, to add VCI paper or emitters, like e.g. chips, to the packaging to ensure an adequate VCI atmosphere.


Protection against corrosion

Volatile Corrosion Inhibitors (VCI) - How they work

The VCI method can be classified as active corrosion protection.

VCI materials have a very good evaporation property and can be incorporated into different materials, including carriers such as paper, carton, films, foam, powder, sprays or oils. The inhibitor continuously evaporates from these materials, forming a film over the packaged goods and protects it against a corrosive reaction. During evaporation, temperature and moisture play a significant role. As the VCI molecules bind better to metals than the water molecules, the material becomes a barrier between the packaged goods and the surrounding atmosphere and even dispels already existing water molecules and replaces them on the metal surface, so that a corroding reaction is prevented.

When using VCI materials, the distance to the object to be protected should not be more than 30 cm otherwise the time necessary for the protective atmosphere to develop lengthens. Around 6 m² of paper must be used per m³ of air. To ensure that the gas does not evaporate from the packaging through strong air movements, it should be packaged as airtight as possible. But a closed wrapping is usually sufficient.



Masterline VCI papers



Excellent protection against rust

Product description

- Kraft substrate coated with VCI to protect metals against rust
- Acts both on contact and at a distance

Applications

- Multifunctional transport and storage packaging for metal parts
- Mainly protects steel and iron
- Protection for ferrous and multimetals (eg. copper, aluminium)
- Protection against extreme climatic environments

Available

- Supplied in roll format in a variety of weights

Advantages

- + Packaging as well as reliable corrosion protection
- + Simple, safe and environmentally sound handling
- + Metal parts are ready for use at any time without cleaning
- + Oil and grease are no longer necessary

Product range

Item no.	Item description	Thickness	Dimensions	Unit
16432	Masterline VCI paper	50 gsm	1000 mm	25 kgs per roll
16435	Masterline VCI paper	70 gsm	900 mm	25 kgs per roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



Metal-Guard



Corrosion protection with a double effect

Metal-Guard's protective qualities are as follows:

- Reliable VCI protection for ferrous and multimetals
- Protection against dust and dirt
- Excellent transparency for a good visual inspection at customs

Metal-Guard is offered in numerous forms:

- Flat film
- Tube, half-tube (c-fold) or gusseted tube
- Flat Bags
- Gusseted bags, hoods or tubes
- Flat bottom bags and hoods

Application examples

- Bags for shipping small parts made of metal
- Top hood to cover containers during transport
- Interleaving layers
- Flat film on rolls for automated production lines
- Stamped special sizes

VACUPAC

Composite aluminium foil



Alternative products


110 Valéron®

Additional products

111 Desiccant bags

46 Plywood crate

98 Heat-sealing tongs



Film structure : polyester on the outside, aluminium in the middle, polyethylene on the inside surface

Product description

- Composite foil made from polyester, aluminium and polyethylene
- Barrier material for water vapour proof packaging

Applications

- For use in combination with desiccants to absorb residual humidity inside the packaging
- Protection for delicate, sharp-edged, irregularly-shaped machines
- Protection against corrosion and climatic stresses, e.g. for sea transport, shipment to polar and tropical regions
- Tried-and-trusted long-term and export packaging material

Available

- Supplied as rolls with widths up to 4 m
- Pre-fabricated as crate inserts, hoods, tubing, bags, etc
- All authorisations already printed on foil
- Printing to customer specification on request

Advantages

- + Greaseproof, waterproof, water vapour proof
- + High mechanical and bursting strength
- + Pliable and flexible
- + Abrasion and tear resistant
- + Resistant to insects and heat sealable
- + VACUPAC conforms to DIN 55531-1
- + Authorised for military use in accordance with German, American, British and French standards

VACUPAC technical data

Total area mass	DIN ISO 536	ca. 127 gsm
Tensile strength, length and breadth	DIN EN ISO 1924-2	> 55 N / 15 mm
Tensile strength of the seal seam, length	DIN EN ISO 1924-2	> 30 N / 15 mm
Tensile strength of the seal seam, breadth	DIN EN ISO 1924-2	> 30 N / 15 mm
Water vapour permeability	DIN 53 122-2 (40°C / 95%)	< 0,05 gsm/d
Oil resistance	FED-STD-101 / 3015	compliant
Resistance	at temperatures	-40 to +60°C

Product range



Item no.	Item description	Dimensions	Unit
30257	Vacupac, unprinted	1.25 m x 200 m	Roll

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Daubrite™ disks

VCI protection for enclosed spaces



Daubrite™ emitters provides vapor corrosion protection to enclosed metal parts. When the emitter is opened, the VCI's seek the metal surfaces inside the packaging or enclosed environment and forms a protective molecular on the surface of the metal. This layer prevents moisture, hydrogen, salt, dirt, oxygen and other contaminants from depositing on the metal and causing damaging corrosion.

Application examples

- Each unit prevents metal corrosion, in a five cubic feet volume, for two years.
- Daubrite-5 VCI emitters come with a convenient ready to use (front) label for recording the date of installation.
- 50 units per package
- Each disk protects five cubic feet of enclosed space

Protection against corrosion

Valéron®

Innovative high-performance film



Alternative products

109 VACUPAC composite aluminium foil

Additional products

111 Desiccant bags



Valéron fastening eyelets for the attachment of strapping bands can be positioned and repositioned in line with your needs

Product description

- "Right angled composite" made from two layers of orientated HDPE film with unique mechanical properties

Applications

- Export packaging for machines and components
- CKD shipping for the automotive industry
- Tear-resistant protective packaging for outdoor storage
- Anti-corrosion packaging
- Light proof packaging
- Transport film for road, rail or overseas shipping
- Tarpaulins, protective hoods, crate inserts, advertising sheets

Available

- Supplied as rolls of 100 m and 200 m lengths
- Thicknesses: 75 and 100 micron
- Roll widths: 1020 mm to max 6000 mm
- Standard colours: white, black
- Also available as aluminium composite foil

Advantages

- + Waterproof, largely water-vapour-proof
- + High tear strength and extremely puncture resistant
- + Resistant to chemicals and UV resistant
- + Temperature resistant between -40°C and +90°C
- + Can be sewn, heat sealed, perforated, punched etc
- + 100 mic less desiccant used than with PE TL films
- + Extremely robust so suitable for repeated use
- + Variable position of fastening eyelets



Evapo-Rust

Washes away rust inside and out



Unique non acidic, water based solution that virtually eliminates the need for laborious blasting, grinding, harsh caustics or chemicals. Evapo-rust's neutral PH formulation uniquely bonds only to rust and will not affect iron/metal compositions, plating or even non-oxide paint coatings. Simply immerse the rusted item into Evapo-rust and see the rust disappear in approximately 30 minutes to 24 hours.

Advantages

- + De-rusts without need to dismantle product
- + No acid
- + No protective clothing needed
- + Non flammable
- + Waterbased
- + One gallon of Evapo-rust de-rusts up to 300 lbs of rusted steel

To find out more about our protection against corrosion solutions please see our dedicated Export Packaging brochure, or email **vci-packaging@antalis.co.uk** for more details.

We will be happy to assist you in finding the best packaging solution for your needs.



Protection against corrosion

Desiccant bags



Alternative products

109 Daubrite disks

Additional products

110 Valéron®
46 Plywood crate
109 VACUPAC composite aluminium foil

To find out more about our protection against corrosion solutions please email vci-packaging@antalispackaging.co.uk

Desiccant

Product description

- Desiccant made of activated clay, supplied as granules packed in dust-proof paper or fleece bags
- Extracts the majority of the humidity from the ambient air

Applications

- Protects equipment, machine tools etc against humidity
- Requirement: export packaging combined with aluminium barrier foil, Valéron or TL foil (we will be happy to calculate the required amount of desiccant for you)

Available

- Available in bags of various sizes
- Special sizes and shapes on request
- Desiccant cartridges
- Desiccant capsules
- Humidity gauge
- Packaging aids



Advantages

- + Protects against corrosion when combined with barrier materials
- + Proven for use with export packaging

Product range

Item no.	Item description	Grammage	Unit
30213	Desiccant clay bags	25 gsm	500 bags per carton

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



ProDriPole



Container desiccant

Product description

- The unique desiccant system developed specifically to protect the contents of ISO 20ft and 40ft containers from the detrimental effects of moisture at a cost effective price
- Designed to work in relatively open environments to protect cargo throughout the entire voyage even under severe conditions
- Can absorb up to 2000g of contained liquid
- Designed and sized to securely hang in the natural recesses of a container

Applications

- Chemicals
- Textiles & leather
- Plastics, metal & glass
- Canned food
- Automotive
- Machinery
- Household goods & personal belongings

Available

- Individually sealed in a high-barrier protective sleeve

Advantages

- + High performance and cost-effective
- + Easy and quick to install, easy to remove
- + Durable, robust and long lasting
- + Ergonomic fit
- + Environmentally friendly with regular waste disposal

Product range

Item no.	Item description	Dimensions	Unit
82086	ProDriPole container desiccant	750 mm x 115 mm x 47 mm	8 poles per carton



Protection against corrosion

Goods vulnerable to corrosion need to be protected by a reliable form of packaging if they are supposed to be transported over the sea or to polar or tropical regions, or to be stored for long-term periods (more than 1 year). The all-weather packaging consists of a water-vapour resistant barrier equipped with a considerable quantity of drying agent as to the climatic zone

Advantages of barrier foil and desiccants:

- Approved method for export packaging
- DIN / TL Standard
- Corrosion protection up to 5 years possible
- Clean packaging, no oil needed
- can be used to pack all kinds of material

Barrier foil can be based on:

- Aluminum barrier film
- 300 µm LDPE film
- 200 µm LDPE TL film
- Valéron or Valcross

And can be converted to


- Rolls
- Sheets
- Hoods
- Bags

Desiccants can be based on:

- Clay
- Zeolithe
- Silical gel



How to build export packaging



1 Usually a wooden pallet is used as a base, which is covered with a base sheet made from film. The packaged goods are then secured onto the pallet with locking screws.

2 As a second step, sharp corners and edges of the product are cushioned with standard packaging materials, as in this example with packaging foam in order to prevent a subsequent ripping of the film.

3 The BRANOGEL desiccant bags are then placed in the packaging. They later absorb the remaining moisture. With the help of moisture indicators, the air moisture within the packaging can be controlled.

4 Now the second part of the film packaging is welded onto the base sheet. Before definitive sealing, the air is removed from the packaging along with most of the remaining moisture. The film hermetically protects the packaged goods from the outside air.

5 Finally, a wooden crate is usually placed around the packaged goods in order to protect the valuable product against external influences, such as collisions.

Application examples



Heat shrinkable film 200 µm



Warm-water boiler



Wrapping a helicopter with aluminum barrier foil




Wrapping with aluminum barrier foil - aircraft



Placing of desiccant bags inside the packaging



Sealing the aluminum barrier foil



Corrconsult is entrusted with the task of studying the entire process chain, from the basic material to production, cleaning, storage and transport. All individual steps are intensively investigated in order to pinpoint and eliminate possible causes of corrosion. To do so, our modern laboratory is at your disposal. A broad range of tests are implemented in cooperation with external institutes.

An audit and certification process confirms the correct application of your corrosion protection.

VCI quality management

- Quality assurance of corrosion protection products
- Studies into defects and causes of corrosion
- Cooperation with independent laboratories and institutes

VCI packaging certification

- Corrosion protection studies and advice
- Development of anti-corrosion packaging solutions
- Certification of individual packaging

VCI-online support

- Packaging training courses with corrosion protection materials
- Sending of a test with data logger for climate determination
- Transport simulation (climatic checks with climate devices)



Corrosion problems?

The cause often lies in the manufacturing process!

Do you produce corrosion-sensitive products or need to ship them overseas? Then you are familiar with the problem of corrosion. Corrosion leads to customer complaints, time-consuming and expensive reworking and, in the worst of cases, to the scrapping of the components. Corrosion has many causes which are often difficult to pinpoint. Even small defects in the production process can trigger corrosion and thus high costs. Antalis help you save these costs. We do not only deliver the most suitable corrosion protection packaging, but can help you optimise your production process.

Process analysis



Basic material

- Collation of climate data
- Optimisation of packaging
- Optimisation of storage needs



Production

Process materials

Analysis of the current situation:

- pH value
- Concentration
- Conductance
- Chloride
- Corrosion protection

Definition of the target situation:

- Definition of threshold values
- Drawing up of maintenance plans



Cleaning

Analysis of the current situation:

- pH value
- Concentration
- Conductance
- Chloride
- Corrosion protection




Storage and Transport

- Collation of climate data
- Corrosion tests in the laboratory
- Optimisation of the packaging

To find out more about our protection against corrosion solutions please email vci-packaging@antalis.co.uk

Corrugated plastic sheets



Additional products

32 Foam profiles

Corrugated plastic sheeting, basis for structural packaging

Product description

- Extruded corrugated sheets made of polypropylene (thermo-elastic plastic)
- Extremely stable, tear resistant, impact resistant, non-breakable, non-bendable, abrasion-resistant, waterproof, washable, food safe and autoclavable
- Resistant to many acids, mineral alkali, alcohol and greases
- Can be folded, punched, creased and laminated
- Can be printed, bonded, welded and riveted
- Consistently high quality guaranteed by trademark no.2051675 and constant quality assurance
- Working temperature between approx 0°C and 70°C

Applications

- Linings for crates and pallet boxes
- Waterproof covers
- Interleaving for pallets and pallet boxes
- Reusable packaging (e.g. crates, envelopes, folders)
- Trays, transport and automation containers
- Inserts, dividing elements, e.g. for small load carriers
- Edge and corner protection

Advantages

- + Lightweight
- + Suitable for a variety of uses and processes
- + Highly stable

Product range



Item no.	Item description	Thickness	Dimensions	Unit
47234	White plastic corrugated sheets	4 mm	1000 mm x 1230 mm	Sheets
47235	White plastic corrugated sheets	3 mm	1000 mm x 1230 mm	Sheets
47237	White plastic corrugated sheets	4 mm	1040 mm x 1550 mm	Sheets
47240	White plastic corrugated sheets	4 mm	1220 mm x 1530 mm	Sheets
47241	White plastic corrugated sheets	4 mm	1220 mm x 2440 mm	Sheets
47242	White plastic corrugated sheets	6 mm	1220 mm x 2440 mm	Sheets
47245	White plastic corrugated sheets	4 mm	610 mm x 813 mm	Sheets
47246	White plastic corrugated sheets	6 mm	610 mm x 813 mm	Sheets
47247	White plastic corrugated sheets	4 mm	610 mm x 914 mm	Sheets
79694	White plastic corrugated sheets	4 mm	914 mm x 1220 mm	Sheets
47248	White plastic corrugated sheets	4 mm	915 mm x 1230 mm	Sheets
79693	White plastic corrugated sheets	4 mm	1220 mm x 914 mm	Sheets
47243	White plastic corrugated sheets	3 mm	1230 mm x 1000 mm	Sheets
47244	White plastic corrugated sheets	4 mm	1230 mm x 1000 mm	Sheets
32920	White plastic corrugated sheets	4 mm	813 mm x 610 mm	Sheets
47239	Yellow plastic corrugated sheets	4 mm	1220 mm x 1000 mm	Sheets

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information



PACKAGING

Materials - that save you money
Systems - that save you time
Solutions - that enhance your business
Services - that you can rely on



PDC – Packaging Design Center



Individual packaging solutions see the light of day in our development department. Thanks to cutting-edge 2D and 3D CAD programmes (e.g. Catia V5) we are in a position to develop packaging according to your individual requirements in a short space of time.

The engineers of the Packaging Design Centre will be happy to advise you on the selection of the most suitable materials to protect your products.

How you benefit from our service:

- High flexibility
- On-site consulting
- Selection of packaging materials in line with actual needs
- Extremely short development and construction times
- Visualisation of packaging solutions
- Data exchange via ODETTE or FTP servers
- Cutting plotters for quick model construction
- In-house manufacture of small batches (minimum batch size: 1 item)
- Production of packaging kits

The following can be processed for example:


- Foam
- PROPYwell (twin-wall sheets)
- PROPYboard (trilaminate)
- PROPYsol (full plastic)
- Corrugated board
- Board
- The combination of different materials is also possible.

p d c

Examples of packaging designs by PDC



Moulded paper forms for transport




Transport packaging for mufflers with maximum space exploitation



Transport packaging with insert made from PROPYwell



Internal lining made from contour-cut PE foam



Stackable workpiece made from PROPYwell



Container made from PROPYwell with foam dividers



PROPYsol dividers for exhaust flaps



PROPYwell tray for tailgate hinges



PROPYwell tray with foam for spoilers



PROPYwell interleaving for guide sleeves



Corrugated board form for engines (export)



Corrugated board divider for mirror housings

Dividers and interleaving



Frame dividers made from PROPYwell



Dividers made from PROPYwell with foldover edges and interleaving



Dividers made from PROPYboard with interleaving and foam inserts



Separators made from PROPYwell with interleaving

Complete packaging



Packaging for shell parts, plug-in compartment and box made from corrugated board



Packaging for mouldings with inserts made from PS, interleaving and box made from corrugated board



Packaging for medical devices, with foam layers, bags, box



Export packaging for cylinder heads (pallet, box, interleaving, dividers, bags, BRANOROST, flat cushion)

Special containers



Picking containers made from PROPYboard



Crate pallet insert made from PROPYboard with foam moulding



Transport cases made from PROPYwell for printing plates



Robust transport container made from PROPYboard

Examples of materials



Workpiece holder made from EPP



Frame dividers made from greyboard with nylon string



Deep extruded part made from polystyrene partly from recycled material



EPP form part

Form parts infobox

Preforms made from expanded polystyrene (EPS)

When using Styropor® packaging, the emphasis is put either on protection or the blocking of the product for safe transport. Both advantages can be optimally combined through the use of contoured packaging.

Preforms made from expanded polypropylene (EPP)

Expanded polyethylene foam is used in consumer goods production both as product protection during transport and as transport containers in industry. Thanks to the foamed material, expanded polyethylene offers excellent, low-weight protection against impacts.

Preforms made from polyethylene foam (PE)

Using cushioning curves and corresponding calculation programmes, preforms can be adjusted exactly to the specifications. On request, we are happy to provide you with samples and carry out documented case studies. The optimal packaging for your requirements can often be found by combining PROPYwell honeycomb boards, corrugated board or wood.

PROPYboard - The solution for heavy goods

Tri-laminate material is a three-layered material made from polypropylene, the inner course of which is deep drawn. This creates a honeycomb or cell structure, thanks to which the material becomes highly resistant and rigid. A further advantage of the honeycomb structure is that the material has no running length.

This gives it the same stabilities along its length and breadth. Thanks to its high stress resistance, it is used mainly for the packaging of heavy goods.




PROPYsol – The solution for permanent loads

PROPYsol is an extruded solid material made from polypropylene. It is extremely stable, flexible and printable. PROPYSol is further characterised by the fact that it can be stamped, thermoformed and laminated and that it is extremely resistant against many acids, mineral alkali, alcohol and fat. Packaging made from PROPYSol is particularly convenient when residual dirt needs to be completely removed as it is very easy to clean.

The material can also be specially prepared to be anti-static, UV stable, flame-resistant or food safe.

Tip! For packaging used in the recycling channels – containers from PROPYSOL are ideally suited for mechanical cleaning. « Clean Packaging » for products with stringent cleanliness requirements.



packCONSULT: the right advice every time!



The packCONSULT team analyses the internal packaging logistics of your company, the packing material used as well as the packaging process. The aim of the study is to pinpoint the areas where savings can be made and to draw up proposals for improvement in the form of a packaging concept. See also page 119.

On your behalf, we will optimise:

- Purchasing costs
- Warehousing costs
- Workstation ergonomics
- Packaging handling




The Iceberg Principle

We will help you avoid the cost traps!

Packaging materials are classified in the business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Just ask Antalis!



Services

Antalis is a leading supplier of technically innovative packaging solutions that meet the needs of our customers from industry, trade and commerce. We do not only deliver packaging products but also added value services. Alongside services such as storage, JIT delivery, packing, printing and contract packaging, we also offer you our:



Packaging Design Center

The Packaging Design Center (PDC) is where our engineers develop new packaging solutions. With the modern 3D-CAD software CATIA V5, the packaging development centre PDC can handle almost any request you put to it. Fast prototype construction, pre-production models and small batches are only some of the capabilities of the PDC. We can thus boast extremely short development times and cost-cutting approaches. **Find out more on page 115.**



Laboratory

To guarantee a high level of quality, the papers, boards and films are analysed by our technology centre. We are also happy to carry out studies on your behalf. For example, we can test bursting pressure, tensile strength, breaking length, water tightness, pH value, Cobb value, grammage, thickness, etc.



Converting and repacking facilities

Not many shipping agents will be willing to cut or process packing paper, boxes and films directly from the meter thick rolls. Our converting facilities can meet all your specifications with our various rewinders, cross-cutters and guillotine cutters, regardless of the roll or sheet sizes. We also offer shrinking, wrapping and packing services.



Packaging machines

Thanks to the use of packaging machines, rational workflows are created and the material consumption reduced. Our range of services therefore starts with on-site advice and analysis. This is the starting point for us to be able to offer you the best possible machine in complete independence from the manufacturer. As we also take care of delivery, assembly, entry into operation and training, you receive all of the services from a one-stop-shop.



Anti corrosion training

We want to share our comprehensive packaging know-how and therefore offer training courses on the theme of « right packaging » and « corrosion protection according to the VCI method ». If interested, do not hesitate to get in touch with us. **vci-packaging@antalispackaging.co.uk**



Visit our new website!

- New design
- New online shop
- More information

★ www.antalispackaging.co.uk

Better all round.



Consulting




packconsult: the right advice every time!

The packCONSULT team analyses the internal packaging logistics of your company, the packing material used as well as the packaging process. The aim of the study is to pinpoint the areas where savings can be made and to draw up proposals for improvement in the form of a packaging concept.

Find out more on pages 115 - 117,

or contact our packaging engineers on: packaging@antalis.co.uk



Other services:

- Consultation services relating to standard packaging included in the price of the material
- Free online ordering service



Services invoiced according to the work involved:

- High quality sales and consultancy service by our specialist sales teams



Development and consultancy services invoiced:

- High quality offering
- Drawings
- Models
- Technical specifications
- Documented packaging tests



corrconsult Corrosion protection services

Within the framework of the corrCONSULT service, we study your anti-corrosion requirements as well as your application and process technology. The service offering covers, for example:

VCI quality management

- Quality assurance of anti-corrosion products
- Study into the corrosion problems and the cause of the problems
- Cooperation with independent laboratories and institutes

VCI packaging certification

- Anti-corrosion studies and advice
- Development of anti-corrosion packaging solutions
- Certification of individual packaging

VCI online coaching

- Packaging training courses with anti-corrosion materials
- Test shipment with data logger to determine climatic conditions
- Simulated shipment (study into climatic conditions with climate control devices)

Find out more on our homepage and on page 107 or contact us on:

vci-packaging@antalis.co.uk



stretchconsult – your film specialists

You want to make efficient use of stretch films, cut costs and need professional advice? The secret is to reduce film consumption per pallet to a minimum by using the right stretch film while at the same time ensuring optimal unit load security. With our new stretchCONSULT service, we help you find the optimal solution for your unit load security by analysing the entire packaging process.

As usual, this service is offered to you by Antalis Packaging in complete independence from the manufacturers.

Put the stretchCONSULT know-how to good use.

We are more than happy to answer any questions you may have on:

packaging@antalis.co.uk

Hand towels

High quality hygienic hand-drying solutions



Tork Hand Towels

- Automated touchless hand towel system
- Single sheet dispensed when infra-red sensor activated
- Provides a more hygienic washroom and workplace environment
- Significantly reduces consumption and waste
- Continuous service while keeping down maintenance costs

Tork Xpress® Multifold Hand Towels

- Self presenting, cost-effective, interleaving system
- High absorbency, dries hands quickly
- Only one single towel dispensed at a time
- Reduces waste, usage and spend
- Lockable dispenser reduces pilferage



Product range



Item no.	Item description	Sheet size	Roll length	Unit
22284	Tork Hand Towel Rolls White 2 ply	247 mm x 200 mm	143 m (715 sheets)	6 per case
27624	Tork Hand Towel Rolls Blue 1 ply	247 mm x 200 mm	143 m (715 sheets)	6 per case
27625	Tork Hand Towel Rolls White 1 ply	247 mm x 200 mm	143 m (715 sheets)	6 per case
38541	Tork Xpress Multifold Hand Towels Blue 1 ply	241 mm x 229 mm	250 sheets per pack	12 per case
27627	Tork Xpress Multifold Hand Towels White 1 ply	241 mm x 229 mm	250 sheets per pack	12 per case
22280	Tork Xpress Multifold Hand Towels White 2 ply	240 mm x 235 mm	250 sheets per pack	12 per case

Item no.	Item description	Colour	Dimensions	Material	Unit
22285	Electronic Hand Towel Roll Dispenser	Blue	376 mm x 419 mm x 249 mm	Polycarbonate	Each
22281	Hand Towel Dispenser	White	385 mm x 300 mm x 130 mm	Polycarbonate	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Toilet tissue

Great performance washroom systems



Tork SmartOne® Toilet Tissue System

- Innovative patented system reduces consumption by up to 40%
- User only touches the sheet taken, helping to reduce the risk of cross-contamination
- Rigid, durable dispenser ideal for high-traffic washrooms

Tork Coreless Toilet Tissue System

- Fully enclosed, easy to use and maintain
- Top up in use so need never run out of tissue
- 2 Tork Coreless rolls = 9 standard rolls

Jumbo & Mini Jumbo Toilet Tissue

- Traditional toilet tissue system developed for high use areas
- High capacity dispenser suitable for high use areas
- High quality toilet tissue

Product range



Item no.	Item description	Sheet size	Roll length	Unit
27617	Tork SmartOne Toilet Tissue 2 ply	180 mm x 134 mm	207 m (1150 sheets)	6 per case
22297	Tork Coreless Mid-size Toilet Tissue 2 ply	93 mm x 135 mm	112.5 m (900 sheets)	36 per case
22300	Tork Jumbo 2 ply 59mm core	97 mm x 254 mm	400 m (1575 sheets)	6 per case

Item no.	Item description	Colour	Dimensions	Material	Unit
27619	Tork SmartOne Toilet Roll Dispenser	White	270 mm x 270 mm x 170 mm	Polycarbonate	Each
27618	Tork SmartOne Toilet Roll Dispenser	Blue	270 mm x 270 mm x 170 mm	Polycarbonate	Each
22298	Tork Twin Coreless Toilet Roll Dispenser	Blue	196 mm x 335 mm x 146 mm	Polycarbonate	Each
22302	Jumbo Toilet Roll Dispenser	White	440 mm x 335 mm x 140 mm	ABS	Each

Other specifications on request. Please contact us for an up to date quotation. Please visit www.antalispackaging.co.uk for more information

Tork soap

High quality, effective wash without leakage



Tork Foam Soap

- High volume dispenser suitable for all hygienic environments
- Each refill supplied with new pump and nozzle, reducing cross-contamination risk
- Up to 2,000 doses per refill

Tork Spray Soap

- High capacity system dispenses a controlled amount of soap
- Compact cartridges for desired space saving
- Up to 3,200 doses of soap per refill



Product range

Item no.	Item description	Cartridge capacity	Unit
31538	Tork Hand Lotion Foam Soap	800 ml (2,000 doses)	6 per case
27633	Tork Ultra Clean Foam Soap	800 ml (2,000 doses)	6 per case
27634	Tork Classic Foam Soap	800 ml (2,000 doses)	6 per case
22308	Tork Spray Soap Hand Lotion	800 ml (3,200 doses)	6 per case
27636	Tork Spray Soap Ultra Clean	800 ml (3,200 doses)	6 per case

Item no.	Item description	Colour	Dimensions	Material	Unit
22312	Tork foam soap dispenser	Blue	260 mm x 135 mm x 125 mm	ABS	Each
22310	Tork spray soap dispenser	White	215 mm x 130 mm x 100 mm	ABS	Each

Wipers

Multi-use and cost-effective



Reflex Wiper System

- Single sheet dispensing helps to reduce consumption
- Dispenser is not touched, reducing the risk of cross contamination
- Easy to use, the next sheet is always presented and ready to take

Centrefeed Wipers

- Ideal for all general purpose situations
- Easy to use and easy to service dispenser

Multipurpose Wipers

- Designed with the needs of healthcare professionals in mind
- Individually wrapped, protected from damp and dust

Tissues

- Range of soft tissues perfect for all environments
- Suitable for hospital wards, hotel bedrooms, offices and classrooms

Product range



Item no.	Item description	Sheet size	Roll length	Unit
22319	Reflex Wiper Blue 2 Ply	350 mm x 194 mm	150 m (429 sheets)	6 per case
22318	Reflex Wiper Blue 2 Ply	350 mm x 194 mm	150 m (429 sheets)	6 per case
22288	Centrefeed Wipers Blue 1 Ply	350 mm x 194 mm	300 m (857 sheets)	6 per case
22286	Centrefeed Wipers White 1 Ply	350 mm x 194 mm	300 m (857 sheets)	6 per case
22287	Centrefeed Wipers White 2 Ply	350 mm x 194 mm	150 m (450 sheets)	6 per case
22289	Centrefeed Wipers Blue 2 Ply	350 mm x 194 mm	150 m (450 sheets)	6 per case
27644	10" Multi-Purpose Wiper White 1 Ply	440 mm x 250 mm	550 m (125 sheets)	24 per case
27645	10" Multi-Purpose Wiper Blue 1 Ply	440 mm x 250 mm	550 m (125 sheets)	24 per case
27646	20" Multi-Purpose Wiper White 1 Ply	440 mm x 500 mm	550 m (125 sheets)	24 per case
27647	20" Multi-Purpose Wiper Blue 1 Ply	440 mm x 500 mm	550 m (125 sheets)	24 per case
31540	Tork Extra-Soft Facial Tissues	206 mm x 200 mm	150 sheets per box	24 per case
31542	Tork Extra-Soft Facial Tissues	206 mm x 200 mm	100 sheets per box	33 per case
27638	Tork Extra-Soft Clinical Tissues	209 mm x 110 mm	100 sheets per box	36 per case

Item no.	Item description	Colour	Dimensions	Material	Unit
22320	Reflex Wiper dispenser	Blue	310 mm x 250 mm x 250 mm	Polycarbonate	Each
27642	Centrefeed Wiper dispenser	White	300 mm x 250 mm x 260 mm	ABS	Each

Enquiry form for packaging machines

Simply copy, complete and mail



Phone: +44 870 241 1466
Winsford Fax: +44 870 609 9889
Coalville Fax: +44 870 607 3144

Antalis Packaging

Road One, Winsford Industrial Estate,
Winsford, Cheshire CW7 3QB

1 Tara Street, Hilltop Industrial Estate,
Bardon, Coalville, Leicestershire LE67 1TW

In order to offer you the best packaging technology for your application, please provide us with the following information:

Sector:	<input type="text"/>		
The purpose of your machine:	<input type="checkbox"/> Strapping <input type="checkbox"/> Stretching <input type="checkbox"/> Conveying <input type="checkbox"/> Zone protection <input type="checkbox"/> Other <input type="text"/>	<input type="checkbox"/> Sealing <input type="checkbox"/> Shrinking <input type="checkbox"/> Assembly	<input type="checkbox"/> Palleting <input type="checkbox"/> Filling and cushioning <input type="checkbox"/> Box closing
What are the products to be packaged:	<input type="text"/>		
What material do you currently use for your packaging needs:	<input type="text"/>		

Product specifications:

Product dimensions:	<input type="text"/>	(LxWxH)	Weight:	<input type="text"/>		
Box outside dimensions:	<input type="text"/>	(LxWxH)				
Pallet dimensions:	<input type="text"/>	(LxWxH)				
Product on pallet:	<input type="checkbox"/> stable	<input type="checkbox"/> unstable	<input type="checkbox"/> protrudes	<input type="checkbox"/> smaller	<input type="checkbox"/> flush	<input type="checkbox"/> upside down
Packaging volumes: number of pallets:	<input type="text"/>	<input type="checkbox"/> per hour	<input type="checkbox"/> per day	<input type="checkbox"/> per month		

Your contact details:

Customer n°	<input type="text"/>	Postcode, Town	<input type="text"/>
Company	<input type="text"/>	Telephone number	<input type="text"/>
Mr/Ms	<input type="text"/>	Fax	<input type="text"/>
Department	<input type="text"/>	E-mail	<input type="text"/>
Street	<input type="text"/>	<input type="checkbox"/> Please send me your newsletter	

Simply copy, complete and mail



1 Tara Street, Hilltop Industrial Estate,
Bardon, Coalville, Leicestershire LE67 1TW

Coalville Fax: +44 870 607 3144

Packaged goods:

Other:

[illegible]

Color:

[illegible]

☐ Please send me your newsletter

3M adhesive transfer tape	57
3M Polypropylene hand tape	49
3M Polypropylene machine tape	49
3M Scotch cellulose tape	50
320 Box Closing Machine	90
410A Automatic strapping machine	89
410T Table strapping machine	89
480 Hand strapping device	88
490 Hand strapping device	88
650R Shrink packaging machine	95
710P Stretch wrapper	94
710S Stretch wrapper	94

A

Acid free tissue paper	6
Adhesive die cuts	54
AirCap®	26
AirCap® Bubble Mask™	27
AirCap® E 200m	27
AirSpeed 5000	13
AirSpeed Films	13
AirSpeed HC Versa	12
AirSpeed Smart	12
Aluminium adhesive tape	58
Anti corrosion training	118
Anti-static bubble wrap	29
Anti-static flat bags and tubular film	101
Anti-static shielding bags	101

B

Bench mounted paper roll dispenser	100
Blown hand stretch film	77
Brother Tape Creator	53
Bubble Pouches	29
Business card boxes	42

C

Cardboard edgeguards	87
Carrier bags	105
Cast hand stretch film	76
Cloth tape	59
Coloured tape	51
Coloured tissue paper	7
Combilay-DPM	82
Combilay underfloor foams	31
Complete packaging	116
Compressed wood/Inca pallets	47
Consulting	119
Continuous cartons	43
Converting and repacking facilities	118
Correx	45
Corrugated boxes	40
Corrugated boxes	41
Corrugated Paper	35
Corrugated plastic sheets	114
Corrupad	35
Cross weave tape	56
Customised printed adhesive tapes	52

D

Daubrite™ disks	109
Desiccant bags	111
Despatch boxes	73
Despatch folders	73
Die-cut foam boxes	39
Dividers and interleaving	116
Document enclosed envelopes	74
Double sided tape	58
Dual mobile stand dispenser and cutter	100
Dual paper roll dispenser	100
Dunnage bags	38

E

Electrostatic shielding bags	101
Embossed paper	36
Ergo line packing table	100
ESD packaging film and bags	101
Evapo-Rust	110
Examples of materials	116
Examples of packaging designs by PDC	115

F

FiberFilm	79
Fill-Air Rocket™	11
Filla paper	3
FillPak®	20
FillPak M™	21
FillPak TT®	21
FillTeck™	15
Foam profiles	32

G

Glue gun	62
Glue sticks	62
Greyboard	9
Grip seal bags	102
Gummed paper tape	54
Gummed paper tape dispenser	97

H

Hand held dispenser for self adhesive tape	97
Hand towels	120
Hazard warning tapes	51
Heat sealing tongs	98
Humber board backed envelopes	71

I

Image office papers	10
Imitation & Recycled Kraft	3
Impulse sealing devices	99
Impulse sealing tongs	98
Instapak®	22
Instapak Quick® RT	23
Instapak® Simple™	22
Intellipack	24

J

J-Boxes	72
Jiffy® Airkraft	66
Jiffy Bubble	28
Jiffy® Mailmiser	67
Jiffy® Padded Bags	68

K

Kraft union	4
-------------	---

L

Laboratory	118
Lantech® Automatic stretch wrappers	93
Lantech® CS-300 Carton Sealer	90
Lantech C-Series Carton Erectors	91
Lantech® Semi-automatic stretch wrappers	92
LDPE gusseted bags	104
Linson book binding tape	55
Loose fill	33
Lotus Professional soap	121

M

Machine stretch film	80
Mail Lite®	64
Mail Lite® Round Trip	64
Mail Lite® Tuff	65
Mail order postal sacks	70
Mail Tuff™	65
Masking paper	8
Masking tape	56
Masterline 320 Box Closing Machine	90
Masterline 410A Auto strapping machine	89
Masterline 410T Table strapping machine	89
Masterline 480 Hand strapping device	88
Masterline 490 Hand strapping device	88
Masterline 650R Shrink wrap machine	95
Masterline 710P Stretch wrapper	94
Masterline 710S Stretch wrapper	94
Masterline ePacker	11
Masterline VCI papers	108
MediaWrap™	69
Metal-Guard	108
MG Cap tissue paper	6
Mobile stand dispenser and cutter	100

N

NewAir I.B.®	15
News offcuts	7
Non-slip paper	8
Non-stick baking paper	106
Notbox	39

P

Packaging Design Center	118
Packaging foam	30
Packaging machines	118
Packaging twine	85
packCONSULT: the right advice every time!	117
PadPak®	16
PadPak compact™	19
PadPak LC™	18
Pallet collars	46
Palletised containers	45
Pallet top sheets	82
Parchment substitute	106
PDC – Packaging Design Center	115
PE packing tape	57
Plastic edge protectors	87
Plastic pallets	47
Plywood crate	46
Poly coated crepe paper	5
Poly coated kraft paper	5
Poly Mailers	70
Polyolefin centrefold shrinkfilm	81
Polythene bags	103
Polythene layflat tubing	83
Postal boxes	74
Postal tubes	75
Postal wraps	72
Pouch tape	59
Pre-stretched hand film	78
Pre-stretched machine film	78
Printed tape	52
Process analysis	113
ProDriPole	111
PROPYboard	117
PROPYsol	117
Protective netting	36
Pure Kraft Paper	2
PVC centrefold shrink film	81

R

Rapid Fill®	14
Refuse bags	104
Retention packaging	34
RigiKraft™ plus	71

S

Sack kraft	2
Services	118
Shell boxes	33
Shockwatch®	37
Shrink film gun	96
Shrink hoods	83
SmartBagger® Foam-in-Bag System	25
SmartSHOT® Handheld System	25
SmartSHOT® Hybrid Hand-Held/ Bagger Machine	25
Special containers	116
SpeedyPacker® Insight™	23
Stand dispensers and cutters	100
Staplers	86
Stationery boxes	42
Storage and archive boxes	44
Strapping band	84
Strapping combination tool	86
Strapping floor dispenser	86
Strapping sealer	86
Strapping tensioner	86
Strapping trolley dispenser	86
Stretch bands	79
Stretch film dispensers	96
Suspension packaging	34

T

Textile strapping and buckles	85
Tiltwatch®	37
Toilet tissue	120

V

VACUPAC	109
Valéron®	110
Vibac polypropylene tape	48
Vibac PVC tape	50
Volatile Corrosion Inhibitors (VCI)	108

W

Wardrobe boxes	44
Waxed kraft paper	4
Wipers	121
Wonderfil™ Wrap	14

Z

Zebra printers	60
Zebra supplies	61



Quick search for the right packaging ...

Engineering

	Export of machines/ components	Anti-corrosion packaging	Unit load security	Outdoor storage	Storage of small parts	Shipping of spare parts	Internal logistics	Packaging of large goods	Weather protection	Cushioning for heavy goods
PadPak										16
Corrugated box	40-41				40-41					
Desiccant	111	111	111							
Evapo-rust	110	110			110	110	110	110		
Machine-stretch film		78-80			78-80					
Vacupac aluminium composite film	109		109							
Valéron	110	110	110		110		110	110		
Containers and load carriers				45-47	45-47	45-47				
Plywood crates	46		46		46		46	46		
Strapping machines		88-89			88-89					
Stretch machines		92-94			92-94					
Mini-grip bags			102							
Strapping bands		79			79		79			
Technical adhesive tapes	48-59									

... for your application and sector

Get what you want in three steps ...

1. Select the product finder for your segment
2. The top line is a selection of the typical packaging applications
3. The marks in the columns show you which packaging material is suitable

Electrical engineering

	Anti static packaging	Storage of small parts	Internal logistics	Storage	Transport and shipping	Electrically conductive packaging	Anti-corrosion packaging	Shield
Evapo-rust						110		
Shell box	33			33				
Anti-static flat bags and tubular film	101	101						
Anti-static shielding bags		101						101

Logistics

	Automatic devices	CTD shipping	Export	Hand held devices	Internal logistics	Unit load security	Storage	Transport and shipping	Transport monitoring	Storage of small parts	Packaging, bundling
Transport indicators								37			
Corrugated box				40-41		40-41		40-41	40-41		
Desiccant		111									
Evapo-rust	110	110									
Machine stretch films					79-80						
Vacupac aluminium composite film	109	109									
Valéron		110			110						
Containers and load carriers		45-47		45-47	45-47	45-47					
Plywood crates		46				46	46		46	46	
Strapping machines	88-89				88-89						
Hand strapping devices			88		88						
Stretch machines	92-94				92-94						
Stretch film dispensers			96		96						
Mini-grip bags								102			
Pallets				47	47	47					

Furniture industry

	Surface protection	Transport and shipping	Corner and edge protection	Bundling	Unit load security	Protection and cushioning	Binding, holding, fixing assembly	Internal logistics
PadPak		16	16		16			
Air cushioning film	11-15				11-15			
Packaging foam	30				30			
Foam profiles	32	32			32			
Corrugated box	40-41							
Machine-stretch films				79-80				
Containers and load carriers							45-47	
Hand strapping devices			88	88				
Mini-grip bags			102					
Packaging tape	48-59		48-59		48-59			
Strapping bands			84	84		84		
Edge protection profiles	87	87		87	87			
Double-sided adhesive tape						58		

Can't find your sector?

Use the simple search engine on our homepage
www.antalispackaging.co.uk. Search by entering product names, applications, sectors or key words.


1. These Conditions of Sale ("the Conditions") shall apply, to the exclusion of all other terms and conditions, to each transaction ("the Contract") for the sale of goods ("the Goods") by Antalis Limited ("the Company") to a purchaser of Goods ("the Buyer"), unless otherwise agreed in writing or as provided below.
2. The British Paper and Board Trade Customs 1988 as amended from time to time ("the Customs") shall apply to each Contract, unless inconsistent with the terms of the Contract, in which case the Contract shall apply.
3. The price of the Goods ("the Price") shall be the Company's quoted price and shall be exclusive of VAT, delivery, carriage and insurance. The Company shall be entitled to increase the Price at any time before the Goods are despatched to reflect any increase in the cost to the Company arising from any factor beyond its control or any changes in delivery dates, quantities or specifications requested by the Buyer or any delay caused by the Buyer's failure to provide adequate information or instructions.
4. Unless otherwise agreed, the Buyer shall pay the Price (whether or not formally demanded) on or before the end of the month following the month in which the Goods are delivered. The time of payment of the Price shall be of the essence of the Contract.
5. If the Buyer fails to make any payment when due then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to:
 - (a) cancel the Contract or suspend any further deliveries to the Buyer;
 - (b) charge the Buyer interest (both before and after any judgement) on the amount unpaid at the rate of 4% per annum above HSBC Bank PLC base rate from time to time until payment in full is made, such interest to be compounded at quarterly intervals;
 - (c) withdraw all credit facilities extended to the Buyer and require immediate payment of any and all outstanding invoices issued by the Company to the Buyer whether or not they are due for payment;
 - (d) cancel and withdraw any trade discount allowed to the Buyer on the Price.
6. Any date quoted for delivery of the Goods shall be approximate only and the Company shall not be liable for any delay in the delivery of the Goods whatsoever. Delivery shall be made to the address agreed with the Company.
7. If the Buyer fails to take delivery of the Goods or fails to give adequate delivery instructions to the Company then, without prejudice to any other right or remedy available to the Company, the Company may store the Goods until actual delivery and charge the Buyer for the reasonable costs (including insurance) of storage and after a period of 7 days sell the Goods at the best price readily obtainable and (after deducting reasonable storage and selling expenses) account to the Buyer for the excess over the Price or charge the Buyer the amount of any shortfall.
8. Risk of damage to, or loss of, the Goods shall pass to the Buyer on delivery or, if the Buyer wrongfully fails to take delivery, at the time when delivery is tendered. The property in the Goods shall not pass to the Buyer until the Company has received payment in full of the Price and of the Price of all other Goods agreed to be sold by the Company to the Buyer for which payment is then due.
9. Until property in the Goods passes to the Buyer, the Buyer shall hold the Goods as the Company's fiduciary agent and bailee, shall keep the Goods separate from those of the Buyer and third parties, keep the Goods properly stored, protected and insured and identified as the Company's property and the Buyer shall not pledge or charge the Goods by way of security or otherwise. Until that time the Buyer shall be entitled to resell or use the Goods in the ordinary course of its business but shall account to the Company for the proceeds of sale or otherwise of the Goods, and shall keep all such proceeds separate from any monies or property of the Buyer and third parties and, in the case of tangible proceeds, properly stored, protected and insured. The Company shall be entitled at any time to require the Buyer to deliver up the Goods to the Company and, if the Buyer fails to do so, to enter upon any premises of the Buyer or of any third party where the Goods are stored and repossess the Goods. Any breach of this clause by the Buyer shall cause all monies owing to the Company to become immediately due and payable.
10. If the Buyer makes any voluntary arrangement with its creditors, becomes subject to an Administration Order, or (being an individual or firm) becomes bankrupt, or (being a company) goes into liquidation (otherwise than for the purposes of amalgamation or reconstruction), or an encumbrancer takes possession, or a Receiver is appointed of any of the property or assets of the Buyer, or the Buyer ceases or threatens to cease to carry on business or the Company reasonably apprehends that any of the events mentioned in this clause is about to occur (and notifies the Buyer accordingly) then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to cancel the Contract or suspend any further deliveries without any liability on the part of the Company and, if the Goods have been delivered but not paid for, the Price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.
11. (a) Subject as provided below the Company warrants that the Goods will correspond to their specification at the time of delivery and shall be free from defects in materials and workmanship. All other warranties, conditions or other terms implied by statute or common law are excluded to the fullest extent permitted by law.
 - (b) Except in respect of death or personal injury caused by the Company's negligence, the Company's entire liability under each Contract shall be limited to the Price attributable to the Goods which are the subject of the claim. The Company shall not be liable to the Buyer for any consequential or special loss or damage (whether for loss of income, profit or otherwise), costs, expenses or other claims for compensation which arise out of, or in connection with, the supply of the Goods or their use or resale by the Buyer.
 - (c) Any claim by the Buyer which is based on any defect in the quality or condition of the Goods or their failure to correspond with specification or non or incorrect delivery shall (whether or not delivery is refused by the Buyer) be notified to the Company within 7 days from the date of delivery or (where there is non or incorrect delivery or the defect or failure was not apparent on reasonable inspection) within a reasonable time after discovery of the defect or failure. If delivery is not refused, and the Buyer does not notify the Company accordingly, the Buyer shall not be entitled to reject the Goods and the Company shall have no liability for such defect or failure, and the Buyer shall be bound to pay the Price as if the Goods had been delivered in accordance with the Contract.
 - (d) Where any valid claim is notified to the Company, the Company shall be entitled to repair or replace the Goods (or the part in question) free of charge or, at the Company's sole discretion, grant credit to or refund to the Buyer the Price of the Goods (or a proportionate part of the Price), but the Company shall have no further liability to the Buyer.
 - (e) The Company shall not be liable to the Buyer or in breach of contract where performance of its obligations is prevented, frustrated or impeded as a result of any act of God, war, or civil disturbance, strikes or other industrial action, government or other authority, laws, regulations or orders, national emergencies, lockout, fire, flood, draught, tempest, import or export restrictions, power failure, difficulty in obtaining materials or Goods or any other cause beyond the control of the Company.
12. (a) Each Contract shall only confer rights and benefits on the Buyer and no third party shall acquire rights or benefits under the Contract or these Conditions.
 - (b) The Company is a subsidiary of Antalis Holdings Limited. Accordingly the Company may perform any of its obligations or exercise any of its rights hereunder by itself or through any other company which is a subsidiary of Antalis Holdings Limited, provided that any act or omission of any such other member shall be deemed to be the act or omission of the Company.
 - (c) Any notice given under these Conditions shall be in writing addressed to the registered office or principal place of business of the addressee or such other address as may at the relevant time have been notified as the correct address.
 - (d) No waiver by the Company of any breach of the Contract by the Buyer shall be considered as waiver of any subsequent breach of the same or any other provision.
 - (e) The Conditions and each Contract shall be governed by and construed in accordance with the laws of England.

The Paperman



The Paperman is the constant connecting visual element between all means of communication of Antalis. His simple, graphic shape and bright colour catches the eye, helping us to remember the Antalis brand and our messages. But the Paperman is more than just a graphic logo - he symbolises Antalis in shape, colour and movement. By travelling from one activity to another, he tells the Antalis story: our history, our skills, and the people who make us. He was born from a plain sheet of paper... just like Antalis at our formation.

But Antalis today is much more than just a wholesaler of paper - we have continued to develop and have become strong in other areas, such as Packaging. This is reflected by the origami from which the Paperman has emerged. By being folded as origami, he becomes dynamic, always moving forward. Just like Antalis today.



The Antalis organisation

We are the UK's leading supplier of communication and packaging materials, also operating in three other main business areas:

Print

Providing coated, uncoated, specialty and creative papers, envelopes and graphic supplies for printers, graphic designers, publishers and communications agencies.

Office

Distributing copier paper, envelopes and office consumables to resellers, private companies and public sector administrations.

Sign & Display

Supplying specialists with paper, board and plastics used to create quality signage and display.

www.antalis.co.uk

