

	Papers and boards for wrapping, separating and covering	Pages 2 - 13	1
	Filling and cushioning materials for bracing, padding, blocking and surface protection	Pages 14 - 39	2
	Boxes, containers and pallets for shipping, warehousing and conveying	Pages 40 - 46	3
	Adhesive tapes and glue for sealing, shipping, insulating, protecting, binding and splicing	Pages 47 - 59	4
	Postal packaging materials for shipping, packing and protecting	Pages 60 - 66	5
	Films for securing, exporting, covering and protecting against dirt and damp	Pages 67 - 74	6
	Strapping and stapling for securing, containing and warehousing	Pages 75 - 81	7
	Packaging machines for stretching, strapping, assembling, sealing and conveying	Pages 82 - 93	8
	Bags and sacks for storing, sealing, sending, securing and protecting	Pages 94 - 97	9
	Food packaging for baking, cooking, separating and preserving	Pages 98 - 99	10
	Protection against corrosion for conserving, warehousing and exporting	Pages 100 - 107	11
	Bespoke packaging for conveying, exporting and internal logistics	Pages 108 - 111	12
	Services and consulting for testing, maintaining, processing, informing, developing and disposing	Pages 112 - 113	13



Keep an eye out for the environmentally-friendly packaging symbols

1

Pure kraft

The tough packaging material



Alternative products

2 Imitation kraft paper

Additional products

90 Cutting stand

Product description

- Natural brown packaging paper made from sulphate pulp
- Well bonded fibres ensure the paper is robust

Applications

- Outer packaging
- Wrapping paper, particularly for parcels
- Interleaving

Available

- Roll or sheet format

Advantages

- + Particularly robust
- + Can be processed to customer specifications
- + Can be printed
- + Machine-finished

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
16411	MG pure kraft paper	90 gsm	700 mm x 1150 mm	Sheets
16402	MG pure kraft paper	70 gsm	900 mm x 1150 mm	Sheets
16414	MG pure kraft paper	90 gsm	900 mm x 1150 mm	Sheets
16413	MG pure kraft paper	90 gsm	1150 mm x 1400 mm	Sheets
16420	MG pure kraft paper	70 gsm	600 mm x 280 m	Rolls
16422	MG pure kraft paper	88 gsm	600 mm x 220 m	Rolls
16424	MG pure kraft paper	88 gsm	900 mm x 220 m	Rolls
16417	MG pure kraft paper	88 gsm	1000 mm x 220 m	Rolls
16419	MG pure kraft paper	70 gsm	500 mm x 280 m	Rolls
16421	MG pure kraft paper	70 gsm	900 mm x 280 m	Rolls
16415	MG pure kraft paper	70 gsm	750 mm x 280 m	Rolls
16423	MG pure kraft paper	88 gsm	750 mm x 220 m	Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Imitation kraft paper

Cost-effective wrapping paper



Product description

- An economy wrapping paper made entirely from recycled fibre

Applications

- Suitable for light and medium duty applications

Available

- Roll or sheet format

Advantages

- + Cost effective recycled kraft paper, good for interleaving, light and medium applications.

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
16376	Imitation kraft paper	88 gsm	700 mm x 1150 mm	Sheets
16377	Imitation kraft paper	88 gsm	900 mm x 1150 mm	Sheets
16378	Imitation kraft paper	95 gsm	900 mm x 1150 mm	Sheets
16389	Imitation kraft paper	88 gsm	900 mm x 220 m	Rolls
16382	Imitation kraft paper	95 gsm	900 mm x 235 m	Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

2

Kraft union

Reliable protection against dirt and moisture



Product description

- Made from two layers of pure kraft bound together with bitumen, providing a superb waterproof barrier.

Applications

- Ideal for case and pallet lining.

Available

- Roll and sheet format.

Advantages

- + Waterproof kraft paper which is used for protecting products from moisture, good for layering on pallets whilst in storage and in transit.



Stock range

Item no.	Item description	Grammage	Dimensions	Unit
16437	Kraft union paper	120 gsm	900 mm x 100 m	Rolls
52914	Kraft union paper	120 gsm	1200 mm x 1000 mm	Sheets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Waxed kraft paper

Grease and oil resistant



Product description

- Kraft paper impregnated with wax for use as a primary wrapping where a grease or oil resistant barrier is essential.

Applications

- Wax kraft paper which is used for protecting oil/greasy products whilst in storage and in transit.

Available

- Roll format

Advantages

- + Extensively used in the engineering and machine tool industry for over wrapping parts and spares.




Stock range

Item no.	Item description	Grammage	Dimensions	Unit
16449	Waxed kraft paper	65 gsm	900 mm x 100 m	Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



1

Sack kraft

Versatile, unbleached kraft paper



Alternative products

2 Imitation kraft paper

Additional products

49 Masterline
Polypropylene tape
90 Cutting stand

Product description

- Unbleached, brown kraft paper made from fresh sulphate pulp
- Machine-finished

Applications

- Inner and outer packaging
- Interleaving
- Interlayer

Available

- Roll or sheet format

Advantages

- + Cost-effective
- + Environmentally-friendly
- + Robust

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
78760	Sack kraft	70 gsm	1000 mm x 280 m	Roll
78761	Sack kraft	130 gsm	1000 mm x 150 m	Roll
78762	Sack kraft	70 gsm	1000 mm x 1200 mm	1000 Sheets
78766	Sack kraft	130 gsm	1000 mm x 1200 mm	1000 Sheets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Bespoke paper processing:

Sizes to suit your needs

Quality assured products!



Not many shipping agents will be willing to cut or pack packing paper, boxes and films directly from the meter-thick rolls.

However, rational workflows call for more bespoke materials, e.g. papers from the size of a stamp to sheets with an edge length of over 5 m.

Our paper processing department can meet all your specifications with its various rewinders, cross-cutters and guillotine cutters, regardless of the roll or sheet sizes.

Further options:

- on narrow rolls from 10 mm
- on broad rolls up to 1600 mm
- roll diameters up to 900 mm
- as sheets
- dimensions from 40 mm x 40 mm up to 1600 mm x 4000 mm
- material thickness or grammage

Additional services:

- printing
- shrinking, wrapping
- packing

Quality assured products!

As proven by our ISO 9001:2008 certification.

4

Filla paper

Good quality and cost-effective



Alternative products

- 6** Packing tissue
- 22** FillPak TT®

Additional products

- 90** Roll dispensers

Product description

- Made entirely of recycled paper
- Soft, flexible and easily shaped

Applications

- Paper stuffing material
- Lining paper
- Interleaving

Available

- Roll or sheet format

Advantages

- + Environmentally-friendly as made from recycled paper
- + Large volume void filler
- + Different colours available

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
78767	Filla paper	60 gsm	600 mm x 400 m	Roll
78768	Filla paper	60 gsm	500 mm x 400 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

News offcuts

Cost-effective packaging paper



Alternative products

- 6** Packing tissue

Additional products

- 90** Roll dispensers

Product description

- Lightweight, smooth-surfaced paper made from recycled paper

Applications

- Interleaving
- Stuffing paper
- Wrapping paper, e.g. removal companies

Available

- Supplied in sheet format

Advantages

- + Low tear resistance
- + Machine-finished
- + Smooth-surfaced

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
05764	News offcuts	49 gsm	770 mm x 1010 mm	260 Sheets per pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Packing tissue

Versatile and environmentally-friendly



Alternative products

5 News offcuts

Additional products

41 Corrugated boxes

Product description

- Packing tissue made from recycled paper

Applications

- For stuffing and filling
- Interleaving
- Padding material

Available

- Supplied as sheets, rolls, special formats

Advantages

- + Environmentally-friendly as made from recycled paper
- + Pliable
- + Useful for a wide range of applications
- + Good value for money

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
16351	MG cap tissue paper	19 gsm	450 mm x 700 mm	480 Sheets per ream

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Acid free tissue

Pure paper for delicate surfaces



Additional products

40 Corrugated boxes

Product description

- Tough, wood-free tissue paper made from sulphate pulp
- Contains no corrosion-promoting substances

Applications

- For wrapping delicate metal goods
- Interleaving
- Interlayer

Available

- Supplied as rolls and sheets in various sizes

Advantages

- + Pure, suitable for delicate goods
- + Can be processed to customer specifications
- + Printable

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
16348	Acid free tissue paper	17 gsm	450 mm x 700 mm	480 Sheets per ream
16349	Acid free tissue paper	18 gsm	500 mm x 750 mm	480 Sheets per ream

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Test laboratory:

Antalis Industrial Packaging operates an in-house laboratory that inspects incoming goods and conducts quality assurance tests. We test bursting pressure, tensile strength, breaking length, water tightness, pH value, Cobb value, grammage, thickness, etc.

We are also more than happy to carry out material testing on your behalf.

POLYKRAFT

Coated, waterproof kraft paper



Alternative products

- 107** Valéron®
- 106** VACUPAC composite aluminium foil

Additional products

- 92** Heat-sealing tongs
- 44** Plastic pallet box
- 45** Plywood crate
- 41** Corrugated boxes

Product description

- POLYKRAFT Pure kraft paper with polyethylene coating
- Ideal wrapping paper as it moulds well to the shape of packaged goods

Applications

- Sealable, waterproof packaging for export goods
- Lining for packing cases and carrier boxes
- Also for wrapping coils, rods, pipes and other components which are greased or moisture sensitive
- POLYKRAFT is used as a cover for greased parts, as a barrier layer between other packaging materials, as a lining for drip areas and also for covering wood, leather and textiles
- Can also be used as a thin, lightweight moisture barrier

Available

- Supplied as standard 100 cm rolls
- Narrow rolls, bags, box inserts/covers and pre-cut parts available on request

Advantages

- + Clean packaging material which provides reliable protection against dirt and moisture
- + Environmentally-friendly alternative to waxed or bituminised paper
- + Can be labelled, printed or glued directly
- + Heat-sealable

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
78758	POLYKRAFT	95 gsm	1000 mm x 600 m	Roll
78759	POLYKRAFT	95 gsm	1200 mm x 800 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

POLYKREPP waterproof

Reliable protection against dirt and moisture



Alternative products

- 7** POLYKRAFT
- 107** Valéron®
- 106** VACUPAC composite aluminium foil

Additional products

- 92** Heat-sealing tongs
- 44** Plastic pallet box
- 45** Plywood crate
- 41** Corrugated boxes

Product description

- Kraft crepe paper (Pure kraft paper) with a polyethylene coating and high tear resistance
- Oilproof and greaseproof
- Low-stretch crepe
- High quality guaranteed by trademark no. 891280

Applications

- Waterproof packaging for export products prone to corrosion (bags, covers)
- Lining for packing cases and carrier boxes
- Also for wrapping coils, rods and pipes

Available

- Supplied as original 100 cm and 150 cm rolls, narrow rolls, bags, box inserts/covers

Advantages

- + Heat-sealable, waterproof packaging for heavy goods
- + Can be labelled, printed and glued

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
79182	Waterproof paper	150 gsm	1000 mm x 300 m	Roll
79183	Waterproof paper	150 gsm	1500 mm x 250 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Flame resistant paper

Flame resistant paper, fire protection classification B1

Fire protection classification B according to DIN 4102

Fire protection classification B
Flammable

Fire protection classification B1
Considered to be a material with a low flammability

Fire protection classification B2
Considered to be a material with a normal flammability



Product description

- Flame resistant, non corrosive, light coloured kraft paper
- Capable of absorbing surplus colour or liquid
- Electrically-conductive, prevents static charges from building up
- wound onto a 70 mm core

Applications

- Covering and packaging walls and goods which are highly combustible or at risk of catching fire
- Lining spray booths, spray plants and spraying tables
- Making dividing walls, theatre scenery and decorations

Available

- Supplied as rolls and sheets in various sizes
- Thickness: 100 gsm

Advantages

- + Highly versatile
- + Unique technical properties



Stock range

Item no.	Item description	Grammage	Dimensions	Unit
79180	Flameproof paper	100 gsm	1000 mm	Roll
79181	Flameproof paper	100 gsm	1500 mm	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Masking paper

Ideal for painting jobs



Additional products
54 Masking tape

Product description

- Recycled paper with a smooth and even surface
- wound onto a 50 mm core

Applications

- For masking purposes when painting

Advantages

- + Made from recycled paper (Blue Angel)
- + Recyclable
- + Especially smooth, even surface
- + At least 360 m long
- + Highly absorbent and low porosity
- + Roll widths suitable for the application

Stock range

Item no.	Item description	Grammage	Dimensions	Unit
46895	Masking paper	45 gsm	450 mm x 360 m	Roll
46896	Masking paper	45 gsm	900 mm x 360 m	Roll
46897	Masking paper	45 gsm	1200 mm x 360 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Non-slip paper

Prevents products slipping



Alternative products

11 Greyboard

Additional products

46 Plastic pallets
46 Compressed wood/Inca pallets
40 Corrugated boxes

Product description

- Kraft cellulose paper coated with an aqueous solution
- Very rough surface which reliably prevents goods from slipping
- High tear strength
- Temperature-resistant between -20° and +70°C
- Coefficient of sliding friction > 0.60 μ D - slip angle from 55 - 75 degrees

Applications

- Prevents packaged goods from slipping
- Mainly used as pallet interleaving
- Also used as outer covering

Advantages

- + Can be processed to meet customer specifications
- + Recyclable
- + Does not generate dust, completely non-toxic

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
78753	Non-slip paper	72 gsm	770 mm x 1170 mm	5000 Sheets
78754	Non-slip paper	140 gsm	770 mm x 1170 mm	3000 Sheets
78755	Non-slip paper	72 gsm	970 mm x 1170 mm	5000 Sheets
78756	Non-slip paper	140 gsm	970 mm x 1170 mm	3000 Sheets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Cleaning cloths

For cleaner workplaces



Product description

- These cleaning cloths are made from high-quality recycled materials
- Highly absorbent, abrasion-resistant, hygienic and very pliable

Applications

- For simple cleaning tasks and for cleaning hands
- For improved cleanliness in the factory, the workplace and around machines

Advantages

- + Cost-effective cleaning cloths
- + Practical dispensing box
- + Highly absorbent

Stock range



Item no.	Item description	Dimensions	Unit
78757	Cleaning cloths	500 mm x 500 mm	10 kg Box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Eskaboard

Highly versatile



Product description

- Grey card, smooth on both sides

Applications

- Book covers, folder covers, wallpaper sample books, files and ledgers
- Interleaving
- Die supports
- Shipping boxes and cartons

Available

- Supplied in sheets
- Various formats, thicknesses and grammages available

Advantages

- + 100% recycled paper
- + Pliable, foldable and tough

Stock range




Item no.	Item description	Thickness	Dimensions	Unit
16073	Eskaboard	1500 mic	635 mm x 760 mm	56 Sheets per bundle
16079	Eskaboard	2250 mic	635 mm x 760 mm	37 Sheets per bundle
16092	Eskaboard	1000 mic	640 mm x 900 mm	70 Sheets per bundle
16074	Eskaboard	1500 mic	640 mm x 900 mm	47 Sheets per bundle
16077	Eskaboard	1900 mic	640 mm x 900 mm	37 Sheets per bundle
16098	Eskaboard	2400 mic	640 mm x 900 mm	29 Sheets per bundle
16093	Eskaboard	1000 mic	760 mm x 1020 mm	52 Sheets per bundle
16075	Eskaboard	1500 mic	760 mm x 1020 mm	35 Sheets per bundle
16078	Eskaboard	1900 mic	760 mm x 1020 mm	27 Sheets per bundle
16080	Eskaboard	2250 mic	760 mm x 1020 mm	23 Sheets per bundle
16088	Eskaboard	2750 mic	760 mm x 1020 mm	19 Sheets per bundle
16082	Eskaboard	3000 mic	760 mm x 1020 mm	17 Sheets per bundle
16083	Eskaboard	3500 mic	760 mm x 1020 mm	15 Sheets per bundle

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Stencil board

For pre-cut model parts



Additional products

- 2 Imitation kraft paper

Product description

- Smooth cellulose or recycled cardboard

Applications

- For making model blanks
- For making stencils

Available

- Supplied as sheets
- Special widths and formats available on request

Advantages

- + Various colours available, both front and back
- + Ideal for use in the textile industry
- + Stable shape

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
78752	Stencil board	375 mic	1000 mm x 680 mm	1000 Sheets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Greyboard

Highly versatile



Product description

- Cardboard with one smooth side
- Can be folded, scored, punched
- Made from 100% recycled paper

Applications

- Fancy and solid board boxes
- Folding boxes, backing for writing pads or calendars, ledgers and stiffening
- Interleaving for all goods in crate pallets and on standard pallets

Available

- Various formats, grammages and thicknesses available
- Also supplied with PE-coating

Advantages

- ✚ Suitable for a wide variety of applications
- ✚ Cost effective


Stock range



Item no.	Item description	Grammage	Dimensions	Unit
15507	Emblem greyboard	450 gsm (750 m)	A4 210 mm x 297 mm	285 Sheets per bundle
16067	Emblem greyboard	900 gsm (1500 m)	760 mm x 1020 mm	35 Sheets per bundle
21762	Emblem greyboard	325 gsm (500 m)	450 mm x 640 mm	266 Sheets per bundle
22390	Emblem greyboard	325 gsm (500 m)	640 mm x 900 mm	133 Sheets per bundle
22411	Emblem greyboard	450 gsm (750 m)	760 mm x 1020 mm	72 Sheets per bundle
26528	Emblem greyboard	1440 gsm (2250 m)	760 mm x 1020 mm	22 Sheets per bundle
26892	Emblem greyboard	1920 gsm (3000 m)	640 mm x 900 mm	22 Sheets per bundle
26899	Emblem greyboard	1920 gsm (3000 m)	760 mm x 1020 mm	16 Sheets per bundle
30871	Emblem greyboard	1350 gsm (2250 m)	640 mm x 900 mm	32 Sheets per bundle
30878	Emblem greyboard	1350 gsm (2250 m)	760 mm x 1020 mm	25 Sheets per bundle
66341	Emblem greyboard	720 gsm (1200 m)	715 mm x 1015 mm	25 Sheets per bundle
66342	Emblem greyboard	720 gsm (1200 m)	1054 mm x 1562 mm	25 Sheets per bundle
66343	Emblem greyboard	1020 gsm (1700 m)	715 mm x 1015 mm	25 Sheets per bundle
66344	Emblem greyboard	1046 gsm (1700 m)	895 mm x 1275 mm	25 Sheets per bundle
66345	Emblem greyboard	1200 gsm (2000 m)	715 mm x 1015 mm	25 Sheets per bundle
66346	Emblem greyboard	1230 gsm (2000 m)	1054 mm x 1562 mm	45 Sheets per bundle
68527	Emblem greyboard	900 gsm (1500 m)	640 mm x 900 mm	45 Sheets per bundle
68698	Emblem greyboard	1440 gsm (2250 m)	640 mm x 900 mm	30 Sheets per bundle
69093	Emblem greyboard	450 gsm (750 m)	640 mm x 900 mm	96 Sheets per bundle
69259	Emblem greyboard	540 gsm (900 m)	640 mm x 900 mm	80 Sheets per bundle
71165	Emblem greyboard	750 gsm (1250 m)	450 mm x 640 mm	115 Sheets per bundle
74997	Emblem greyboard	450 gsm (750 m)	450 mm x 640 mm	192 Sheets per bundle
75557	Emblem greyboard	540 gsm (900 m)	450 mm x 640 mm	160 Sheets per bundle

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Libra display board



Alternative products

13 Foam X

Screen printing board

Product description

- Bonded, coated screen printing board, white on both sides
- Can be cut, punched, printed, grooved and scored
- Cut edges light in colour

Applications

- Interior decor, window dressing, advertising posters and displays
- Screen printing

Available

- Different thicknesses and formats available

Advantages

- + Excellent print reproduction
- + Highly stable but lightweight
- + Very flat and high dimensional stability

Stock range



Item no.	Item description	Dimensions	Unit
56724	Libra display	1040 mm x 1550 mm 750 mic	Sheets
47180	Libra display	635 mm x 1040 mm 1000 mic	Sheets
47426	Libra display	790 mm x 1040 mm 1000 mic	Sheets
47420	Libra display	1040 mm x 1550 mm 1000 mic	Sheets
47181	Libra display	635 mm x 1040 mm 1250 mic	Sheets
47182	Libra display	790 mm x 1040 mm 1250 mic	Sheets
47183	Libra display	815 mm x 1140 mm 1250 mic	Sheets
56725	Libra display	1040 mm x 1285 mm 1250 mic	Sheets
47421	Libra display	1040 mm x 1550 mm 1250 mic	Sheets
41845	Libra display	1060 mm x 1550 mm 1250 mic	Sheets
47424	Libra display	1250 mm x 1850 mm 1250 mic	Sheets
48913	Libra display	1220 mm x 2440 mm 1250 mic	Sheets
47184	Libra display	635 mm x 1040 mm 1500 mic	Sheets
47185	Libra display	790 mm x 1040 mm 1500 mic	Sheets
47186	Libra display	815 mm x 1140 mm 1500 mic	Sheets
47187	Libra display	1285 mm x 1040 mm 1500 mic	Sheets
47188	Libra display	1040 mm x 1550 mm 1500 mic	Sheets
47189	Libra display	635 mm x 1040 mm 1750 mic	Sheets
47190	Libra display	790 mm x 1040 mm 1750 mic	Sheets
56726	Libra display	1040 mm x 1285 mm 1750 mic	Sheets
47422	Libra display	1040 mm x 1550 mm 1750 mic	Sheets
47191	Libra display	635 mm x 1040 mm 2000 mic	Sheets
47192	Libra display	790 mm x 1040 mm 2000 mic	Sheets
47193	Libra display	815 mm x 1140 mm 2000 mic	Sheets
56727	Libra display	1040 mm x 1285 mm 2000 mic	Sheets
47423	Libra display	1040 mm x 1550 mm 2000 mic	Sheets
41846	Libra display	1060 mm x 1550 mm 2000 mic	Sheets
47425	Libra display	1250 mm x 1850 mm 2000 mic	Sheets
48912	Libra display	1220 mm x 2440 mm 2000 mic	Sheets
41844	Libra display	1040 mm x 1550 mm 2500 mic	Sheets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Foam X

Lightweight foam centred board



Alternative products

12 Libra display board

Product description

- Versatile foam centred board
- Rigid foam flute
- Laminated with folding box board
- Can be cut, milled, punched, sawn, bonded, painted, printed, laminated and grooved

Applications

- Posters for decoration and trade fair stands
- Displays, planning tables
- Model building

Available

- Different thicknesses and formats available
- Special features: hard, self adhesive, flame-retardant, coloured

Advantages

- ✦ Very lightweight and yet highly stable
- ✦ Excellent print reproduction
- ✦ Ideally suited for screen printing

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
40461	Foam-X foam centred board	3 mm	762 mm x 1016 mm	40 Sheets
40462	Foam-X foam centred board	3 mm	1016 mm x 1524 mm	40 Sheets
40463	Foam-X foam centred board	5 mm	762 mm x 1016 mm	24 Sheets
40464	Foam-X foam centred board	5 mm	1000 mm x 1400 mm	24 Sheets
40465	Foam-X foam centred board	5 mm	1016 mm x 1524 mm	24 Sheets
40466	Foam-X foam centred board BPOP	5 mm	1016 mm x 1524 mm	200 Sheets
40467	Foam-X foam centred board	5 mm	1220 mm x 2440 mm	24 Sheets
40468	Foam-X foam centred board BPOP	5 mm	1220 mm x 2440 mm	200 Sheets
40469	Foam-X foam centred board	10 mm	1016 mm x 1524 mm	12 Sheets
40470	Foam-X foam centred board	10 mm	1220 mm x 2440 mm	12 Sheets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Fill-Air Cyclone™

Inflatable cushioning system



Product description



- Innovative packaging system
- Easy to use inflatable pack system

Applications

- Block & Bracing and void filling cushioning

Available

- Eight bag sizes available to suit your requirements

Advantages

- + Fast and easy to use
- + Versatile
- + Compact and reliable
- + Controlled inflation
- + Air bag manufacturing on site
- + Minimal storage

Alternative products

- 20** PadPak compact
- 22** FillPak TT®

Additional products


- 49** Masterline Polypropylene tape
- 40** Corrugated boxes

Stock range

Item no.	Item description	Dimensions	Unit
72407	Fill air cyclone inflatable pack system 100 PSL-02 * Available to rent	356 mm x 330 mm x 356 mm	Each
72413	Fill air select cyclone machine film 100534909	200 mm x 130 mm x 884 m	Roll
72414	Fill air select cyclone machine film 100534920	200 mm x 200 mm x 884 m	Roll
72416	Fill air select cyclone machine film 100534933	250 mm x 130 mm x 884 m	Roll
72417	Fill air select cyclone machine film 100534934	250 mm x 200 mm x 884 m	Roll
72418	Fill air select cyclone machine film 100534935	300 mm x 130 mm x 884 m	Roll
72419	Fill air select cyclone machine film 100534936	300 mm x 200 mm x 884 m	Roll
72420	Fill air select cyclone machine film 100534939	350 mm x 130 mm x 884 m	Roll
72421	Fill air select cyclone machine film 100534940	350 mm x 200 mm x 884 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Rapid Fill™

Automated void fill system



Product description

- Automated void fill system
- Void detection bag inflation process



Applications

- Fill and seal up to 10 cartons per minute

Available

- Seven void fill bags sizes available

Advantages

- + Easy to use
- + Space efficient
- + Packs safe and secure
- + Cost Effective
- + Fast and reliable
- + Available to rent

Stock range

Item no.	Item description	Unit
44065	Fill air portable machine P40	Each
44067	Fill air pneumatic machine P50	Each

Item no.	Item description	Dimensions	Unit
44071	Fill air inflatable bag RF1	230 mm x 280 mm	250 per box
44073	Fill air inflatable bag RF2	280 mm x 380 mm	250 per box
44076	Fill air inflatable bag RF3	360 mm x 460 mm	250 per box
44078	Fill air inflatable bag RF4	410 mm x 530 mm	250 per box
44081	Fill air inflatable bag RF5	460 mm x 580 mm	250 per box
44082	Fill air inflatable bag RF6	460 mm x 910 mm	125 per box
44100	Fill air inflatable bag RF7	910 mm x 1070 mm	100 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Fillteck

Inflatable cushioning system



Product description

- High performance inflatable cushioning system

Applications

- Cushioning, wrapping protection

Available

- Many grades of film to suit all applications

Advantages

- + System allows you to work on line or batch materials off line
- + Material on demand
- + Cost Effective
- + Space saving, high performance protective packaging
- + Available to rent



Alternative products

- 20 PadPak compact
- 22 FillPak TT®

Additional products

- 49 Masterline
- Polypropylene tape
- 40 Corrugated boxes

Stock range



Item no.	Item description	Unit
72408	Fillteck inflatable cushioning system 1001 PSG-01	Each
72440	Fillteck roll winder 7147 PAG-01	Each

Item no.	Item description	Dimensions	Unit
72434	Fillteck 400 film standard lite 100529116	420 mm x 1400 m	Roll
72435	Fillteck 400 film standard 100344272	420 mm x 1000 m	Roll
72436	Fillteck 400 film plus 100344250	420 mm x 700 m	Roll
72437	Fillteck 400 film x-extreme lite 100494143	420 mm x 900 m	Roll
72439	Fillteck 400 film x-extreme 100344274	420 mm x 900 m	Roll

Other specifications on request. Please contact us for an up to date quotation.

Newair I.B.™

Barrier bubble cushioning system



Alternative products

- 20** PadPak compact
- 22** FillPak TT®

Additional products

- 49** Masterline
Polypropylene tape
- 40** Corrugated boxes

Product description

- Versatile, inflatable cushioning system
- Fast and reliable

Applications

- For all packing environments

Available

- Various films sizes and grades
- Accessories suit all applications

Advantages

- + Patented barrier film bubble cushioning
- + Excellent cushioning properties throughout entire shipping cycle
- + Small foot print, enormous production capabilities
- + Additional bolt on products available



Stock range



Item no.	Item description	Unit
72409	Newair I.B. express inflatable cushioning system 1001PFA-02 *Available to rent	Each
72432	Newair I.B. express roll winder 1040PAP-01	Each
72433	Newair I.B. express stand assembly 1118PBF-01	Each

Item no.	Item description	Dimensions	Unit
72422	Barrier bubble film medium premium (12.7 mm Inflated) 100640583	400 mm x 762 m Perf @ 320 mm	24 Rolls
72423	Barrier bubble film medium premium (12.7 mm Inflated) 100640477	800 mm x 762 m Perf @ 320 mm	12 Rolls
72424	Barrier bubble film large premium (19 mm Inflated) 100645486	400 mm x 460 m Perf @ 320 mm	24 Rolls
72425	Barrier bubble film large premium (19 mm Inflated) 100648766	800 mm x 460 m Perf @ 320 mm	12 Rolls
72426	Barrier bubble film X large premium (27.5 mm Inflated) 100616920	400 mm x 427 m Perf @ 320 mm	24 Rolls
72427	Barrier bubble film X large premium (27.5 mm Inflated) 100616919	800 mm x 427 m Perf @ 320 mm	12 Rolls
72428	Barrier bubble film large regular (19 mm Inflated) 100645489	400 mm x 610 m Perf @ 320 mm	24 Rolls
72429	Barrier bubble film large regular (19 mm Inflated) 100645543	800 mm x 610 m Perf @ 320 mm	12 Rolls
72430	Barrier bubble film X large (27.5 mm Inflated) 100641087	400 mm x 579 m Perf @ 320 mm	24 Rolls
72431	Barrier bubble film X large (27.5 mm Inflated) 100641088	800 mm x 579 m Perf @ 320 mm	12 Rolls

Other specifications on request. Please contact us for an up to date quotation.



PadPak®

Paper cushioning system

1



2



3



1

PadPak Junior converter

2

PadPak Senior converter

3

PadPak coiler to manufacture rolls of cushioning pads

4



4

PadPak Senior under table structure

Additional products

- 49** Masterline Polypropylene tape
- 40** Corrugated boxes

Product description

- Cushioning and filling system based on robust kraft paper
- The PadPak® system consists of paper and a converter
- The special two or three layer paper is transformed on-site, in the right quantity and exactly when required into shock-absorbent paper cushioning
- The paper cushioning can be shaped and adapted to fit the goods for packaging
- Easy and ergonomic to use

Applications

- Holds goods in place in outer packaging
- Ideal for wrapping mail order goods
- Flexible cushioning material

Available

- Various converter models can be rented on favourable terms, which includes maintenance
- Easily installed in any packing department

Advantages

- + Rapid production of paper cushioning saves time
- + Reduction in amount of packaging materials used
- + Reduction in transport damage
- + Paper rolls require little storage space (e.g. compared to loose fill)
- + Single-material packaging when used with cardboard boxes
- + Can be used anywhere
- + Ideal for any type of packing department
- + Customised integral solutions using special frames available



PadPak machines



Item no.	Item description	Unit
72412	PadPak cushion system	Each
10698	PadPak junior machine	Each
10699	PadPak senior machine and stand	Each

PadPak paper

Item no.	Item description	Grammage	Dimensions	Unit
10703	PadPak junior void fill paper	70 gsm	160 m	Pack
10570	PadPak senior void 2 ply fill paper	50/50 gsm	420 m	Pack
10701	PadPak senior void 2 ply fill paper	70/70 gsm	290 m	Pack
10702	PadPak senior void 2 ply fill paper	50/70 gsm	335 m	Pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

PadPak: examples of integrations



PadPak Converter is a space-saving addition to your mailroom.




Consumables are directly stored at the workstation in the practical stack and therefore quickly available at all times.



Optimal exploitation of the existing packing room.

PadPak cross: packaging example



Cushioning + Wrapping

PadPak snail: packaging example



Cushioning + Filling

PadPak LC™

Unparalleled cushioning



Alternative products

17 PadPak®

Additional products

49 Masterline
Polypropylene tape
40 Corrugated boxes

Product description

- The PadPak LC system consists of continuous paper and a converter
- The paper is processed in the converter on-site, in the right quantity and exactly when required to form shock-absorbent paper cushioning
- Low paper consumption as single-layer paper is used
- The paper cushioning can be shaped and adapted to fit the goods for packaging
- Simple, ergonomic operation
- Three different operating modes
- The machine is installed quickly and easily

Applications

- Cushioning for lightweight and medium-weight goods
- Holds dispatch goods in place in the outer packaging
- Void-filling material

Available

- Converter can be rented on very favourable terms, including maintenance
- Single-layer paper supplied in boxes, on pallets

Advantages

- + High-speed processing, making it extremely economical
- + Excellent cushioning
- + Versatile and suitable for a wide range of dispatch goods
- + Converter can be adjusted to meet requirements of packaging site and the operating staff
- + Customised integral solutions using special frames available

Stock range



PadPak machine

Item no.	Item description	Unit
10697	PadPak LC void fill machine	Pack

PadPak paper

Item no.	Item description	Grammage	Dimensions	Unit
10700	PadPak LC void fill paper	90 gsm	300 m	Pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



We will help you avoid the cost traps!

Packaging materials are classified in a business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20 % of the total packaging costs, while 80 % are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Ask us about it!

100 %

20 %

**Packaging material costs
Manufacturing costs**

80 %

**Upstream and
downstream process costs**

e.g.
• order processing
• warehousing
• quality control
• administration, etc.

PadPak compact™

Flexible workstation system



Alternative products

- 17 PadPak®
- 19 PadPak LC™

Additional products

- 40 Corrugated boxes
- 49 Masterline Polypropylene tape

Product description

- Tried and tested system comprised of a converter, * And continuous kraft paper in the form of rolls or packs
- User-friendly paper loading or changing system
- Tabletop device can be easily and flexibly integrated into the existing workstation, dispensing with the need for inconvenient round trips
- Can be used in small spaces
- Converter can be adjusted to each packing area and packer
- Small foot pedal
- Low noise level

Applications

- Excellent cushioning properties for light to moderately heavy goods
- Blocking and cushioning of the products in the surrounding packaging

Advantages

- + Production of the packaging material right at the packer's work station
- + Less material consumption through enhanced efficiency
- + Flexible packaging with narrower paper pads in small (< 10 l) and medium-sized (10-75 l) boxes
- + Customer-specific integration solutions with special stands available
- + Light rolls (8.5 kg) mean comfortable handling for packers
- + Environmentally-friendly packaging material
- + Supplied as a rental system

PadPak machine

Item no.	Item description	Unit
44022	PadPak compact paper machine	Each

PadPak paper

Item no.	Item description	Grammage	Dimensions	Unit
44027	PadPak compact paper roll 2ply	50 gsm / 50 gsm	380 mm x 225 m	Roll
44029	PadPak compact paper roll 2ply	50 gsm / 70 gsm	380 mm x 180 m	Roll
44030	PadPak compact paper fanfolded Sheets	70 gsm	380 mm x 360 m	Pack

Other specifications on request. Please contact us for an up to date quotation.

U Pack™

2-in-1 packaging solution



Product description

- Dispenser box consisting of 100 metres of recycled paper
- Sufficient for packing up to 20 regular boxes

Applications

- Can be used to fill voids in a box
- Can be used to wrap products

Advantages

- + Ideal for small end users
- + Suitable for offices
- + Small and compact

U Pack

Item no.	Item description	Grammage	Dimensions	Unit
46894	U Pack	50 gsm	387 mm x 229 mm	5 Packs per box

Other specifications on request. Please contact us for an up to date quotation.

FillPak®

Void-fill system



Alternative products

- 6** Packing tissue
- 17** PadPak®
- 33** Loose fill
- 22** FillPak TT®

Additional products

- 88** Ergo line packing table
- 49** Masterline Polypropylene tape
- 40** Corrugated boxes

Product description

- Void-filling system consisting of a FillPak® converter and folded paper
- The paper is crumpled in the converter to form the filling material
- The foot pedal is used to dispense the right amount of material to fill voids in goods packaging
- Strip of paper torn off automatically
- Three speeds: 0.5 m/s, 0.8 m/s, 1.5 m/s

Applications

- For filling voids in dispatch packaging

Available

- System consists of single-layered, folded paper and converter

Advantages

- + Shorter cycle times, low material costs, reduced storage costs
- + For integration into almost any packaging process
- + Simple and ergonomic operation
- + Three cubic metres of void-fill material produced from 0.03 cubic metres of paper in 5 minutes
- + Customised integral solutions using special frames available

FillPak® machine

Item no.	Item description	Unit
44031	FillPak® paper machine	Each
72411	FillPak® void fill system	Each
44044	FillPak® paper manual machine	Each

FillPak® paper

Item no.	Item description	Grammage	Dimensions	Unit
44042	FillPak® paper fanfolded sheets	50 gsm	760 mm x 500 m	Pack
44046	FillPak® paper fanfolded sheets	50 gsm	380 mm x 500 m	Pack
44049	FillPak® paper fanfolded sheets	70 gsm	380 mm x 360 m	Pack

Other specifications on request. Please contact us for an up to date quotation.



FillPak® AccuFill – the fully-automated paper-based void filling system. Ask our experts about the possibilities of integrating the system into your packing room.



FillPak® void-filling system: 3 cubic metres of void-fill material produced from 0.03 cubic metres of folded paper in 5 minutes

FillPak TT®

Flexible, portable void-fill system



Product description

- Void-filling system consisting of a FillPak TT® converter and folded paper
- The paper is crumpled in the converter to form the filling material
- The foot pedal is used to dispense the right amount of material to fill voids in goods packaging (operation using 2 foot pedals is also possible)
- Perforated for easy tearing
- Converter can be set up exactly where required

Applications

- For filling voids in packaging boxes

Available

- Single-layer paper is supplied containing 500 m of folded paper
- Can be fixed to packing table with a table clamp, a base fitted with rollers or screwed into place

Advantages

- + Shorter cycle times, lower material costs, reduced storage costs
- + Can be positioned in exactly the right place in the packaging department
- + Simple and ergonomic operation
- + Adaptable for mains or battery-operated use
- + Customised integral solutions using special frames available

Alternative products

- 6** Packing tissue
- 17** PadPak®
- 21** FillPak®
- 33** Loose fill

Additional products

- 88** Ergo line packing table
- 49** Masterline
- Polypropylene tape
- 40** Corrugated boxes

FillPak® machines

Item no.	Item description	Unit
70556	FillPak TT® kraft machine part 1	Each
61042	FillPak TT® kraft machine stand part 2	Each

FillPak® paper

Item no.	Item description	Grammage	Dimensions	Unit
70557	FillPak TT® kraft paper	50 gsm	19 x 23 / 38 x 500 m	Pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



One pack of FillPak TT® paper generates the same volumes as three bags of loose fill and thus takes up less space in your warehouse.



Small machine, big result



Want to improve the ergonomics of your mailroom? The new FillPak TT® Cutter means that you no longer have to manually tear off the strand of paper and cuts off just the right length. The converter is available for a low monthly rental fee. Ask us about it!

FillPak M™

- Folded paper is crumpled by the converter and drawn directly into the box
- Flexible and fast filling system for every packing station
- A cheap solution for low-cost packaging
- Comes with a space-saving, height-adjustable stand

Item no.	Item description
44044	FillPak® manual machine



2

Example of FillPak® and FillPak TT® integration




Example of FillPak® packing station integration



FillPak TT® converter can be a space-saving addition to your mailroom

Automation with AccuFill



Box filler level sensor



AccuFill automatically measures the void to be filled and calculates the filling amount



Full automation with AutoFill

AutoFill automatically fills the void in the box and makes the packet automatically ready for sending. With the conveyor belt system, AutoFill is the integration system for high volumes.

23

Instapak®

Foam packaging systems



Alternative products

25 Speedypacker insight

Additional products

49 Masterline
Polypropylene tape
40 Corrugated boxes

Sealed Air

Product description

- Cuts your packaging costs without compromising product protection
- Available to suit all packaging applications
- Reduces damages

Applications

- Suitable for home start business to blue chip multi nationals
- Space Saving
- Easily integrated into operations

Available

- To suit all budgets
- Packaging support right where you need it
- Cost effective
- Packaging cost audits available
- Also RT Quick bags used without system

Advantages

- + Easy to use
- + Cost effective
- + Tried and tested
- + Product enhancing
- + RT Quick bags - press, pat and pack "It's that easy"

Stock range

Item no.	Item description	Product	Unit
72401	Instapak 901 system	Foam in place system	Each
72406	Instapak complete system	Foam packaging system	Each
72441	Instapak quick	RT 10	135 per box
72442	Instapak quick	RT 20	96 per box
72443	Instapak quick	RT 60	78 per box
72444	Instapak quick	RT 80	54 per box
72445	Instapak quick	RT Quick start kit	16 per box
72446	Instapak small foam drum 60 litres	A Regular 103000206	70 kg drum
72447	Instapak small foam drum 60 litres	B Instafill 103000231	58 kg drum
72449	Instapak small foam drum 60 litres	B Instafill slow 103006151	58 kg drum
72450	Instapak small foam drum 60 litres	B Instapak 50W 103000216	58 kg drum
72451	Instapak small foam drum 60 litres	B Instapak moulding foam 103000242	58 kg drum
72452	Instapak small foam drum 60 litres	A GFlex 103000203	70 kg drum
72453	Instapak small foam drum 60 litres	B GFlex 100166547	70 kg drum
72454	Instapak small foam drum 60 litres	B Instapak 40W 103031965	58 kg drum
72455	Instapak large foam drum 210 litres	A Regular 1030000205	250 kg drum
72456	Instapak large foam drum 210 litres	B Instafill 103000230	213 kg drum
72457	Instapak large foam drum 210 litres	B Instafill slow 1003006150	213 kg drum
72458	Instapak large foam drum 210 litres	B Instapak 40W 103031964	213 kg drum
72459	Instapak large foam drum 210 litres	B Instapak rigid 103000255	213 kg drum
72460	Instapak large foam drum 210 litres	A Ultralite	250 kg drum
72461	Instapak large foam drum 210 litres	B Ultralite	213 kg drum
72462	Instapak large foam drum 210 litres	B Instapak rigid 125 Floral	213 kg drum
72463	Instapak large foam drum 210 litres	B Instapak moulding foam 103000241	213 kg drum
72464	Instapak large foam drum 210 litres	B Instapak 50W 1003000215	213 kg drum
72465	Instapak large foam drum 210 litres	A GFlex 103000202	250 kg drum
72466	Instapak large foam drum 210 litres	B GFlex 100166546	213 kg drum
72468	Instamate film	Silver instapak 901 103000053	Roll
72469	Instamate film	Silver instapak 901 103000055	Roll
72470	Instamate film	Silver instapak 901 103000049	Roll
72471	Instamate anti-static film	Silver instapak 901 103023050	Roll
72472	Instamate anti-static film	Silver instapak 901 103023051	Roll
72473	Instamate anti-static film	Silver instapak 901 103023052	Roll
72492	Instapacker tabletop ITT film	103024330	2220 bags per roll
72493	Instapacker tabletop ITT film	103023811	1500 bags per roll
72494	Holster solvent speedypacker & 901	100291356	2 x 5 Ltrs
72495	ITT solvent	1095AN-01	4 x 1 Ltrs
72496	Port cleaner	7025AA-04	4 Cans

Other specifications on request. Please contact us for an up to date quotation.

Speedypacker insight®

Packs safe and secure



Product description



- Foam-in-Bag packaging system
- Continuous foam tube (CFT) technology

Applications

- Ideal for electronics, spare parts, gift ware and ceramics
- Provides protection only where it is needed
- Ideal for high speed packing areas

Available

- Easy integration to any packaging department
- Flexible for any products
- Moulding systems available
- Increases the strength to the outer packaging

Advantages

- + Up to 21 foam filled bags per minute
- + Foam expands up to 280 times original volume
- + Cost effective
- + Space saving
- + Reduces damage to shipped goods

Alternative products

- 26** AirCap®
- 32** Packaging foam
- 33** Loose fill

Additional products

- 40** Corrugated boxes
- 49** Masterline Polypropylene tape

Speedypacker machine



Item no.	Item description	Unit
72405	Speedypacker insight packaging system	Each

Item no.	Item description	Grammage	Unit
72475	Speedypacker film 47/8 cm tubular white 103000084	470 mm x 650 m	Roll
72477	Speedypacker film 30 cm gusseted 103000074	300 mm x 500 m	2 Rolls
72481	Speedypacker film 20 cm silver 103000082	200 mm x 1000 m	2 Rolls
72483	Speedypacker film 30 cm silver 103000065	300 mm x 1000 m	2 Rolls
72485	Speedypacker film white unprinted 47 cm 103000069	470 mm x 1000 m	Roll
72487	Speedypacker film silver 47 cm 103000066	470 mm x 1000 m	Roll
72488	Speedypacker Film silver 47/7 cm 103000070	470 mm x 550 m	Roll
72489	Speedypacker film anti static 47/7 cm gusseted 103000081	470 mm	2 Rolls
72490	Speedypacker film unprinted 47/7 cm 103000072	470 mm	Roll
72491	Speedypacker film anti static gusseted 47/7 cm 103023054	470 mm x 400 m	Roll

Other specifications on request. Please contact us for an up to date quotation.

AirCap®

Barrier bubble wrap



Alternative products

- 27** Bubble wrap
- 32** Packaging foam

Additional products

- 49** Masterline Polypropylene tape

Product description

- Bubble wrap made of co-extruded film containing barrier material
- Saves on materials because film is thinner than typical bubble wrap or dimpled films

Applications

- Surface protection
- Cushioning packaging
- Void-fill
- Protection against shock, impact and vibrations

Available

- Rolls, short rolls
- Perforated rolls
- Pre-cuts, bags
- Also available with anti-static and self adhesive finishes

Advantages

- + Barrier layer prevents air loss from bubbles
- + Less risk of product damage during shipment
- + Improved reusability
- + Easily removable

 **Sealed Air**

Stock range



Item no.	Item description	Bubble size	Dimensions	Unit
20144	Geo CL small bubble wrap	Degradeable light barrier sealed bubble	1500 mm x 100 m (2 Rolls of 750 mm)	Roll
20143	Geo CL small bubble wrap	Degradeable light barrier sealed bubble	1500 mm x 100 m (1 Roll of 1500 mm)	Roll
20442	CL small bubble wrap	Light barrier sealed bubble	1500 mm x 75 m (1 Roll of 1500 mm)	Roll
20444	CL small bubble wrap	Light barrier sealed bubble	1500 mm x 75 m (3 Rolls of 500 mm)	Roll
20443	CL small bubble wrap	Light barrier sealed bubble	1500 mm x 75 m (2 Rolls of 750 mm)	Roll
66641	CL small bubble wrap	Light barrier sealed bubble	750 mm x 60 m (1 Roll of 750 mm)	Roll
39720	EL small bubble wrap	Light barrier sealed bubble	750 mm x 100 m (1 Roll x 750 mm)	Roll
39703	EL small bubble wrap	Light barrier sealed bubble	1500 mm x 100 m (1 Roll x 1500 mm)	Roll
39710	EL small bubble wrap	Light barrier sealed bubble	1500 mm x 100 m (5 Rolls x 300 mm)	Roll
39719	EL small bubble wrap	Light barrier sealed bubble	1200 mm x 100 m (2 Rolls x 600 mm)	Roll
39709	EL small bubble wrap	Light barrier sealed bubble	1500 mm x 100 m (3 Rolls x 500 mm)	Roll
39711	EL small bubble wrap	Light barrier sealed bubble	1200 mm x 100 m (1 Roll x 1200 mm)	Roll
39708	EL small bubble wrap	Light barrier sealed bubble	1500 mm x 100 m (2 Rolls x 750 mm)	Roll
16514	CM small bubble wrap	Medium barrier sealed bubble	1500 mm x 100 m (1 Roll of 1500 mm)	Roll
16518	CM small bubble wrap	Medium barrier sealed bubble	1200 mm x 100 m (1 Roll of 1200 mm)	Roll
16516	CM small bubble wrap	Medium barrier sealed bubble	1500 mm x 100 m (3 Rolls of 500 mm)	Roll
16517	CM small bubble wrap	Medium barrier sealed bubble	1500 mm x 100 m (5 Rolls of 300 mm)	Roll
16515	CM small bubble wrap	Medium barrier sealed bubble	1500 mm x 100 m (2 Rolls of 750 mm)	Roll
16493	CS small bubble wrap	Medium barrier sealed bubble	1500 mm x 100 m (2 Rolls of 750 mm)	Roll
16492	CS small bubble wrap	Medium barrier sealed bubble	1500 mm x 100 m (1 Roll of 1500 mm)	Roll
16509	TL large bubble wrap	Large barrier sealed bubble	1500 mm x 45 m (1 Roll of 1500 mm)	Roll
16510	TL large bubble wrap	Large barrier sealed bubble	1500 mm x 45 m (2 Rolls of 750 mm)	Roll
16511	TL large bubble wrap	Large barrier sealed bubble	1500 mm x 45 m (3 Rolls of 500 mm)	Roll
16512	TL large bubble wrap	Large barrier sealed bubble	1500 mm x 45 m (5 Rolls of 300 mm)	Roll
16496	DS extra large bubble wrap	Extra large barrier sealed bubble	1500 mm x 50 m (1 Roll of 1500 mm)	Roll
16497	DS extra large bubble wrap	Extra large barrier sealed bubble	1500 mm x 50 m (2 Rolls of 750 mm)	Roll
16498	DS extra large bubble wrap	Extra large barrier sealed bubble	1500 mm x 50 m (3 Rolls of 500 mm)	Roll
16557	Aircap antistatic CL small bubble wrap	Light barrier sealed bubble	1500 mm x 100 m (1 Roll of 1500 mm)	Roll
66518	CL small mini roll bubble wrap	Light barrier sealed bubble	500 mm x 3 m	50 rolls per carton
66519	CL small mini roll bubble wrap	Light barrier sealed bubble	500 mm x 7.5 m	16 rolls per carton
72583	Small Bubble Wrap In A Box	Light barrier sealed bubble	300 mm x 50 m	Box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Bubble wrap

The classic all-rounder



Alternative products

- 32** Packaging foam
- 26** AirCap®

Additional products

- 49** Masterline Polypropylene tape

Product description

- Modern, double-layered material made from high-quality, environmentally-friendly plastic
- Numerous small air-filled bubbles provide protection against shocks and pressure
- Tough, tear-resistant, insensitive to water, heat-sealable, dust-resistant and waterproof
- Insulates against extreme cold and heat

Applications

- Cushioning protection for secure packaging
- Protects products which are sensitive to shocks and pressure
- Cushioning for delicate surfaces at risk of being scratched

Available

- Various sizes of rolls, bags and sheets on request
- Colours: transparent, pink, black and others
- Various bubble sizes
- Double and triple-layered versions available
- Various thicknesses

Advantages

- + Easy to use, versatile
- + Lightweight, effective cushioning material
- + Tough, tear-resistant, insensitive to water, heat-sealable

Stock range



Item no.	Item description	Dimensions	Unit
38710	Small bubble wrap	1500 mm x 100 m (1 Roll of 1500 mm)	Roll
38713	Small bubble wrap	1200 mm x 100 m (1 Roll of 1200 mm)	Roll
38711	Small bubble wrap	1500 mm x 100 m (2 Rolls of 750 mm)	Roll
52036	Small bubble wrap	1500 mm x 100 m (5 Rolls of 300 mm)	Roll
38712	Small bubble wrap	1500 mm x 100 m (3 Rolls of 500 mm)	Roll
47218	Small bubble wrap	2000 mm x 100 m (1 Roll of 2000 mm)	Roll
38714	Large bubble wrap	1500 mm x 45 m (1 Roll of 1500 mm)	Roll
20142	Large bubble wrap	1500 mm x 45 m (2 Rolls of 750 mm)	Roll
47218	Small bubble wrap	2000 mm x 100 m (1 Roll of 2000 mm)	Roll

Bubble mask

Barrier bubble wrap



Alternative products

- 26** Bubble
- 29** Foam

Additional products

- 49** Masterline Polypropylene tape
- 41** Corrugated boxes

Product description

- Bubble wrap made from co-extruded film containing barrier material, with a low tack adhesive coating on one side

Applications

- Surface protection
- Cushioning packaging
- Protection against shock, impact and vibrations

Available

- Roll format

Advantages

- + Self adhesive side, allows the bubble to stick to one side whilst protecting the product against damages
- + Less risk of product damage
- + Easily removable with no resin as low tack adhesive


Stock range

Item no.	Item description	Grammage	Dimensions	Unit
16567	Aircap CM laminated bubble mask wrap	Medium barrier sealed bubble	1500 mm x 100 m (5 Rolls of 300 mm)	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Anti-static bubble wrap



Additional products

- 49** Masterline Polypropylene tape
- 40** Corrugated boxes

Cushioning for electronic components

Product description

- Bubble wrap with static inhibitors
- Surface resistance $R_s = 10^{10} - 10^{11} \text{ ohm}$
- Three-layer film
- Bubble diameter 10 mm
- Various sizes of rolls, bags and sheets on request

Applications

- Packaging, transport, protection and dispatch of electronic components
- Circuit boards, hard disks, plug-in cards etc

Available

- Characteristic pink colour

Advantages

- + Secure protection for electronic components
- + Protection against moisture, dust and dirt
- + Mechanical protection

Stock range



Item no.	Item description	Bubble size	Dimensions	Unit
16557	Aircap CL small bubble wrap	Small bubble	1500 mm x 100 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Electrically conductive bubble wrap



Additional products

- 47** Packing tape
- 41** Corrugated boxes

Protection for electronic components

Product description

- Dual protection for electronic components
- Surface resistance $R_s = 10^4 - 10^5 \text{ ohm}$
- Three-layer film
- Bubble diameter 10 mm
- Characteristic black colour

Applications

- Packaging, transport and dispatch of electronic components
- Circuit boards, data media, plug-in cards etc
- Not suitable for circuit boards with battery backup

Available

- Rolls of different widths and lengths

Advantages

- + Secure protection for sensitive electronic components
- + Lightweight, safe cushioning material
- + Tough, tear-resistant, not sensitive to water and heat-sealable

Stock range



Item no.	Item description	Bubble size	Dimensions	Unit
79192	Electrically conductive bubble	Small bubble	300 mm x 100 m	Roll
79193	Electrically conductive bubble	Small bubble	400 mm x 100 m	Roll
79194	Electrically conductive bubble	Small bubble	600 mm x 100 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Bubble bags

Simple practical cushioning



Alternative products

- 32** Packaging foam
- 26** AirCap®

Additional products

- 47** Packing tape

Product description

- Bubble Bag which provides cushioning, to protect goods whilst being stored or transported

Applications

- Protects surfaces from risk of being scratched
- Cushioning protection for smaller products which can be closed securely within the bag

Available

- Supplied in variety of bag sizes

Advantages

- + Easy to use, Self seal adhesive strip for secure closure
- + Tough, tear resistant

Stock range



Item no.	Item description	Bag Reference	Dimensions	Unit
39141	Self seal bubble bags	BB1	100 mm x 135 mm	750 bags per carton
20137	Self seal bubble bags	BB2	130 mm x 185 mm	500 bags per carton
20138	Self seal bubble bags	BB3	180 mm x 235 mm	300 bags per carton
16550	Self seal bubble bags	BB4	230 mm x 285 mm	300 bags per carton
20139	Self seal bubble bags	BB5	280 mm x 360 mm	200 bags per carton
20140	Self seal bubble bags	BB6	305 mm x 425 mm	150 bags per carton
20141	Self seal bubble bags	BB7	380 mm x 435 mm	100 bags per carton

Please visit www.antalispackaging.co.uk for more information

Foam profiles

Different shapes to meet every requirement



Alternative products

- 17** PadPak®
- 27** Bubble wrap
- 32** Packaging foam

Product description

- Foam profiles made from polyethylene foam, extruded without the use of CFCs
- Resistant to weather and temperature, chemically neutral
- Multishape is a foam profile with bevel cuts for a better fit on round shapes

Applications

- Protection for sharp or delicate edges
- Interleaving for surface protection during storage and transportation of items such as furniture

Available

- Standard profiles are U, L, C or O-shaped, various lengths available
- Foam profiles can be adapted to meet the exact requirements of the application
- Other shapes and pre-cut parts available on request, e.g. for round goods

Advantages

- + Good cushioning properties, stays in place
- + Flexible, keeps its shape
- + Profile can be shaped to provide the best possible fit for the goods




Stock range



Item no.	Item description	Thickness	Dimensions	Unit
78769	L - Foamprofile	6 mm	50 mm x 50 mm x 2000 mm	240 per box
78770	L - Foamprofile	10 mm	75 mm x 75 mm x 2000 mm	105 per box
78771	U - Foamprofile	12 mm	34 mm x 45 mm x 2000 mm	90 per box
78772	U - Foamprofile	15 mm	60 mm x 80 mm x 2000 mm	40 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Please visit our online-shop www.antalispackaging.co.uk where you can buy all products online.

Furniture




Glass industry




Automotive



Corner protection



Other examples



Packaging foam

Versatile, lightweight material



Alternative products

- 27** Bubble wrap
- 26** AirCap®

Additional products

- 49** Masterline Polypropylene tape

Product description

- Closed-pore, uncured, foamed white cushioning material made of LDPE (low density polyethylene)
- Extremely resistant to solvents, fuels, oils and other chemicals
- Foamed without the use of CFCs, white in colour

Applications

- Cushioning protection
- Edge and surface protection, shock-absorbent
- Non-slip interleaving
- Insulates, protects against vibration

Available

- Supplied as rolls, various sizes and thicknesses available
- Can be made into pre-cut parts, narrow rolls, flat bags, hoods, punched parts, sacks, tubing, perforated rolls, edge protection profiles and self adhesive pads
- Also available with anti-static or self adhesive finish or coloured on request

Advantages

- + Versatile, elastic, flexible, odourless, water-repellent
- + Dirt-resistant, dust-free, lightweight, heat-sealable
- + Excellent cushioning properties

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
12513	Astro foam rolls	1.0 mm thick	1000 mm x 300 m	Roll
12517	Astro foam rolls	1.0 mm thick	2 x 750 mm x 300 m	Roll
12518	Astro foam rolls	1.5 mm thick	1000 mm x 200 m	Roll
12519	Astro foam rolls	1.5 mm thick	3 x 500 mm x 200 m	Roll
12514	Astro foam rolls	1.0 mm thick	1200 mm x 300 m	Roll
12515	Astro foam rolls	1.0 mm thick	1500 mm x 300 m	Roll
12516	Astro foam rolls	1.0 mm thick	3 x 500 mm x 300 m	Roll
12520	Astro foam rolls	2.5 mm thick	1500 mm x 120 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Foam Pack

This practical packing foam system dispenses a handy width roll.

Can be used as edge, surface, absorbing and cushioning protection as well as anti-slide interleaving.

Stock range

Item no.	Item description	Dimensions	Unit
72585	Foam roll in a box	250 mm x 200 m x 1.5 mm	Box
72586	Foam roll in a box	250 mm x 300 m x 1 mm	Box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Loose fill

Protection for delicate goods



Alternative products

- 22** FillPak TT®
- 21** FillPak®

Additional products

- 49** Masterline Polypropylene tape
- 40** Corrugated boxes

Product description

- Free-flowing filling material for small applications
- Reusable and pourable
- Suitable for use with filling systems (silos hoppers)

Applications

- Protects all fragile and delicate goods
- Decorative insulation material
- Quickly fills voids in cardboard boxes

Available

- Loose product for silos hoppers
- Supplied in various shapes and densities
- Also available made from renewable, plant-based raw materials

Advantages

- + Low shipping costs due to low weight
- + Odourless and abrasion-resistant (dust-free handling)
- + 100% recyclable



Stock range

Item no.	Item description	Colour	Dimensions	Unit
65804	Bio loose fill	Cream	15 cubic ft	Bag
25352	Loose fill - 100% recycled	White	15 cubic ft	Bag

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Padded boxes

Shipping packaging for delicate goods



Alternative products

- 60** Mail Lite
- 34** Korrvu Suspension packaging
- 34** Korrvu Retention packaging
- 41** Corrugated boxes

Additional products

- 66** Document enclosed envelopes
- 47** Packing tape

Product description

- Pre-fabricated shipping packaging made from corrugated cardboard (150 gsm) and environmentally-friendly polyurethane foam
- Shell made from corrugated cardboard and slide-in section consisting of springy polyurethane (PU) dimpled foam insert (foamed CFC-free)

Applications

- For shipping small, delicate parts

Available

- Various standard sizes
- Customised sizes (also small orders) available
- Special forms: white, also with multi-layer corrugated cardboard

Advantages

- + No additional filling material required
- + Single type of packaging for different products
- + Maximum protection against impacts, vibration and damage
- + After use the foam can be separated from the cardboard for recycling



Stock range

Item no.	Item description	Material	Interior dimensions without foam	Unit
78792	Padded box	150 KTB	300 mm x 215 mm x 50 mm	500 per pallet
78793	Padded box	150 KTB	210 mm x 150 mm x 50 mm	500 per pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Korrvu® Suspension packaging For delicate, high-quality goods



Alternative products

- 33** Padded boxes
- 30** Foam profiles
- 34** Korrvu Retention packaging

Additional products

- 66** Document enclosed envelopes
- 49** Masterline Polypropylene tape

Product description

- The goods are "suspended" between two sheets of film (membranes) stretched across a corrugated cardboard frame
- Ideal protection against shocks and vibrations
- Maximum protection during shipment
- Products held securely in place, unable to slide around
- Economical, easy-to-use packaging

Applications

- For protecting delicate goods, such as electronic components
- Dispatch packaging for spare parts
- Suitable for repeated use (e.g. ideal for repair services)

Available

- Various standard sizes available from stock
- Other sizes can easily be produced to customer specifications
- Kit made up of an outer box, an insert and two film frames (membranes)

Advantages

- + No additional filling material required
- + One type of packaging for a variety of products
- + Maximum protection against impact, vibration and damage

Stock range



Item no.	Item description	Material	Dimensions	Unit
78780	Suspension box	140 KTB	194 mm x 194 mm x 86 mm	Pallet
78781	Suspension box	140 KTB	294 mm x 194 mm x 136 mm	Pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Korrvu® Retention packaging Dispatch packaging for delicate goods



Alternative products

- 33** Padded boxes
- 34** Korrvu Suspension packaging

Additional products

- 66** Document enclosed envelopes
- 49** Masterline Polypropylene tape

Product description

- One-piece retention packaging
- The goods are fixed in place under a flexible PU film
- Reusable
- Prevents goods from sliding around inside the box
- Easy to use

Applications

- For shipping irregularly-shaped or delicate goods
- Dispatch packaging for spare parts
- Suitable for repeated use (e.g. ideal for repair services)

Available

- Kit made up of outer box and stretch film insert (supplied folded flat)
- Wide range of standard sizes available

Advantages

- + Reliable protection for shipped delicate goods
- + No additional filling material required
- + One type of packaging for wide range of products

Stock range



Item no.	Item description	Dimensions	Unit
78782	Retention box medium	235 mm x 135 mm x 45 mm	Pallet
78783	Retention box large	280 mm x 230 mm x 65 mm	Pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Embossed paper

Versatile cushioning material



Alternative products

35 Corrugated cardboard

Additional products

49 Masterline
Polypropylene tape



Product description

- Embossed paper is a cost-effective cushioning material made entirely of paper which is 100% recyclable
- It can be made from up to nine layers of different types of paper and can therefore be adapted to any application (outer surface smooth or dimpled)
- Embossed paper is used as the protective layer in chocolate boxes

Applications

- Interleaving, covering (e.g. with PE coating on the outer layer)
- Pallet underlay (slight anti-slip effect if a dimpled surface is chosen)
- Protection of sensitive surfaces (outer layer made of tissue paper)
- Wrapping fragile objects (embossed kraft paper)

Available

- Embossed paper is supplied in different formats, on rolls (perforated), made into bags or punched into any shape

Advantages

- + Cost-effective cushioning material
- + 100% recyclable
- + Can be printed in up to seven colours



Stock range

Item no.	Item description	Grammage	Dimensions	Unit
78827	Embossed paper	90 gsm	900 mm x 75 m	Roll

Please visit www.antalispackaging.co.uk for more information

Corrugated cardboard

Tried-and-trusted packaging material



Alternative products

6 Packing tissue
22 FillPak TT®

Additional products

90 Cutting stand

Product description

- Corrugated cardboard made of 100% recycled paper
- Cardboard corrugated on one side (linerboard/flutes)
- Large A flutes

Applications

- Filling material for packaging
- Ideal for wrapping products
- Interleaving
- Can be used for covering (e.g. by painters and decorators)

Available

- Pre-cut parts, rolls (rolled corrugated cardboard), various flutes
- Laminated with kraft paper, test liner or PE foam on request

Advantages

- + Environmentally-friendly, recycled product
- + Easy to use
- + Economical



Stock range

Item no.	Item description	Dimensions	Unit
16149	Single faced corrugated	450 mm x 75 m	Rolls
16153	Single faced corrugated	600 mm x 75 m	Rolls
16155	Single faced corrugated	650 mm x 75 m	Rolls
16150	Single faced corrugated	750 mm x 75 m	Rolls
16151	Single faced corrugated	900 mm x 75 m	Rolls
16154	Single faced corrugated	1000 mm x 75 m	Rolls
16152	Single faced corrugated	1200 mm x 75 m	Rolls

Please visit www.antalispackaging.co.uk for more information

lamiPACK

Protection for heavy goods



Alternative products

108 Corrugated plastic sheets

Additional products

75 Strapping band
78 Hand held strapping device

Product description

- Versatile ribbed packaging made of 3.2 mm hard fibre strips for heavy goods
- Can be laminated with various materials to meet product packaging requirements
- Especially for heavyweight goods

Applications

- For encasing/covering goods for shipment or storage
- Hyphenated shock- and impact-protection versatile packaging for encasing long, flat, round or palletised goods

Available

- Six types of laminate available with following properties:
 - * Kraft paper: cost-effective standard version
- Polykraft (90 and 150 gsm): waterproof
- Reinforced Polykraft (blue): tear-resistant and waterproof
- White Rolamit: UV-resistant, extremely tear-resistant
- BRANOKONT anti-corrosion paper: effective corrosion protection
- Coiled and folded with widths between 5 cm and 600 cm, standard length: 55 m (rolls), 149.6 (folded)

Advantages

- + Easy to use
- + Suitable for all sorts of packed goods
- + Low packaging volume, maximum protection
- + Can be reused several times



Stock range




Item no.	Item description	Dimensions	Unit
79190	Lamipack M89	1200 mm x 149.6 m	450 kg per pallet
79191	Lamipack M12	1200 mm x 149.6 m	450 kg per pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

M 12	Polykraft with fibre strips, 200 gsm + Polykraft 150 gsm	M 89	Polykraft 90 gsm + Brown kraft paper, 80 gsm
M 19	Polykraft with fibre strips, 200 gsm + Brown kraft paper, 80 gsm	M 14	Polykraft with fibre strips, 200 gsm + Contact rust protection paper 130 gsm
M 22	Polykraft, 150 gsm + Polykraft 150 gsm	M 24	Polykraft 150 gsm + Contact rust protection paper 130 gsm


Applications of lamiPACK




Protection of long goods




Surface protection for rollers and shafts



Protection of cable drums and coils



The standard length (A) is – according to execution – 55 m or 149.6 m. Other dimensions and cuts on request.
The strip length (B) can be between 0.08 and 6 m according to requirements.



Protection of flat goods

Protective netting

Flexible, tough surface protection



Alternative products

- 35** Flexipack®
- 36** lamiPACK

Additional products

- 41** Corrugated boxes

Product description

- Extruded, knot-free netting made from environmentally-friendly, soft polyethylene
- Highly resistant to mechanical stress
- Unaffected by oils and grease

Applications

- The protective netting is simply pulled over the product
- Surface protection, even for heavy goods
- Also suitable as interleaving
- For transport, handling, storage and dispatch purposes

Available

- Supplied as tubing in various diameters (rolls, pre-cuts)
- Mats of various formats, thicknesses and mesh sizes
- Various colours, can be embossed if required

Advantages

- + Fast, simple packaging
- + Also suitable for unevenly-shaped goods
- + Reusable several times
- + Space-saving packaging material reduces storage costs
- + Ready-made pre-cuts also available

Stock range



Item no.	Item description	Dimensions	Unit
79001	Poly-Net clear	5 mm - 20 mm x 50 m	Roll
79020	Poly-Net violet	10 mm - 20 mm x 50 m	Roll
79023	Poly-Net blue	20 mm - 50 mm x 50 m	Roll
79024	Poly-Net yellow	40 mm - 60 mm x 50 m	Roll
79144	Poly-Net brown	50 mm - 75 mm x 50 m	Roll
79147	Poly-Net red	70 mm - 100 mm x 50 m	Roll
79154	Poly-Net orange	90 mm - 150 mm x 50 m	Roll
79155	Poly-Net clear bottle	190 mm x 50 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Dunnage bags

For secure transport



Securing pallets of hazardous material

Additional products

- 76** Textile strapping and buckles
- 76** Clips
- 80** Plastic edge protectors
- 46** Compressed wood/Inca pallets

Product description

- Dunnage bags are a tried-and-tested method of securing pallets and shipped goods during transport. They are placed in the cavities between the goods and prevent the slippage of the transported goods
- They are supplied deflated for space-saving storage
- We can supply you with dunnage bags in various dimensions and from a range of materials: film or Kraft paper with PE-coat(s).
- The filling guns can also be supplied, with and without manometer



Safety valve

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
72582	2 Ply kraft paper dunnage bag	90 gsm	1200 mm x 2250 mm	175 per pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Shockwatch®

Impact indicator



Additional products

- 44** Plastic pallet box
- 45** Plywood crate
- 40** Corrugated boxes

Product description

- The label on the glass tube of the impact indicator changes colour when a specific acceleration speed is exceeded

Applications

- Monitors stresses that delicate goods are exposed to during transport
- For example, plasma screens, medical devices etc
- Indicators are fixed to outer packaging in clearly visible positions

Available

- Different models available for goods of different weights which are sensitive to different factors

Advantages

- + Self adhesive, so easily fixed to packaging
- + Certainty that goods have been transported correctly
- + Less transport-related damage
- + Traceable transport damage
- + Sequentially numbered

Stock range

Item no.	Item description	Sensitivity	Dimensions	Unit
78839	Shockwatch® yellow label	25 g	100 mm x 100 mm x 50 m/s	50 Pieces
78840	Shockwatch® purple label	37.5 g	100 mm x 100 mm x 50 m/s	50 Pieces
78842	Shockwatch® red label	50 g	100 mm x 100 mm x 50 m/s	50 Pieces
78852	Shockwatch® orange label	75 g	100 mm x 100 mm x 50 m/s	50 Pieces
78853	Shockwatch® green label	100 g	100 mm x 100 mm x 50 m/s	50 Pieces

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Tiltwatch®

Tilt indicator



Additional products

- 44 Plastic pallet box
- 45 Plywood crate
- 40 Corrugated boxes

Product description

- Indicator for transporting products which must be kept upright
- Indicator turns red when the product is tilted through more than 83°
- Only activated when it is applied to the product to be transported
- Not sensitive to moisture, temperature and other environmental factors

Applications

- Monitoring the transport of products which must be kept upright (e.g. electrical cabinets, fridges)

Available

- Tiltwatch® with sequential numbering providing traceability
- Tiltwatch® Plus: for products which can be damaged if tilted only slightly
- Angle of tilt adjustable

Advantages

- + Self adhesive, so easily fixed to packaging
- + Certainty that goods have been transported correctly
- + Less transport-related damage
- + Traceable transport damage

Stock range

Item no.	Item description	Dimensions	Unit
78854	Tiltwatch®	75 mm x 60 mm x 20 mm	100 Pieces
78865	Tiltwatch® label	210 mm x 148 mm	100 Pieces

Please visit www.antalispackaging.co.uk for more information

Other specifications on request.



We will help you avoid the cost traps!

Packaging materials are classified in a business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Ask us about it!

100 %

20 %

**Packaging material costs
Manufacturing costs**

80 %

**Upstream and
downstream process costs**

e.g.

- order processing
- warehousing
- quality control
- administration, etc.

Corrugated boxes

Single wall



Alternative products

45 Plywood crate

Additional products

49 Masterline
Polypropylene tape
22 FillPak TT®

Product description

- Folding boxes made from single wall corrugated cardboard

Applications


- Goods protected during transport
- Packaging as an advertising medium
- Multi-functional transport and storage packaging

Available

- Comprehensive standard range of single or double corrugated folding boxes available from stock (also available in white and with automatic base) (pallet boxes, removal boxes, dispatch boxes, tableware boxes, shipping packaging etc.)
- Many other qualities and sizes available, including height-adjustable corrugated cardboard boxes with additional grooves
- Boxes can be printed to customer specifications

Advantages

- + Excellent value for money
- + Modular sizes match pallet dimensions
- + Environmentally-friendly as made largely from recycled paper
- + Space-saving as supplied folded flat



Stock range



Item no.	Item description	Material	Dimensions
12688	Single wall box	125K/B/125T	152 mm x 152 mm x 152 mm (6 x 6 x 6)
12700	Single wall box	125TL2/B/125T	178 mm x 178 mm x 178 mm (7 x 7 x 7)
12689	Single wall box	125TL2/B/125T	197 mm x 159 mm x 159 mm (7 x 6 x 6)
12690	Single wall box	125TL2/B/125T	215 mm x 215 mm x 215 mm (8.5 x 8.5 x 8.5)
12691	Single wall box	125TL2/B/125T	229 mm x 152 mm x 152 mm (9 x 6 x 6)
12692	Single wall box	125TL2/B/125T	230 mm x 230 mm x 130 mm (9 x 9 x 5)
12701	Single wall box	125TL2/B/125T	254 mm x 254 mm x 254 mm (10 x 10 x 10)
53424	Single wall box	125T/B/125T	305 mm x 229 mm x 114 mm A4/2 RM (12 x 9 x 4.5)
13837	Single wall box	125T/B/125T	305 mm x 229 mm x 152 mm A4 3/RM TL (12 x 9 x 6)
12704	Single wall box	125TL2/B/125T	305 mm x 229 mm x 152 mm M/DEPTH (12 x 9 x 6)
53296	Single wall box	125T/B/125T	305 mm x 229 mm x 178 mm A4 3 REAM (12 x 9 x 7)
13836	Single wall box	125T/B/125T	305 mm x 229 mm x 229 mm A4 4/RM TL (12 x 9 x 9)
35279	Single wall box	125K/B/125T Approx weight of load 10 kgs	305 mm x 229 mm x 229 mm A4 4 RM (12 x 9 x 9)
12709	Single wall box	125TL2/B/125T	305 mm x 229 mm x 229 mm M/DEPTH (12 x 9 x 9)
53297	Single wall box	125T/B/125T	305 mm x 229 mm x 305 mm A4 5 RM (12 x 9 x 12)
12702	Single wall box	125TL2/B/T	305 mm x 305 mm x 305 mm (12 x 12 x 12)
16201	Single wall box	125T/B/125T	315 mm x 235 mm x 267 mm A4 4RM (12.4 x 9.2 x 10.5)
12694	Single wall box	125TL2/B/125T	381 mm x 280 mm x 280 mm (15 x 11 x 11)
12705	Single wall box	125TL2/B/125T	381 mm x 254 mm x 254 mm (15 x 10 x 10)
12706	Single wall box	125TL2/B/125T	432 mm x 318 mm x 268 mm (17 x 12.5 x 10.5)
16202	Single wall box	125T/B/125T	445 mm x 315 mm x 267 mm A3 4 REAM
53425	Single wall box	125T/B/125T	432 mm x 318 mm x 318 mm A3 5 REAM
12707	Single wall box	125TL2/B/125T	457 mm x 305 mm x 305 mm (18 x 12 x 12)
12699	Single wall box	150TL2/C/150T	508 mm x 305 mm x 305 mm (20 x 12 x 12)
12703	Single wall box	125TL2/B/125T	508 mm x 356 mm x 356 mm (20 x 14 x 14)
12708	Single wall box	125TL2/B/125T	508 mm x 381 mm x 254 mm (20 x 15 x 10)
12697	Single wall box	150TL2/C/150T	610 mm x 457 mm x 305 mm (24 x 18 x 12)
12696	Single wall box	150TL2/C/150T	510 mm x 457 mm x 406 mm (20 x 18 x 16)
12698	Single wall box	200TL2/C/200T	610 mm x 457 mm x 457 mm (24 x 18 x 18)

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Corrugated boxes

Double walled



Alternative products

45 Plywood crate

Additional products

49 Masterline
Polypropylene tape
22 FillPak TT®

Product description

- Folding boxes made from double wall corrugated cardboard

Applications


- Goods protected during transport
- Packaging as an advertising medium
- Multi-functional transport and storage packaging

Available

- Comprehensive standard range of single or double corrugated folding boxes available from stock (also available in white and with automatic base) (pallet boxes, removal boxes, dispatch boxes, tableware boxes, shipping packaging etc.)
- Many other qualities and sizes available, including height-adjustable corrugated cardboard boxes with additional grooves
- Boxes can be printed to customer specifications

Advantages

- + Excellent value for money
- + Modular sizes match pallet dimensions
- + Environmentally-friendly as made largely from recycled paper
- + Space-saving as supplied folded flat



Stock range




Item no.	Item description	Material	Dimensions
59783	Double wall box	125K/BC/125T	229 mm x 152 mm x 152 mm (9 x 6 x 6)
59788	Double wall box	125K/BC/125T	254 mm x 254 mm x 254 mm (10 x 10 x 10)
59797	Double wall box	125K/BC/125T	305 mm x 229 mm x 229 mm (12 x 9 x 9)
59784	Double wall box	125K/BC/125T	305 mm x 305 mm x 305 mm (12 x 12 x 12)
59798	Double wall box	125K/BC/125T	350 mm x 350 mm x 350 mm (14 x 14 x 14)
59802	Double wall box	125K/BC/125T	406 mm x 356 mm x 356 mm (16 x 14 x 14)
59794	Double wall box	125K/BC/125T	406 mm x 406 mm x 406 mm (16 x 16 x 16)
59789	Double wall box	125K/BC/125T	457 mm x 305 mm x 254 mm (18 x 12 x 10)
59787	Double wall box	125K/BC/125T *Approx weight of load 30 kgs	457 mm x 305 mm x 305 mm (18 x 12 x 12)
59786	Double wall box	125K/BC/125T	457 mm x 457 mm x 457 mm M/DEPTH (18 x 18 x 18)
59790	Double wall box	125K/BC/125T	457 mm x 457 mm x 305 mm (18 x 18 x 12)
59793	Double wall box	125TL2/BC/125T	457 mm x 457 mm x 508 mm (18 x 18 x 20)
59791	Double wall box	125K/BC/125T	457 mm x 457 mm x 610 mm (18 x 18 x 24)
59796	Double wall box	125K/BC/125T	508 mm x 508 mm x 508 mm (20 x 20 x 20)
59795	Double wall box	125TL2/BC/125T	566 mm x 366 mm x 254 mm (22 x 14 x 10)
59801	Double wall box	125T/BC/125T	581 mm x 406 mm x 312 mm (22 x 16 x 12)
59799	Double wall box	125K/BC/125T	610 mm x 254 mm x 330 mm (24 x 10 x 13)
59785	Double wall box	125K/BC/125T	610 mm x 457 mm x 457 mm M/DEPTH (24 x 18 x 18)
59800	Double wall box	125K/BC/125T	610 mm x 508 mm x 406 mm (24 x 20 x 16)
59792	Double wall box	125K/BC/125T	762 mm x 457 mm x 457 mm (30 x 18 x 18)

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Self erecting box



Stock range

Item no.	Item description	Material	Dimensions	Unit
79170	Self erecting box	125K/B/125T	220 mm x 150 mm x 200 mm	1200 per pallet
79172	Self erecting box	125K/B/125T	305 mm x 215 mm x 150 mm	1200 per pallet
79173	Self erecting box	125K/B/125T	305 mm x 215 mm x 215 mm	1200 per pallet
79174	Self erecting box	125K/B/125T	430 mm x 305 mm x 150 mm	1000 per pallet
79175	Self erecting box	125K/B/125T	430 mm x 305 mm x 215 mm	1000 per pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Wardrobe boxes

For storage and transport of garments



Product description

- Robust corrugated wardrobe box available with hanging bar

Applications

- Removals, storage, transport

Available

- Two standard sizes
- Can be printed

Advantages

- + Highly robust design
- + Reusable
- + Can be assembled and closed without adhesive tape

Alternative products

- 44 Plastic pallet box
- 41 Corrugated boxes
- 42 Self erecting box

Additional products

- 66 Document enclosed envelopes
- 47 Packing tape

Stock range



Item no.	Item description	Material	Dimensions	Unit
72601	Large wardrobe box	125K/BE/125T	513 mm x 454 mm x 1186 mm	120 per pallet
72602	Small wardrobe box	125K/BE/125T	513 mm x 454 mm x 1027 mm	120 per pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Business card boxes



Alternative products

- 60** Mail Lite
- 41** Corrugated boxes

Additional products

- 66** Document enclosed envelopes
- 47** Packing tape

Product description

- Business card and compliment slip boxes in cardboard or polyprop

Applications

- Ideal for presentation of business cards and compliment slips, keeps the product protected, specially designed for transport and storage

Available

- Cardboard and polyprop format

Advantages

- + 100% recyclable for the card box
- + Protect from moisture and dust
- + Keeps product clean and dry

Stock range

Item no.	Item description	Thickness	Dimensions	Unit
53421	Small business card box and lid	1200 mic	97 mm x 65 mm x 35 mm	Box of 200
61634	Plastic compliment slip box and lid	1200 mic	226 mm x 116 mm x 55 mm	Box of 100
53422	Reduced smalls business card box and lid	1200 mic	93 mm x 58 mm x 35 mm	Box of 200
53423	Reduced smalls business card box and lid	1200 mic	93 mm x 58 mm x 35 mm	Box of 100
15512	Small business card box and lid	1200 mic	97 mm x 62 mm x 36 mm	Box of 250
46582	Large business card box and lid	1200 mic	95 mm x 60 mm x 70 mm	Box of 125



Continuous cartons



Alternative products

- 66** Postal wrap
- 40** Corrugated boxes

Additional products

- 66** Document enclosed envelopes
- 47** Packing tape
- 75** Strapping band

Product description

- Special continuous form box

Applications

- For continuous printers with automatic base

Available

- Boxes supplied in flat pack format

Advantages

- + Good resistance to bursting; dampness, vertical compression and temperature variations
- + With a height of more than 152 mm, the lid allows for contents slightly above the height of the box

Stock range

Item no.	Item description	Material	Dimensions	Unit
47750	Oyster white 1B Base	125W/B/125T	218 mm x 218 mm x 152 mm	25 per pack
47751	Oyster white 1L Lid	125W/B/125T	218 mm x 218 mm x 152 mm	25 per pack
15459	Oyster white 2B Base	125W/B/125T	262 mm x 212 mm x 152 mm	25 per pack
15460	Oyster white 2L Lid	125W/B/125T	270 mm x 220 mm x 152 mm	25 per pack
15461	Oyster white 3B Base	125W/B/125T	339 mm x 212 mm x 152 mm	25 per pack
15462	Oyster white 3L Lid	125W/B/125T	347 mm x 220 mm x 152 mm	25 per pack
15467	Oyster white 6B Base	125W/B/125T	289 mm x 262 mm x 152 mm	25 per pack
15468	Oyster white 6L Lid	125W/B/125T	297 mm x 270 mm x 152 mm	25 per pack
15475	Oyster white 10B Base	125W/B/125T	308 mm x 218 mm x 152 mm	25 per pack
15476	Oyster white 10L Lid	125W/B/125T	316 mm x 226 mm x 152 mm	25 per pack
15483	Oyster white 14B Base	125W/B/125T	310 mm x 260 mm x 152 mm	25 per pack
15484	Oyster white 14L Lid	125W/B/125T	318 mm x 268 mm x 152 mm	25 per pack
15485	Oyster white 15B Base	125W/B/125T	305 mm x 241 mm x 152 mm	25 per pack
15486	Oyster white 15L Lid	125W/B/125T	313 mm x 249 mm x 152 mm	25 per pack
15491	Oyster white 18B Base	125W/B/125T	302 mm x 215 mm x 152 mm	25 per pack
15492	Oyster white 18L Lid	125W/B/125T	310 mm x 223 mm x 152 mm	25 per pack
15497	Oyster white 21B Base	125W/B/125T	286 mm x 248 mm x 152 mm	25 per pack
15498	Oyster white 21L Lid	125W/B/125T	294 mm x 256 mm x 152 mm	25 per pack





Stackable plastic containers in the Euro modular dimensions

- The plastic containers are manufactured using the injection moulding method and are made of polypropylene
- They are available in the following dimensions with the option of different heights: 300 x 200 mm, 400 x 300 mm, 600 x 400 mm, 800 x 600 mm



Plastic pallet box

Ideal reusable transport system



Alternative products

- 45 Plywood crate
- 41 Corrugated boxes

Product description

- Flexible packaging system with a sandwich structure made up of three components: lid, foldable wall and base
- The empty pallet box folds up to save space and transport costs

Applications

- Replaces heavy pallet crates
- Reusable transport container
- One container both for storage and transport

Available

- Ask about our range of matching inserts and dividing elements

Advantages

- + Easy to assemble and disassemble
- + Lightweight, collapsible
- + Saves space and transport costs on return trip



Stock range

Item no.	Item description	Dimensions	Unit
78964	Plastic pallet box + pallet	1200 mm x 800 mm x 910 mm	7 Pieces

Please visit www.antalispackaging.co.uk for more information

Correx

Reusable container system



Alternative products

- 45 Plywood crate
- 41 Corrugated boxes

Product description

- Stackable containers made from corrugated plastic with a large internal volume

Applications

- Ideal for lightweight and medium-weight goods which small load carriers are too large for

Available

- Small orders can be supplied
- Available in different colours and in anti-static and UV-resistant versions
- Dividers, foam inserts and other inserts available
- Special sizes can be produced
- Can be printed

Advantages

- + Level interior base
- + Very lightweight but extremely stable
- + Easily stackable as a result of Modular design

Tested by the PackLab® of VDZ GmbH Dortmund

Example Correx 02 :
load 200 kg
(box compression test)
internal load 50 kg



Stock range

Item no.	Item description	Dimensions	Unit
78962	21 ltr plastic crate	600 mm x 400 mm x 118 mm	50 Pieces
78963	87 ltr plastic crate	800 mm 600 mm x 235 mm	8 Pieces

Please visit www.antalispackaging.co.uk for more information

Pallet collars



Practical pallet support

Product description

- Made from planed pine
- Can be folded diagonally with 4 hinges
- Also available in plastic
- Also available in integrated pollution prevention + control (IPPC) treated wood

Applications

- Quickly assembled
- Simple containers
- Different heights
- Secured to base of pallet

Advantages

- + Can be stacked
- + Reusable
- + Can be folded so little storage space needed



Stock range



Item no.	Item description	Dimensions	Unit
78956	Wooden stacking frame	600 mm x 800 mm x 195 mm	100 Pieces
78957	Wooden stacking frame	800 mm x 1200 mm x 195 mm	100 Pieces
78958	Wooden stacking frame	1000 mm x 1200 mm x 195 mm	100 Pieces

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Plywood crate



Alternative products

44 Plastic pallet box

Robust transport and storage packaging

Product description

- Collapsible packaging made of birchwood
- Held together by high quality, hot dip galvanised steel bands and profiles
- Watertight and impermeable to moisture
- Up to 50% lighter in weight than solid wood crates the same size
- No special siren treatment required
- Conforms to Australian health regulations, the North American resolution and Chinese regulations

Applications

- Lightweight, space-saving export, transport or reusable packaging
- One container for both storage and transport

Available

- Available in a wide range of standard sizes, always kept in stock
- Even small orders for special sizes accepted

Advantages

- + Minimum storage and shipping costs as supplied folded flat
- + Quick and easy to assemble
- + Integrated latches eliminate the need for additional banding

Stock range



Item no.	Item description	Dimensions	Unit
78959	Plywood crate	800 mm x 1200 mm x 520 mm	50 Pieces
78960	Plywood crate	1000 mm x 1200 mm x 520 mm	50 Pieces

Please visit www.antalispackaging.co.uk for more information

Compressed wood/Inca pallets Space-saving, stackable



Alternative products

- 44** Plastic pallet box
- 45** Plywood crate

Additional products

- 75** Strapping band
- 41** Corrugated boxes

Product description

- Compression-moulded pallets made of 85% wood and max. 15% urea resin
- Consistent quality, accurate sizing
- No risk of injury due to nails or screws
- No sired treatment required for export



Applications

- Ideal for use in combination with stretch or shrink films
- Shipping, storage and display pallets
- Economical alternative to wooden pallets
- Air freight (low net weight)
- Ideal for export purposes

Available

- Standard sizes available: 40 x 60, 80 x 120 cm

Advantages

- + Stackable and nestable
- + Can be handled from all sides
- + Lightweight

Stock range

Item no.	Item description	Dimensions	Unit
78870	Inca pallet	400 mm x 600 mm x 250 kg	200 Pieces
78872	Inca pallet	600 mm x 800 mm 500 kg	100 Pieces
78873	Inca pallet	800 mm x 1200 mm 900 kg	50 Pieces
78874	Inca pallet	1000 mm x 1200 mm 1250 kg	50 Pieces
78875	Inca pallet	1140 mm x 1140 mm 1250 kg 250 kg to 1250 kg capacity	50 Pieces


Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Plastic pallets

Robust shipping solution



Product description

- Standard plastic pallets and special plastic pallets for use in hygienic storage areas and in high rack warehouses
- Resistant to temperature, acids and alkalis

Applications

- Reusable transport packaging
- Load carrier for air freight and export

Available

- Various sizes and models available (e.g. standard Euro pallet 800 mm x 1200 mm)
- Disposable pallets manufactured according to customer specifications on request

Advantages

- + Easy to clean, sterilisable transport packaging
- + Very economical due to frequent re-use



Stock range

Item no.	Item description	Dimensions	Unit
78950	Hygienic pallet plastic	1200 mm x 800 mm 800 kg CAPACITY	50 Pallets
78955	Hygienic pallet plastic	1200 mm x 1000 mm 1000 kg CAPACITY	50 Pallets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



3M Polypropylene hand tape Carton sealing tape



Alternative products

- 75** Strapping band
- 59** Glue gun and/or sticks

Additional products

- 41** Corrugated boxes
- 33** Loose fill
- 22** FillPak TT®

Product description

- 3M Polypropylene tape offers high tack for immediate adhesion making it suitable for sealing thicker walled and heavier boxes

Applications

- Household and industrial application tapes, excellent for cold/hot temperature storage

Available

- Available in hand rolls, clear or brown 25 mm to 75 mm width

Advantages

- + Clear or brown self adhesive tape, environmentally-friendly, tear resistant and printable as an advertising medium
- + Use for sealing light to medium weight packaged items

Stock range

Item no.	Item description	Colour	Specification	Dimensions	Unit
18847	Polypropylene tape	Clear	Ref: 371	25 mm x 66 m	72 coils per carton
18848	Polypropylene tape	Clear	Ref: 371	38 mm x 66 m	48 coils per carton
18849	Polypropylene tape	Clear	Ref: 371	48 mm x 66 m	36 coils per carton
18851	Polypropylene tape	Clear	Ref: 371	48 mm x 132 m	36 coils per carton
18850	Polypropylene tape	Clear	Ref: 371	75 mm x 66 m	24 coils per carton
18855	Polypropylene tape	Brown	Ref: 371	48 mm x 66 m	36 coils per carton
18856	Polypropylene tape	Brown	Ref: 371	48 mm x 132 m	36 coils per carton
47753	Polypropylene tape	Brown	Ref: 371	75 mm x 66 m	24 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

3M Polypropylene machine tape Carton sealing tape



Alternative products

- 75** Strapping band
- 59** Glue gun and/or sticks

Additional products

- 41** Corrugated boxes
- 33** Loose fill
- 22** FillPak TT®

Product description

- The 3M range of machine applied polyprop tape offers the same properties as the hand applied range but in longer lengths for automail case taping machines

Applications

- Industrial application tapes used with box sealing machines, excellent for cold/hot temperature storage

Available

- Available in machine rolls, clear or brown 990 m to 1500 m length

Advantages

- + Clear or brown self adhesive tape, environmentally friendly, tear resistant and printable as an advertising medium
- + Use for sealing light to medium weight packaged items
- Applied by a machine carton sealer

Stock range

Item no.	Item description	Colour	Specification	Dimensions	Unit
18853	Polypropylene tape	Clear	Ref: 371	38 mm x 990 m	8 coils per carton
53456	Polypropylene tape	Clear	Ref: 371	38 mm x 1500 m	8 coils per carton
18852	Polypropylene tape	Clear	Ref: 371	48 mm x 990 m	6 coils per carton
53457	Polypropylene tape	Clear	Ref: 371	48 mm x 1500 m	6 coils per carton
18857	Polypropylene tape	Brown	Ref: 371	48 mm x 990 m	6 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

3M Scotch cellulose tape

Easy to use



Product description

- Bio-degradable clear self adhesive tape

Applications

- General office and stationery applications

Available

- Available in hand rolls, clear in 19 mm to 25 mm width

Advantages

- + Clear bio-degradable self adhesive tape with high tack adhesive, release coated for easy unwind
- + Easy tear feature makes it ideal for general office and stationery applications

Alternative products

- 75** Strapping band
- 59** Glue gun and/or sticks
- 53** Gummed paper tape

Additional products

- 41** Corrugated boxes
- 33** Loose fill

Stock range

Item no.	Item description	Colour	Specification	Dimensions	Unit
21946	Cellulose tape	Clear	Ref: 607	25 mm x 66 m	72 coils per carton
21945	Cellulose tape	Clear	Ref: 607	19 mm x 66 m	96 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



We will help you avoid the cost traps!

Packaging materials are classified in a business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Ask us about it!

100 %


20 %

Packaging material costs
Manufacturing costs

80 %

Upstream and downstream process costs

- e.g.
- order processing
 - warehousing
 - quality control
 - administration, etc.



Masterline Polypropylene tape



Secure fastening



Alternative products

53 Gummed paper tape

Additional products

91 Hand held dispenser for self adhesive tape

Can be individually printed in several colours



Machine adhesive tape, clear and brown

Product description

- Clear or brown self adhesive tape made of polypropylene (PP) with different adhesives
- PP: economical, environmentally friendly, tear resistant, high tear strength, printable

Applications

- For sealing mailing cartons, boxes and packaged goods made of paper and cardboard
- For sealing light to medium weight packaged items
- Printable as an advertising medium

Available

- Clear or brown
- Packing tape for hand or automated use

Advantages

- + Ensures fast, cost-effective work processes
- + Excellent value for money
- + Different grades available for all applications

Stock range



Item no.	Item description	Colour	Specification	Dimensions	Unit
10090	Polypropylene tape	Clear	Hotmelt	48 mm x 66 m	36 coils per carton
16293	Polypropylene tape	Clear	Solvent	48 mm x 66 m	36 coils per carton
16285	Polypropylene tape	Clear	Acrylic	48 mm x 66 m	36 coils per carton
10092	Polypropylene tape	Clear	Hotmelt	50 mm x 100 m	36 coils per carton
16291	Polypropylene tape	Clear	Solvent	50 mm x 990 m	6 coils per carton
10089	Polypropylene tape	Brown	Hotmelt	48 mm x 66 m	36 coils per carton
16294	Polypropylene tape	Brown	Solvent	48 mm x 66 m	36 coils per carton
10091	Polypropylene tape	Brown	Hotmelt	50 mm x 100 m	36 coils per carton
16292	Polypropylene tape	Brown	Solvent	50 mm x 990 m	6 coils per carton
10093	Polypropylene tape	Clear	Low noise	48 mm x 66 m	36 coils per carton
10095	Polypropylene tape	Clear	Low noise	50 mm x 100 m	36 coils per carton
10094	Polypropylene tape	Brown	Low noise	48 mm x 66 m	36 coils per carton
10096	Polypropylene tape	Brown	Low noise	50 mm x 100 m	36 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Masterline PVC tapes

Tough and strong



Alternative products

- 59** Glue gun and/or sticks
- 53** Gummed paper tape
- 49** Masterline Polypropylene tape

Additional products

- 33** Loose fill
- 41** Corrugated boxes
- 91** Hand held dispenser for self adhesive tape

Product description

- A tough and strong vinyl tape with an aggressive natural rubber based adhesive

Applications

- Household and industrial application tape which needs extra adhesion strength for its application

Available

- Supplied in hand roll format, clear or brown

Advantages

- + High tack adhesive qualities, securely seals a wide range of products
- + Silent unwind from the roll and easy to tear

Stock range

Item no.	Item description	Colour	Adhesive	Dimensions	Unit
16286	Vinyl tape	Clear	Rubber	25 mm x 66 m	72 coils per carton
16287	Vinyl tape	Clear	Rubber	48 mm x 66 m	36 coils per carton
16288	Vinyl tape	Brown	Rubber	48 mm x 66 m	36 coils per carton
16290	Vinyl tape	Brown	Rubber	48 mm x 132 m	36 coils per carton
16289	Vinyl tape	Brown	Rubber	75 mm x 66 m	24 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Printed adhesive tapes

Packing tapes can be individually printed to your specifications.

The advantages

- + **Advertising impact:** your logo and/or slogan on each box that leaves your company
- + **Theft protection:** the box cannot be opened and resealed
- + **Image:** professional and serious image
- + **Identification:** printing of contact details, instructions, etc.
- + **Recognition:** the sender can be immediately identified

The options:

- + Printing on packing tapes made from PP or PVC material
- + Base : white, brown or transparent packing tape
- + Up to 3 colour print possible
- + Mixing of individual shades such as Pantone, HKS or RAL colours also possible

The various types:

- + Standard printing
- + Reverse printing



Various printing possibilities



1 colour standard printing
white packing tape



2 colour standard printing
white packing tape



1 colour standard printing
brown packing tape



2 colour standard printing
brown packing tape



1 colour reverse printing
white packing tape



2 colour reverse printing
white packing tape

Printed tape

For everyday use



Alternative products

- 59** Glue gun and/or sticks
- 50** Masterline PVC tapes
- 49** Masterline Polypropylene tape

Additional products

- 22** FillPak TT®
- 40** Corrugated boxes
- 33** Loose fill

Product description

- Pre-printed with standard transit, security, handling or general information messages

Applications

- Apply to package/product which gives clear printed messages for all to see

Available

- Polypropylene tape printed, supplied in hand roll format

Advantages

- + Message printed clearly in red on a white background
- + Silent unwind from the roll

Stock range


Item no.	Item description	Colour	Specification	Dimensions	Unit
52750	Fragile	White tape printed red	Low noise	48 mm x 66 m	36 coils per carton
11908	Glass with care	White tape printed red	Low noise	48 mm x 66 m	36 coils per carton
11866	Handle with care	White tape printed red	Low noise	48 mm x 66 m	36 coils per carton
11868	Caution	White tape printed red	Low noise	48 mm x 66 m	36 coils per carton
11962	QC Inspected	White tape printed red	Low noise	48 mm x 66 m	36 coils per carton
12111	This way up	White tape printed red	Low noise	48 mm x 66 m	36 coils per carton
12069	Security and contents checked	White tape printed red	Low noise	48 mm x 66 m	36 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Coloured printed tape

Good identification



Alternative products

- 59** Glue gun and/or sticks
- 50** Masterline PVC tapes
- 49** Masterline Polypropylene tape

Additional products

- 22** FillPak TT®
- 40** Corrugated boxes
- 33** Loose fill

Product description

- Polypropylene plain printed coloured tape

Applications

- Household and industrial application tapes, good for identification via the different colours

Available

- Supplied in hand roll format, in a variety of colours

Advantages

- + Silent unwind from the roll
- + Colours good for identification on pallets/packages

Stock range

Item no.	Item description	Colour	Specification	Dimensions	Unit
11849	Plain printed polypropylene tape	Yellow	Low noise	48 mm x 66 m	36 coils per carton
11847	Plain printed polypropylene tape	Red	Low noise	48 mm x 66 m	36 coils per carton
11844	Plain printed polypropylene tape	Green	Low noise	48 mm x 66 m	36 coils per carton
21281	Plain printed polypropylene tape	White	Low noise	48 mm x 66 m	36 coils per carton
11839	Plain printed polypropylene tape	Blue	Low noise	48 mm x 66 m	36 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Takstrip sealing tape



Alternative products

53 Gummed paper tape

Additional products

41 Corrugated boxes

22 FillPak TT®

27 Bubble wrap

Eco paper tape

Product description

- Paper based hot melt adhesive tape

Applications

- Designed for applications where extra adhesion and tear resistance is required

Available

- Available in hand rolls, 25 mm width and other sizes on request

Advantages

- + Cost effective self adhesive tape for sealing cartons made of corrugated and solid fibreboard as well as packaging made from paper and cardboard
- + Unrolls quietly and smoothly, good for immediate and lasting adhesive applications, adheres well to dusty surfaces

Stock range

Item no.	Item description	Colour	Specification	Dimensions	Unit
14557	Takstrip paper tape	Brown	Hot melt	25 mm x 66 m	36 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Linson book binding tape



Ideal for binding

Product description

- Embossed paper tape coated with hot melt adhesive

Applications

- Designed for binding applications such as books and cheque books

Available

- Available in hand rolls in a variety of colours and sizes

Advantages

- + Wide range of coloured embossed tape coated with hot melt adhesive to give high initial grab and tack ensuring the pages being bound remain in the correct position

Stock range

Item no.	Item description	Colour	Specification	Dimensions	Unit
69657	Book binding / splicing tape	Black	180 gsm	25 mm x 50 m	6 coils per pack
69664	Book binding / splicing tape	Red	180 gsm	50 mm x 50 m	3 coils per pack
69666	Book binding / splicing tape	Green	180 gsm	50 mm x 50 m	3 coils per pack
69661	Book binding / splicing tape	Blue	180 gsm	38 mm x 50 m	4 coils per pack
69659	Book binding / splicing tape	Black	180 gsm	38 mm x 50 m	4 coils per pack
69665	Book binding / splicing tape	Blue	180 gsm	50 mm x 50 m	3 coils per pack
69663	Book binding / splicing tape	Black	180 gsm	50 mm x 50 m	3 coils per pack
69667	Book binding / splicing tape	Black	180 gsm	75 mm x 50 m	2 coils per pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Gummed paper tape

For secure packaging



Alternative products

- 49** Masterline Polypropylene tape
- 75** Strapping band

Additional products

- 91** Adhesive tape dispenser

Product description

- Adhesive tape made of gummed paper
- Lasting protection for packaged goods during shipment and storage
- Used together with tape wetting devices

Applications

- For sealing folding boxes made of corrugated and solid fibreboard, as well as packaging made of paper and cardboard
- For reinforcing, bundling and strapping

Available

- Supplied in rolls
- Standard roll length: non reinforced tape 200 m, reinforced tape 150 m and 200 m
- Available in brown, white or printed
- 1 or 2 colour positive or negative advertising print available on request

Advantages

- + Extremely stable in all climates
- + Unrolls quietly and smoothly
- + Good immediate and lasting adhesive qualities, including test liners
- + Adheres well to dusty surfaces

Stock range



Item no.	Item description	Specification	Orientation	Dimensions	Unit
19221	Standard	Brown	wound gum out (WGO)	50 mm x 200 m	14 coils per carton
20189	Standard	Brown	wound gum in (WGI)	50 mm x 200 m	24 coils per carton
19223	Standard	Brown	wound gum out (WGO)	70 mm x 200 m	16 coils per carton
20188	Standard	Brown	wound gum in (WGI)	70 mm x 200 m	16 coils per carton
19949	Medium	Brown	wound gum out (WGO)	50 mm x 200 m	24 coils per carton
19951	Medium	Brown	wound gum out (WGO)	60 mm x 200 m	12 coils per carton
19225	Medium	Brown	wound gum out (WGO)	70 mm x 200 m	16 coils per carton
19224	Medium	Brown	wound gum out (WGO)	70 mm x 200 m	10 coils per carton
19950	Medium	Brown	wound gum out (WGO)	96 mm x 200 m	12 coils per carton
20022	Medium	Brown	wound gum out (WGO)	50 mm x 200 m	24 coils per carton
30743	Medium	Brown	wound gum out (WGO)	60 mm x 200 m	20 coils per carton
20023	Medium	Brown	wound gum out (WGO)	70 mm x 200 m	8 coils per carton
19226	Heavy	Brown	wound gum out (WGO)	70 mm x 150 m	16 coils per carton
19954	Medium	Brown	Super reinforced	70 mm x 100 m	12 coils per carton
20380	Medium	White	Super reinforced	70 mm x 100 m	12 coils per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Die cuts



- Die cuts can be made from almost all adhesive tapes to your specifications in a vast array of styles. Just ask Antalis!

Masking tape



Additional products

8 Masking paper

Crepe paper tape

Product description

- Adhesive paper tape, fine or coarse crepe surface

Applications

- For masking surfaces prior to painting or coating
- Fixing items in place

Available

- Ranges from low-priced decorator's masking tape to high quality, heat resistant masking tape for use in vehicle painting
- Widths according to customer specifications

Advantages

- + Easy to use, can be hand torn
- + Good value for money

Stock range

Item no.	Item description	Dimensions	Unit
16849	3M masking tape	25 mm x 50 m	36 rolls per box
17851	3M masking tape	50 mm x 50 m	24 rolls per box
16296	Masterline masking tape	25 mm x 50 m	72 rolls per box
16295	Masterline masking tape	50 mm x 50 m	36 rolls per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Cross weave tape



Alternative products

75 Strapping band

Packaging, protecting and fixing

Product description

- Adhesive tape made of PP film, reinforced lengthways with polyester fibre

Applications

- Bundling packaged goods
- Packaging hazardous goods
- Heavy goods packaging
- Suitable for waxed and recycled paper materials

Available

- Standard widths between 19 mm and 75 mm

Advantages

- + Waterproof
- + Some types are UV-resistant

Stock range

Item no.	Item description	Dimensions	Unit
72507	3M Tartan cross weave filament tape	19 mm x 50 m	48 rolls per carton
72578	3M Tartan cross weave filament tape	25 mm x 50 m	36 rolls per carton
72580	3M Tartan cross weave filament tape	50 mm x 50 m	18 rolls per carton
72581	3M Tartan cross weave filament tape	75 mm x 50 m	12 rolls per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

PE packing tape



Secure fastening tape

Product description

- High quality PE packing tape
- White in colour
- Acrylic adhesive

Applications

- Fastening film bags
- Securing cover films
- Repairing poly tunnel greenhouses

Available

- Rolls format

Advantages

- + Resistant to ageing, UV and weather
- + Ideally suited for film packaging
- + Highly versatile
- + Easy to unroll

Stock range



Item no.	Item description	Dimensions	Unit
79189	PE acrylic tape	50 mm x 33 m	36 rolls per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

3M adhesive transfer tape

For bonding surfaces



Product description

- General purpose clear acrylic adhesive transfer tape on polycoated paper liner

Applications

- Great for all hobby/craft needs. Ideal for paper, card, tissue, cloth fabric and glitter
- Miscellaneous joining and holding where high initial adhesion and long bonding is required

Available

- Supplied in 12 mm x 44 m rolls

Advantages

- + Easy to use double sided tape for paper and card

Alternative products

59 Glue gun and/or sticks

Additional products

10 Eskaboard

12 Libra display board

Stock range

Item no.	Item description	Colour	Dimensions	Unit
15501	Adhesive transfer tape ref 904	Clear	12 mm x 44 m	36 rolls per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Double sided adhesive tape



Joining, splicing, installing

Product description

- High quality, double sided adhesive tape

Applications

- For joining different materials
- For assembly purposes
- For splicing

Available

- Available in various roll widths

Advantages

- + Silicone paper backing easily removed
- + Excellent adhesion to different materials
- + Aggressive adhesive
- + Manually removable

Stock range



Item no.	Item description	Dimensions	Unit
78830	Double sided tissue tape	25 mm x 50 m	72 rolls per carton
78832	Double sided tissue tape	50 mm x 50 m	36 rolls per carton
78834	Double sided builders tape	50 mm x 33 m	24 rolls per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Aluminium adhesive tape



Additional products

- 91** Hand held dispenser for self adhesive tape

Sealing, covering, insulating

Product description

- High grade aluminium foil available in various thicknesses
- Coated with synthetic rubber or acrylic adhesive

Applications

- Applications include air conditioning, refrigeration and electronics

Available

- Supplied in widths and thicknesses according to customer specifications

Advantages

- + High thermal resistance
- + Resistant to heat, cold and moisture

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
78785	Aluminium foil tape	30 mic	38 mm x 45 m	36 rolls per carton
78786	Aluminium foil tape	30 mic	50 mm x 45 m	24 rolls per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Fabric tape



Masking and sealing

Product description

- Coated and non coated fabric base material
- Various types of adhesive coating available

Applications

- For protection and masking in the automotive industry
- Construction industry
- Electronics industry

Available

- Manufactured in all widths according to customer specifications

Advantages

- + Water-proof repair tape
- + Some tapes leave no residue on removal
- + Often referred to as gaffer tape

Stock range



Item no.	Item description	Dimensions	Unit
78787	White cloth tape	50 mm x 50 m	24 rolls per carton
78788	Silver cloth tape	50 mm x 50 m	24 rolls per carton
78789	White cloth tape	75 mm x 50 m	16 rolls per carton
78790	Silver cloth tape	75 mm x 50 m	16 rolls per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Protective films



Surface protection

Product description

- Self adhesive protective films made from PVC, PP and PE

Applications

- Surface protection

Available

- Various widths and colours available on request
- Also supplied in widths over 1000 mm

Advantages

- + Leaves no residue on removal, even on long term use

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
78791	Poly protection tape Bpt90	50 mic	900 mm x 100 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Polypouch tape

Protection for labels and documents



Product description

- Clear film made from PP

Applications

- Self adhesive film for holding documents in place
- Labels remain legible, ensures smooth logistics processes


Available

- Roll format

Advantages

- + Easy to use with table roll dispenser
- + Protects labels against moisture, dirt and damage
- + Recipient receives clean and tidy documents

Dispenser for
Polypouch tape



Alternative products

- 66** Document enclosed envelopes

Additional products

- 49** Masterline Polypropylene tape
- 40** Corrugated boxes

Stock range

Item no.	Item description	Dimensions	Unit
78794	Polypouch tape	150 mm x 66 m	12 rolls per carton
78801	Polypouch tape dispenser	150 mm	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Glue dots

Versatile and quick to use



Product description

- Clear PE sealing dots on rolls

Applications

- For sticking notes of all kinds, e.g. to crate pallets, plastic containers, wooden crates
- For sealing envelopes (sealing dots)

Available

- Supplied on rolls in a handy easy to use dispenser box
- Each roll contains 2000 dots

Advantages

- + Flexible, easy and clean to use
- + Ideal for all areas of industry

Stock range

Item no.	Item description	Dimensions	Unit
78810	Glue dots and dispenser	10 mm x 10 mm	Box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Glue gun

Simple and easy to use



Glue Gun - Light P-312

- Uses 12 mm glue sticks
- Operates from 100-230 V
- Light duty industrial tool, weighs only 230 g
- Dispenses 12 mm hot melt up to 750 g/Hr
- With "power-on" LED display

Glue Gun - Medium P-912

- Uses 12 mm glue sticks
- Operates at 230 V
- Industrial tool dispenses 12 mm hot melt up to 2 kgs/Hr
- Easy change thermostat values for low melt glues
- Ergonomic design with "soft feel" handle and adjustable trigger stroke
- Weighs only 500 g

Stock range

Item no.	Item description	Reference	Unit
78974	Light duty glue gun	P-312	Each
78975	Medium duty glue gun	P-912	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Glue sticks

Bonds surfaces together



Fast setting glue

- For cartons, paper, board etc.
- 300 mm x 12 mm x 5 kg
- 96-12-300-5

Medium setting glue

- For general use
- 300 mm x 12 mm x 5 kg
- 95-12-300-5

Stock range

Item no.	Item description	Colour	Dimensions	Unit
78976	Fast set glue sticks	Clear	12 mm	5 kg
78977	Medium set glue sticks	Clear	12 mm	5 kg

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Mail Lite®

Postal bags



Alternative products

- 64** Humber board backed envelopes
- 66** Postal wrap

Additional products

- 66** Document enclosed envelopes

Product description

- Economical, practical and lightweight postal bag



Applications

- Lightweight postal applications with seal strip on flap which saves time in busy packing and postal departments

Available

- Supplied in gold/white and oyster with a variety of sizes

Advantages

- + Cost effective mailing envelope made of strong white or gold kraft paper, with an inner layer of bubble wrap to give cushioned protection for light weight items
- + Protects products against shocks, moisture and dirt
- + The envelope has a self seal adhesive strip which saves time in postal departments

Stock range



Item no.	Item description	Colour	Size	Dimensions	Unit
21038	Mailite lite oyster postal bag	Oyster	A/000	110 mm x 160 mm	100 per box
21039	Mailite lite oyster postal bag	Oyster	B/00	120 mm x 210 mm	100 per box
21040	Mailite lite oyster postal bag	Oyster	C/0	150 mm x 210 mm	100 per box
21041	Mailite lite oyster postal bag	Oyster	D/1	180 mm x 260 mm	100 per box
21042	Mailite lite oyster postal bag	Oyster	E/2	220 mm x 260 mm	100 per box
21043	Mailite lite oyster postal bag	Oyster	F/3	220 mm x 330 mm	50 per box
21044	Mailite lite oyster postal bag	Oyster	G/4	240 mm x 330 mm	50 per box
21045	Mailite lite oyster postal bag	Oyster	H/5	270 mm x 360 mm	50 per box
21047	Mailite lite oyster postal bag	Oyster	K/7	350 mm x 470 mm	50 per box
21046	Mailite lite oyster postal bag	Oyster	J/6	300 mm x 440 mm	50 per box
35049	Mailite lite oyster postal bag	Oyster	LL	230 mm x 330 mm	50 per box
61528	Mail lite gold postal bags	Gold	A/000	110 mm x 160 mm	100 per box
61530	Mail lite gold postal bags	Gold	B/00	120 mm x 210 mm	100 per box
61531	Mail lite gold postal bags	Gold	C/0	150 mm x 210 mm	100 per box
61532	Mail lite gold postal bags	Gold	D/1	180 mm x 260 mm	100 per box
61533	Mail lite gold postal bags	Gold	E/2	220 mm x 260 mm	100 per box
61534	Mail lite gold postal bags	Gold	F/3	220 mm x 330 mm	50 per box
61535	Mail lite gold postal bags	Gold	G/4	240 mm x 330 mm	50 per box
61536	Mail lite gold postal bags	Gold	H/5	270 mm x 360 mm	50 per box
61529	Mail lite gold postal bags	Gold	K/7	350 mm x 470 mm	50 per box
61537	Mail lite gold postal bags	Gold	J/6	300 mm x 440 mm	50 per box
35051	Mail lite gold postal bags	Gold	LL	230 mm x 330 mm	50 per box
52440	Mail lite white postal bags	White	A/000	110 mm x 160 mm	100 per box
52441	Mail lite white postal bags	White	B/00	120 mm x 210 mm	100 per box
52450	Mail lite white postal bags	White	C/0	150 mm x 210 mm	100 per box
52443	Mail lite white postal bags	White	D/1	180 mm x 260 mm	100 per box
52444	Mail lite white postal bags	White	E/2	220 mm x 260 mm	100 per box
52445	Mail lite white postal bags	White	F/3	220 mm x 330 mm	50 per box
52446	Mail lite white postal bags	White	G/4	240 mm x 330 mm	50 per box
52447	Mail lite white postal bags	White	H/5	270 mm x 360 mm	50 per box
52449	Mail lite white postal bags	White	K/7	350 mm x 470 mm	50 per box
52448	Mail lite white postal bags	White	J/6	300 mm x 440 mm	50 per box
35050	Mail lite white postal bags	White	LL	230 mm x 330 mm	50 per box
66529	Selection cabinet	Gold	10 of EACH A000/B00/C0/D1 and 5 of E2/G4		10 of EACH A000/B00/C0/D1 and 5 of E2/G4

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Mail Tuff™



Alternative products

- 64** Humber board backed envelopes
- 66** Postal wrap

Additional products

- 66** Document enclosed envelopes

Postal bags

Product description

- Puncture and tear resistant three layer polythene mailing bag

Applications

- Waterproof and opaque postal bag with a seal self strip for tamper evident strip to prevent unauthorised opening

Available

- Supplied in white (cushioned) and grey (durable polythene) with a variety of sizes

Advantages

- + Ideal for mail order as its waterproof and opaque material gives good security when used within the postal system



Stock range



Item no.	Item description	Colour	Size	Dimensions	Unit
61577	Mail tuff - cushioned postal bag	White	C/0	150 mm x 210 mm	100 per box
61576	Mail tuff - cushioned postal bag	White	CD	80 mm x 160 mm	100 per box
61578	Mail tuff - cushioned postal bag	White	D/1	180 mm x 260 mm	100 per box
61579	Mail tuff - cushioned postal bag	White	G/4	240 mm x 330 mm	50 per box
61580	Mail tuff - cushioned postal bag	White	H/5	270 mm x 360 mm	50 per box
61581	Mail tuff - cushioned postal bag	White	K/7	350 mm x 470 mm	50 per box
32132	Mail tuff - durable polythene postal bag	Grey	MT1	165 mm x 240 mm	100 per box
32133	Mail tuff - durable polythene postal bag	Grey	MT2	230 mm x 320 mm	100 per box
32134	Mail tuff - durable polythene postal bag	Grey	MT3	250 mm x 350 mm	100 per box
32135	Mail tuff - durable polythene postal bag	Grey	MT4	295 mm x 415 mm	100 per box
32136	Mail tuff - durable polythene postal bag	Grey	MT5	406 mm x 400 mm	100 per box
32137	Mail tuff - durable polythene postal bag	Grey	MT6	450 mm x 525 mm	100 per box

Alphasac®

Mail order despatch sack



ALPHASAC®

Product description

- Heavy duty co-extruded durable polythene mail order postal sack
- Opaque with a tamper evident self seal strip

Applications

- Ideal for all despatch centres, warehouse, home or office.

Available

- Printed safety warning notice using environmentally friendly water based inks
- Can be supplied in various colours with bespoke printing

Advantages

- + Co-extruded for maximum strength and puncture resistance
- + Maximum opacity to ensure confidentiality
- + Degradable recyclable material

Stock range



Item no.	Item description	Colour	Size	Dimensions	Unit
47040	Alphasac mail order sack	Grey	T01	250 mm x 300 mm x 50 mic	1000 per box
47041	Alphasac mail order sack	Grey	T05	300 mm x 350 mm x 50 mic	1000 per box
47042	Alphasac mail order sack	Grey	T10	350 mm x 400 mm x 50 mic	500 per box
53287	Alphasac mail order sack	Grey	T15	400 mm x 525 mm x 55 mic	500 per box
53288	Alphasac mail order sack	Grey	T20	510 mm x 600 mm x 60 mic	200 per box
47043	Alphasac mail order sack	Grey	T25	600 mm x 700 mm x 60 mic	200 per box
53290	Alphasac mail order sack	Grey	T30	700 mm x 800 mm x 60 mic	150 per box
47044	Alphasac mail order sack	Grey	T90	830mm x 900 mm x 45 mic	150 per box

Other specifications on request. Please contact us for an up to date quotation.

Masterline

Postal bags



Alternative products

- 64** Humber board backed envelopes
- 66** Postal wrap

Additional products

- 66** Document enclosed envelopes

Product description

- Stable, pliable mailing envelope made of gold or white kraft paper
- Inner cushioning made of lightweight polyethylene bubble wrap

Applications

- For mailing promotional items, CDs, DVDs, books, watches and jewellery

Available

- Supplied with a self adhesive strip
- Standard range in 10 different sizes

Advantages

- + Protects products against shocks, moisture and dirt
- + Stable, pliable, tough, lightweight
- + Available with adhesive document pocket for COD on request
- + Can be printed in 1, 2, 3 or 4 colours

Stock range



Item no.	Item description	Colour	Size	Dimensions	Unit
14126	Masterline gold postal bags	Gold	A/000	110 mm x 165 mm	200 per box
14127	Masterline gold postal bags	Gold	B/00	120 mm x 215 mm	200 per box
14128	Masterline gold postal bags	Gold	C/0	150 mm x 215 mm	100 per box
14129	Masterline gold postal bags	Gold	D/1	180 mm x 265 mm	100 per box
14130	Masterline gold postal bags	Gold	E/2	220 mm x 265 mm	100 per box
14131	Masterline gold postal bags	Gold	F/3	220 mm x 335 mm	100 per box
14132	Masterline gold postal bags	Gold	G/4	240 mm x 335 mm	100 per box
14133	Masterline gold postal bags	Gold	H/5	270 mm x 360 mm	100 per box
14134	Masterline gold postal bags	Gold	J/6	300 mm x 445 mm	50 per box
14135	Masterline gold postal bags	Gold	K/7	350 mm x 470 mm	50 per box
14116	Masterline white postal bags	White	A/000	110 mm x 165 mm	200 per box
14117	Masterline white postal bags	White	B/00	120 mm x 215 mm	200 per box
14118	Masterline white postal bags	White	C/0	150 mm x 215 mm	100 per box
14119	Masterline white postal bags	White	D/1	180 mm x 265 mm	100 per box
14120	Masterline white postal bags	White	E/2	220 mm x 265 mm	100 per box
14121	Masterline white postal bags	White	F/3	220 mm x 335 mm	100 per box
14122	Masterline white postal bags	White	G/4	240 mm x 335 mm	100 per box
14123	Masterline white postal bags	White	H/5	270 mm x 360 mm	100 per box
14124	Masterline white postal bags	White	J/6	300 mm x 445 mm	50 per box
14125	Masterline white postal bags	White	K/7	350 mm x 470 mm	50 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Jiffy® bags



Alternative products

- 64** Humber board backed envelopes
- 66** Postal wrap

Additional products

- 66** Document enclosed envelopes



Paper postal bags

Product description

- Tough, recyclable 100% paper padded bag

Applications

- Heavy duty postal applications with seal strip on flap which saves time in busy packing and postal departments

Available

- Supplied in boxes, various sizes available

Advantages

- + Mailing envelope made of strong gold kraft paper, with padding made from recyclable material. Ideal for protection of heavy duty products during mailing
- + Protects products against shocks, moisture and dirt
- + The envelope has a self seal adhesive strip

Stock range



Item no.	Item description	Colour	Size	Dimensions	Unit
61441	Jiffy padded bag	Gold	PB00	105 mm x 229 mm	200 per box
61442	Jiffy padded bag	Gold	PB0	135 mm x 229 mm	200 per box
61443	Jiffy padded bag	Gold	PB1	65 mm x 280 mm	100 per box
61444	Jiffy padded bag	Gold	PB2	195 mm x 280 mm	100 per box
61445	Jiffy padded bag	Gold	PB3	195 mm x 343 mm	100 per box
61446	Jiffy padded bag	Gold	PB4	225 mm x 343 mm	100 per box
61447	Jiffy padded bag	Gold	PB5	245 mm x 381 mm	100 per box
61448	Jiffy padded bag	Gold	PB6	295 mm x 458 mm	50 per box
61449	Jiffy padded bag	Gold	PB7	341 mm x 483 mm	50 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Trent all board envelopes

Robust and cost-effective



Alternative products

- 62** Mail Lite
- 41** Corrugated boxes

Additional products

- 66** Document enclosed envelopes

Product description

- Cardboard envelope with a self-seal closure

Applications

- For mailing promotional items, brochures, catalogues, pictures, books, CDs/DVDs etc.

Advantages

- + Protects against dirt and dust
- + Prevents the contents from being bent
- + Can be used individually
- + Recyclable (recycled paper)

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
6044	Trent all board	550 mic	240 x 165 mm - C5	200 per box
6045	Trent all board	550 mic	352 x 249 mm - B4	100 per box
6046	Trent all board	550 mic	457 x 324 mm - C3	100 per box
6047	Trent all board	550 mic	625 x 444 mm - C2	50 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Humber board backed envelopes Robust and cost-effective



Alternative products

- 62** Mail Lite
- 41** Corrugated boxes

Additional products

- 66** Document enclosed envelopes

Product description

- Comprehensive range of manilla board backed envelopes with peel & seal closure

Applications

- For mailing brochures, catalogues, literature etc.

Advantages

- + Envelope printed please 'do not bend' in red to add good security and good presentation of documents
- + Recyclable

Stock range



Item no.	Item description	Colour	Grammage	Dimensions	Unit
2115	Humber board backed	Manilla	115 gsm	190 mm x 140 mm	125 per box
2116	Humber board backed	Manilla	115 gsm	241 mm x 178 mm	125 per box
2119	Humber board backed	Manilla	115 gsm	318 mm x 267 mm	125 per box
2121	Humber board backed	Manilla - C4	115 gsm	324 mm x 229 mm	125 per box
2137	Humber board backed	White - C4	115 gsm	324 mm x 229 mm	125 per box
2122	Humber board backed	Manilla	115 gsm	394 mm x 318 mm	100 per box
2124	Humber board backed	Manilla	115 gsm	444 mm x 368 mm	50 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Rectangular mailing tube

For sending rolled up goods



Alternative products

66 Postal wrap

Additional products

66 Document enclosed envelopes

Product description

- Foldable cardboard tube made of robust B flute corrugated cardboard with trapezoidal shaped cross-section
- Reusable with push-in lid

Applications

- For sending rolled up goods without having to pay bulk surcharge
- For example films, posters, proofs, sketches, calendars etc.

Available

- Supplied in various lengths and diameters
- Delivered folded flat to save space

Advantages

- + Easy to use
- + Approved postal packaging (no bulk surcharge)
- + Little storage space required compared to cylindrical mailing tubes

Stock range

Item no.	Item description	Material	Dimensions	Unit
79185	A3/A4 Rectangular postal tube	125KTB	330mm x 50mm x 50mm	4800 per pallet
79186	A2 Rectangular postal tube	125KTB	460mm x 50mm x 50mm	3200 per pallet
79187	A1 Rectangular postal tube	125KTB	630mm x 50mm x 50mm	3200 per pallet
79188	A0 Rectangular postal tube	125KTB	885mm x 50mm x 50mm	2400 per pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Postal tubes

For sending rolled up goods



Alternative products

66 Postal wrap

Additional products

66 Document enclosed envelopes

Product description

- Postal tubes provide excellent robust protection for items sent through the post
- Reusable with end caps

Applications

- For sending rolled up goods without having to pay bulk surcharge
- For example films, posters, proofs, sketches, calendars etc

Available

- Supplied in various lengths and diameters
- With or without end caps

Advantages

- + Easy to use
- + Approved postal packaging (no bulk surcharge)

Stock range

Item no.	Item description	Quality	Dimensions	Unit
66640	A0	1.5 mm	885 mm x 50 mm	25 per pack
88975	A1	1.5 mm	630 mm x 50 mm	25 per pack
88974	A2	1.5 mm	460 mm x 50 mm	25 per pack
66639	A3/A4	1.5 mm	330 mm x 50 mm	25 per pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Document enclosed envelopes For accompanying documents



Alternative products

58 Polypouch tape

Additional products

49 Masterline
Polypropylene tape
45 Plywood crate
41 Corrugated boxes

Product description

- Self adhesive pocket for use on packaging materials
- Easy to apply, usable immediately thanks to self adhesive backing

Applications

- For holding invoices, documents, delivery notes

Available

- Standard sizes DIN C7 to C4
- Plain or printed

Advantages

- + Accompanying documents are not overlooked
- + Fast and secure application
- + Usable immediately after application
- + Temperature-resistant, highly adhesive

Plain

Item no.	Item description	Dimensions	Unit
81634	A4 Plain	318 mm x 235 mm	500 per carton
81633	A5 Plain	225 mm x 165 mm	1000 per carton
81629	A6 Plain	158 mm x 110 mm	1000 per carton
81627	A7 Plain	113 mm x 100 mm	1000 per carton

Printed

Item no.	Item description	Dimensions	Unit
81632	A5 Printed	225 mm x 165 mm	1000 per carton
81628	A6 Printed	158 mm x 110 mm	1000 per carton
81626	A7 Printed	113 mm x 100 mm	1000 per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Postal wrap

Practical shipping packaging



Alternative products

62 Masterline postal bags
41 Corrugated boxes

Additional products

66 Document enclosed envelopes

Product description

- Shipping packaging made from corrugated cardboard
- Easy to use one piece packaging
- Self adhesive closure and perforated tear-strip

Applications

- Secure packaging for shipping products such as books, CDs, disks and files

Available

- Standard range in various sizes, with and without self adhesive closure
- Special solutions, including printing, available for larger orders

Advantages

- + No additional filling or cushioning material required
- + High level of protection for products during transportation
- + Good edge protection
- + Little storage space needed, as supplied folded flat

Stock range

Item no.	Item description	Material	Dimensions	Unit
79157	Postal wrap CWF50	125K/B/125T	200 mm x 140 mm x 15 mm	4800 per Pallet
79158	Postal wrap CWF52	125K/E/125T	217 mm x 154 mm x 50 mm	3840 per Pallet
79159	Postal wrap CWF54	125K/E/125T	245 mm x 165 mm x 70 mm	2880 per Pallet
79161	Postal wrap CWF60	125K/E/125T	310 mm x 250 mm x 70 mm	1920 per Pallet

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Cast hand stretch film

Ideal for securing loads



Alternative products

- 69** Pre stretch hand film
- 71** Pre stretch machine film

Additional products

- 72** Pallet top sheets

Product description

- Manual stretch films
- Highly transparent, good tear strength, good stretching properties
- Thin, but still highly puncture resistant
- Food-safe, environmentally friendly and recyclable

Applications

- Transparent film for securing pallets
- Protects against dirt, dust and moisture
- Can be used as a winding or banding film

Available

- Standard or extended cores
- Standard width: 40/50 cm
- Standard colours: transparent or other colours available on request

Advantages

- + Easy to use
- + Transparency for easy identification of products
- + Secure wrapping for pallets


Stock range



Item no.	Item description	Thickness	Dimensions	Unit
71903	Premier hand stretch film standard core cast	14 mic	400 mm x 300 m	6 Rolls
52665	Premier hand stretch film extended core cast	14 mic	400 mm x 300 m	6 Rolls
71905	Premier hand stretch film standard core cast	16 mic	400 mm x 300 m	6 Rolls
52668	Premier hand stretch film extended core cast	19 mic	400 mm x 300 m	6 Rolls
52669	Premier hand stretch film extended core cast	22 mic	400 mm x 300 m	6 Rolls
71912	Premier hand stretch film standard core cast	16 mic	500 mm x 300 m	5 Rolls
35710	Premier hand stretch film standard core cast	19 mic	500 mm x 300 m	6 Rolls
35705	Premier hand stretch film standard core cast	22 mic	500 mm x 300 m	6 Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Blown hand stretch film

Ideal for securing loads



Alternative products

- 69** Pre stretch hand film
- 71** Pre stretch machine film

Additional products

- 72** Pallet top sheets

Product description

- Economical option for pallet wrapping

Applications

- Hand Stretch Film which is applied by hand, which is used for secure wrapping of pallets
- Within the range there is an extended core version which makes the film easier to use
- High tack film
- The film can also be applied with a dispenser

Available

- Available in 400 mm to 500 mm widths, 11 micron to 34 micron, including Black and Blue film

Advantages

- ✦ Holds goods firm on pallets during storage and transit

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
44110	High performance hand stretch film	Light	400 mm x 300 m	6 Rolls
44111	High performance hand stretch film	Medium	400 mm x 300 m	6 Rolls
44114	High performance hand stretch film	Heavy	400 mm x 300 m	6 Rolls
16926	Mini hand stretch film blown	17 mic	100 mm x 150 m	45 Rolls
30053	XS hand stretch film standard core blown	16 mic	400 mm x 300 m	6 Rolls
38552	XS hand stretch film extended core blown	16 mic	400 mm x 300 m	6 Rolls
39303	XS hand stretch film standard core blown	19 mic	400 mm x 300 m	6 Rolls
38553	XS hand stretch film extended core blown	19 mic	400 mm x 300 m	6 Rolls
20148	XS hand stretch film standard core blown	34 mic	400 mm x 200 m	6 Rolls
20149	XS hand stretch film extended core blown	34 mic	400 mm x 200 m	6 Rolls
39305	XS hand stretch film standard core blown	19 mic	500 mm x 300 m	6 Rolls
20150	XS hand stretch film standard core blown	34 mic	500 mm x 150 m	6 Rolls
20151	XS hand stretch film extended core blown	34 mic	500 mm x 150 m	6 Rolls
61038	Blue XS hand stretch film standard core blown	17 mic	500 mm x 250 m	6 Rolls
52896	Black XS hand stretch film standard core blown	25 mic	500 mm x 250 m	6 Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Pre-stretched hand film

Less film, better grip



Alternative products

- 68** Cast hand stretch film
- 75** Strapping band

Additional products

- 87** Hand held roller for stretch film

Product description

- Hand pre-stretched film
- Film edges folded over for greater strength
- Completely non-cling outer surface
- Only requires minimum tension on winding
- Returns to original shape (memory) after unwinding
- Higher puncture resistance despite film being thin
- Good adhesive properties, highly transparent, good tear strength

Applications

- Transparent film for securing pallets
- Prevents load from sliding around (fastens load units in place)
- Protects against dirt and moisture
- Anti-theft protection
- Winding and banding film

Available

- Standard thicknesses: 7 micron
- Standard width: 40 cm
- With and without core on request

Advantages

- + Improved handling as roll is extremely lightweight and does not require stretching
- + Faster working speed with less physical effort
- + More secure loads due to improved hold
- + Saves on materials and costs as up to 50% less packaging material required
- + Reduced risk of accidents as film is wrapped forwards

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
13753	Pre stretched hand film extended core blown	7 mic	400 mm x 600 m	6 Rolls
44115	Pre stretched hand film standard core blown	7 mic	400 mm x 250 m	8 Rolls


Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Not every film is the same

As shown in the figure, compared to standard stretch films, oriented stretch films offer much higher retention forces. At the same time, a minimum stretch is sufficient in order to obtain the optimal retention forces.

In the case of machine-stretching, this reduces the wear on your stretching technology, and, in the case of hand stretching, facilitates the work of your employees.



Machine stretch film

The right film for any application



Alternative products

- 71** Pre stretch machine film
- 75** Strapping band

Additional products

- 80** Cardboard edge protectors
- 82** Masterline stretch wrapper 710 S or P
- 72** Pallet top sheets

Product description

- Cast machine stretch films made from LLDPE (linear low density polyethylene)
- Highly transparent, good tear strength, good stretching properties
- Thin, but still highly puncture-resistant
- Food-safe
- Environmentally friendly, recyclable

Applications

- For use with all semi and fully automated stretch machines
- Transparent film for securing pallets
- Protects against dirt, dust and moisture
- Anti theft protection

Available

- Standard films, power and superpower films with extra-high tear strength and stretchability
- Standard colours: transparent, other colours available on request
- Special form: anti-corrosion finish (VCI stretch film)
- Also UV stabilised, anti-static, printed, with perforations or with very slippery surface on one side

Advantages

- + The most cost effective method of securing pallets
- + Secure wrapping for pallets

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
19538	Power machine stretch film cast	17 mic 200%	500 mm x 2100 m	40 Rolls
61039	Power machine stretch film cast	17 mic 250%	500 mm x 2100 m	40 Rolls
19539	Power machine stretch film cast	20 mic 200%	500 mm x 1800 m	40 Rolls
61040	Power machine stretch film cast	20 mic 250%	500 mm x 1800 m	40 Rolls
19540	Power machine stretch film cast	23 mic 200%	500 mm x 1550 m	40 Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Pre-stretched machine film

The modern way to secure pallet load units



Additional products

- 80** Cardboard edge protectors
- 82** Masterline stretch wrapper 710 S or P
- 72** Pallet top sheets

Product description

- Maximum holding strength without the need to pre-stretch
- Higher puncture resistance despite film being thin
- Good holding properties, highly transparent, good tear strength
- Film edges folded over for greater strength

Applications

- For use with all semi and fully-automated stretch machines without pre-stretching system
- For securing pallets
- Covering, anti-theft protection
- Attractive sales packaging

Available

- Standard width: 430 mm
- Special form: narrow rolls from 50 mm upwards

Advantages

- + Very slippery outer surface
- + Up to 60% less packaging material required
- + Excellent load holding
- + Up to 2800 m per roll, so fewer roll changes needed
- + Pallets do not need to be bonded together, which makes loading and unloading from trucks easier.

Stock range




Item no.	Item description	Thickness	Dimensions	Unit
47712	Pre stretched machine film	7 mic	430 mm x 2800 m	40 Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Stratos™

Tomorrows stretch wrapping technology today



Stratos
Stretch Film
Next Generation Stretch Film

Product description

- The ultimate in performance and yield, Stratos film features the lowest per-pallet packaging cost in the industry for uniform A and B loads.
- Ultra-low-gauge machine film for automated wrapping systems

Applications

- For use with all semi and fully automated stretch machines
- Protects against dirt, dust and moisture

Available

- Supplied in standard width of 495 mm

Advantages

- + Average cost savings of 20%
- + Film saving of up to 50%
- + Excellent film clarity
- + Low unwind noise
- + Strong puncture resistance.

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
42375	Stratos power machine stretch film	11 mic	495 mm x 2790 m	60 Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Pallet top sheets



Additional products

- 46** Compressed wood/Inca pallets
- 67** Cast hand stretch film

Protects upper surface of pallets from moisture, dirt and scratches

Product description

- Transparent, tear-resistant LDPE covering sheets made of polyethylene
- Perforated on a roll

Applications

- Stretched across the upper surface of the pallet (top sheet)
- Protects the top of the pallet
- With perforation for manual fitting

Available

- Supplied on rolls
- Sizes correspond to pallet dimensions

Advantages

- + Easy to use due to perforation
- + Protection against moisture, dirt and dust

Stock range

Item no.	Item description	Colour	Thickness	Dimensions	Unit
16641	Polythene top Sheets perf on roll	Clear - centre fold Sheets	40 mic	900/1800 x 1600 mm	200 per rolls
16649	Polythene top Sheets perf on roll - builders film	Clear - centre fold Sheets	50 mic	1000/4000 x 50 m	Rolls
27779	Polythene top Sheets perf on roll	Clear	30 mic	1400 mm x 1400 mm	500 per rolls
20159	Polythene top Sheets perf on roll - builders film	Clear - centre fold Sheets	100 mic	1000/2000 x 100 m	Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Stretch bands



Dispenser

For secure stacking and palletising

Product description

- Highly elastic, transparent, ready made stretch bands made from polyethylene

Applications

- Securing packaged goods
- Securing upper layers
- Fixing edge protectors, boxes, trays and containers to secure goods during internal transport

Available

- Standard colours: red or clear
- Other colours available on request

Advantages

- + Easy to use
- + Prevent goods from slipping during stacking or palletising
- + Can be disposed of together with stretch and shrink films
- + Made from recyclable LDPE

Stock range

Item no.	Item description	Dimensions	Unit
78837	Pallet stabilising band	1000 mm x 1200 mm	100 per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Shrink hoods

Secure solution offering all-round protection



Alternative products

- 67** Cast hand stretch film
- 70** Machine stretch film

Additional products

- 46** Plastic pallets
- 46** Compressed wood/Inca pallets

Product description

- PE shrink hoods with gussets for securing loads
- Ideally suited for heavy and irregularly-shaped products

Applications

- For securing loads on pallets
- All-round protection from moisture and dirt

Available

- Perforated roll

Advantages

- + Loads can be secured and protected in one simple step with a shrink film gun
- + Can also be used as normal protective hoods

Stock range

Item no.	Item description	Thickness	Dimensions	Unit
78819	Shrink hood small	125 mic	1300 mm / 2150 mm x 1200 mm	30 per roll
78824	Shrink hood medium	125 mic	1300 mm / 2350 mm x 1950 mm	30 per roll
78825	Shrink hood large	125 mic	1300 mm / 2550 mm x 2050 mm	25 per roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Polyolefin centrefold shrinkfilm High gloss display packaging



Alternative products

- 67** Cast hand stretch film
- 70** Machine stretch film
- 74** PVC shrink film

Additional products

- 86** Masterline 650R Shrink packaging machine

Product description

- Thin shrink film for excellent packaging results

Applications

- Protection against dirt and moisture
- Ideal for binding products
- Ideal for shrinkwrapping products

Available

- Centre fold film, gusseted tubing on request
- Films for automated application, shaped into shrink bags or gusseted hoods
- Perforated or unperforated
- Transparent/coloured on request
- Special forms: anti-static/UV-stabilised finish

Advantages

- + Smart appearance
- + High level of shrinking
- + Strong sealing seams
- + High strength

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
72503	Polyolefin centrefold shrinkfilm	13 mic	250 mm / 500 mm x 1550 m	Rolls
72504	Polyolefin centrefold shrinkfilm	15 mic	250 mm / 500 mm x 1335 m	Rolls
72505	Polyolefin centrefold shrinkfilm	19 mic	350 mm / 700 mm x 1070 m	Rolls
72506	Polyolefin centrefold shrinkfilm	19 mic	450 mm / 900 mm x 1070 m	Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

PVC shrink film

Enhances presentation of products



Alternative products

- 67 Cast hand stretch film
- 70 Machine stretch film

Additional products

- 86 Masterline 650R Shrink packaging machine

Product description

- A plastic film which will shrink after being heated by either a shrink heat system or gas shrink gun system.

Applications

- Film used to display a wide range of products from videos to stationery.

Available

- Supplied in centre folded versions 400 mm to 1000 mm width, 19 mic and 25 mic

Advantages

- Cost-effective film suitable for regular shaped products

Stock range

Item no.	Item description	Colour	Thickness	Dimensions	Unit
53137	PVC shrink film	Clear	19 mic	400 mm / 800 mm x 600 m	Rolls
53139	PVC shrink film	Clear	25 mic	500 mm / 1000 mm x 425 m	Rolls
53428	PVC shrink film	Clear	25 mic	450 mm / 900 mm x 425 m	Rolls

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



We will help you avoid the cost traps!

Packaging materials are classified in the business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Ask us about it!

100 %

20 %

Packaging material costs
Manufacturing costs

80 %

Upstream and
downstream process costs

- e.g.
- order processing
 - warehousing
 - quality control
 - administration, etc.

Strapping band

Secures even heavy goods



Alternative products

- 67** Cast hand stretch film
- 70** Machine stretch film

Additional products

- 78** Masterline 480 Hand strapping device

Product description

- Strapping made of PET or PP
- For use with a wide range of strapping systems
- Universal application, high tear-resistance, heatproof and UV-resistant (PET only)

Applications

- For securing pallets
- Anti theft protection
- Strapping heavy goods
- Securing goods with delicate surfaces
- Also suitable for outdoor storage purposes, e.g. storage of wood, stone, crates (PET only)

Advantages

- + Better mechanical properties than steel bands (PET only)
- + Broad range of bands available, suitable for all devices
- + Good shock absorption (PET only)
- + Can be printed to customer specifications

Stock range



Item no.	Item description	Thickness	Dimensions	Breaking Strain	Unit
38959	PP hand strap black - light duty	0.55 mm	12 mm x 2000 m	135 kgs	1 coil per box
16473	PP hand strap black - medium duty	0.7 mm	12 mm x 1500 m	190 kgs	1 coil per box
38960	PP hand strap black - heavy duty	0.8 mm	12 mm x 1000 m	260 kgs	1 coil per box
63893	PP strap black strap in-a-dispenser box	0.50 mm	12 mm x 1000 m	104 kgs	Each
67317	PP fully auto machine strap white	0.47 mm	5 mm x 7000 m	69 kgs	2 coils per box
67313	PP fully auto machine strap white	0.55 mm	8 mm x 4000 m	86 kgs	2 coils per box
67314	PP fully auto machine strap black	0.55 mm	8 mm x 4000 m	86 kgs	2 coils per box
67318	PP fully auto machine strap white	0.55 mm	9 mm x 4000 m	95 kgs	2 coils per box
67315	PP semi auto machine strap white	0.55 mm	12 mm x 3000 m	110 kgs	2 coils per box
67316	PP fully auto machine strap black	0.55 mm	12 mm x 3000 m	133 kgs	2 coils per box
63882	PP fully auto machine strap black	0.63 mm	8 mm x 3000 m	103 kgs	2 coils per box
63883	PP fully auto machine strap black	0.63 mm	12 mm x 2700 m	146 kgs	2 coils per box
63884	PP fully auto machine strap black	0.63 mm	12 mm x 3000 m	146 kgs	2 coils per box
63885	PP fully auto machine strap black	0.63 mm	12.7 mm x 3000 m	175 kgs	2 coils per box
63886	PP fully auto machine strap black	0.73 mm	12.7 mm x 2000m	236 kgs	2 coils per box
63887	PP fully auto machine strap black	0.90 mm	12.7 mm x 1500 m	297 kgs	2 coils per box
63888	PET strap green 13-3M100GP	0.60 mm	12.5 mm x 2500 m	290 kgs	1 coil per box
63889	PET strap green 13-4M100GP	0.70 mm	12.5 mm x 2500 m	354 kgs	1 coil per box
63890	PET strap green 16-4M100GP	0.60 mm	15.5 mm x 2000 m	401 kgs	1 coil per box
63891	PET strap green 16-5M100GP	0.70 mm	15.5 mm x 1750 m	439 kgs	1 coil per box
63892	PET strap green 16-5M900GP	0.90 mm	15.5 mm x 1500 m	534 kgs	1 coil per box

Item no.	Item description	Size	Unit
27531	Semi open standard strapping seal	12 mm	2000 per box
27532	Semi open heavy duty strapping seal	12 mm	2000 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Textile strapping and buckles

Secures even heavy goods



Alternative products

- 67** Cast hand stretch film
- 70** Machine stretch film

Additional products

- 79** Strapping machines
- 78** Masterline hand strapping device
- 80** Cardboard edge protectors
- 30** Foam profiles

Product description

- Textile strapping bands made from polyester fibres
- Hot melt, woven or hot melt/woven quality coated with co-extruded plastic

Applications

- Load security for various applications
- Can be used with medium to heavy loads

Advantages

- + Withstands harsh weather conditions
- + Good elasticity and shock absorption
- + No risk of injury during use
- + No corrosion or corrosion deposits on the load
- + Specially suitable for sensitive surfaces
- + Can be re-tensioned via the clamping system

Stock range

Item no.	Item description	Tensile strength	Dimensions	Unit
44051	Woven cord polyester strapping	375 kg breaking strain	13 mm x 1100 m	2 coils per box
44052	Woven cord polyester strapping	450 kg breaking strain	16 mm x 850 m	2 coils per box
44053	Woven cord polyester strapping	1100 kg breaking strain	19 mm x 500 m	2 coils per box
44055	Griptite sheradised buckle	3.3 mm	13 mm	1000 per box
44056	Griptite sheradised buckle	3.5 mm	16 mm	1000 per box
44057	Griptite sheradised buckle	3.8 mm	19 mm	1000 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Machinery and Equipment

Tensioner and sealers

Hpt50 Heavy duty tensioner

Heavy duty tensioner for polyprop/polyester strapping up to 19 mm.



Item no.	Dimensions	Unit
78965	12 mm	Each

13-19 mm Steel strap tensioner

Standard tensioner for steel strapping up to 19 mm. Designed for flat pack applications.



Item no.	Dimensions	Unit
78966	13-19 mm	Each

Heavy duty steel strap tensioner

Heavy duty tensioner for steel strapping up to 19 mm. Designed for flat pack applications.



Item no.	Dimensions	Unit
78967	19 mm	Each

Sealer for steel strap

Standard steel strapping sealer. Available in 13 mm, 16 mm and 19 mm.



Item no.	Dimensions	Unit
78968	12 mm	Each

Heavy duty steel strap sealer

Heavy duty steel strapping double notch sealer. Ideal for heavy duty applications. Available in 13 mm, 16 mm and 19 mm.



Item no.	Dimensions	Unit
78969	19 mm	Each

Economy sealer for 12 mm polyprop strap

Standard sealer for polyprop strapping. Available in 12 mm and 16 mm.



Item no.	Dimensions	Unit
70559	12 mm	Each

Economy tensioner for 12 mm polyprop strap

Standard tensioner for polyprop strapping upto 16 mm.



Item no.	Dimensions	Unit
70558	12 mm	Each

Pallet probe

Suitable for polyprop/polyester/steel strapping upto 19 mm wide.



Item no.	Dimensions	Unit
67320	19 mm x 1400 m	Each

Mobile dispenser for PET strap PTD406

Mobile dispenser for polyester / polyprop strapping.



Item no.	Dimensions	Unit
67319	Up to 19 mm	Each

Mobile dispenser for polyprop strap

Mobile dispenser plus tray for polyprop strapping on plastic reel.



Item no.	Dimensions	Unit
63939	Up to 16 mm	Each

MASTERLINE® 480 Hand strapping device



Advantages

- + Simple fitting of the strapping
- + Adjustable strap tensioning
- + A single hand movement suffices - tension, weld, seal
- + Ergonomic shape makes handling easy
- + Press button adjustment of welding time
- + Permanent battery level display

Application areas

- Wood and sawn products
- Building materials, bricks, concrete blocks and composite stones
- Metal products, steel/aluminium profiles, laminations, etc.
- Pallets and tie-downs

	Masterline 480
Weight	3,8 kg
Electrical connection	Battery
Tension force	2300 N / 230 kg
Strap type	PP and PET
Strap width	10-16 mm
Strap thickness	PP 0.5-1.0 mm, PET 0.5-1.0 mm
Charge time	approx. 20 min.
Strapping per battery charge	up to 240 strappings /battery

Stock range

Item no.	Item description				Unit
78656	Manual strapping machine ref 480				Each
Item no.	Item description	Thickness	Dimensions	Breaking Strain	Unit
38959	PP hand strap black - light duty	0.55 mm	12 mm x 2000 m	135 kgs	1 coil per box
16473	PP hand strap black - medium duty	0.7 mm	12 mm x 1500 m	190 kgs	1 coil per box
38960	PP hand strap black - heavy duty	0.8 mm	12 mm x 1000 m	260 kgs	1 coil per box
63893	PP strap black strap in-a-dispenser box	0.50 mm	12 mm x 1000 m	104 kgs	Each
67317	PP fully auto machine strap white	0.47 mm	5 mm x 7000 m	69 kgs	2 coils per box
67313	PP fully auto machine strap white	0.55 mm	8 mm x 4000 m	86 kgs	2 coils per box
67314	PP fully auto machine strap black	0.55 mm	8 mm x 4000 m	86 kgs	2 coils per box
67318	PP fully auto machine strap white	0.55 mm	9 mm x 4000 m	95 kgs	2 coils per box
67315	PP semi auto machine strap white	0.55 mm	12 mm x 3000 m	110 kgs	2 coils per box
67316	PP fully auto machine strap black	0.55 mm	12 mm x 3000 m	133 kgs	2 coils per box
63882	PP fully auto machine strap black	0.63 mm	8 mm x 3000 m	103 kgs	2 coils per box
63883	PP fully auto machine strap black	0.63 mm	12 mm x 2700 m	146 kgs	2 coils per box
63884	PP fully auto machine strap black	0.63 mm	12 mm x 3000 m	146 kgs	2 coils per box
63885	PP fully auto machine strap black	0.63 mm	12.7 mm x 3000 m	175 kgs	2 coils per box
63886	PP fully auto machine strap black	0.73 mm	12.7 mm x 2000m	236 kgs	2 coils per box
63887	PP fully auto machine strap black	0.90 mm	12.7 mm x 1500 m	297 kgs	2 coils per box
63888	PET strap green 13-3M100GP	0.60 mm	12.5 mm x 2500 m	290 kgs	1 coil per box
63889	PET strap green 13-4M100GP	0.70 mm	12.5 mm x 2500 m	354 kgs	1 coil per box
63890	PET strap green 16-4M100GP	0.60 mm	15.5 mm x 2000 m	401 kgs	1 coil per box
63891	PET strap green 16-5M100GP	0.70 mm	15.5 mm x 1750 m	439 kgs	1 coil per box
63892	PET strap green 16-5M900GP	0.90 mm	15.5 mm x 1500 m	534 kgs	1 coil per box
Item no.	Item description	Size		Unit	
27531	Semi open standard strapping seal	12 mm		2000 per box	
27532	Semi open heavy duty strapping seal	12 mm		2000 per box	

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

MASTERLINE® 410T Table strapping machine



Advantages

- + Simple reel swap
- + Continuously adjustable strap tensioning
- + Mobile, i.e. flexible applications
- + Very quiet sealing head
- + Simple installation and operation
- + Large strap reel in table area

Application areas

- Sealing of shipping packages
- Strapping of cardboard boxes
- Bailing

	Masterline 410T
Electrical connection	120 V, 220 V, 230V, single phase AC current, 50/60 Hz
Weight	76 kg
Machine dimensions	W: 850 mm, D: 560 mm, H: 780-950 mm
Noise emissions	65 dB
Strap type	PP
Strap dimensions	5 mic 13 mm
Strap tensioning	8 - 45 kg / 80 - 450 N

Stock range

Item no.	Item description	Unit
78654	Semi-auto tabletop Strapping machine 410T	Each

MASTERLINE® 410A Auto strapping machine



Advantages

- + Fully automatic strap adjustment
- + Simple reel swap and simple threading system
- + Adjustable strap tensioning
- + Mobile, i.e. flexible applications
- + Simple installation and operation
- + High performance, high efficiency

Application areas

- Sealing of shipping packages
- Strapping of cardboard boxes
- Bailing

	Masterline 410A
Electrical connection	230 V
Weight	130 kg
Output	0,5 Kw
Frame size	600 x 500 mm
Strap type	PP
Strap width	5 and 8 mm
Strap reel take-up	Core diameter 200 mm, Core length: 190 mm
Speed	up to 35 strappings per minute

Stock range

Item no.	Item description	Unit
78655	Auto strapping machine 410A	Each

Cardboard edge protectors



Alternative products

108 Corrugated plastic sheets

Additional products

67 Cast hand stretch film
77 Strapping band

Protection and stability for palletised goods

Product description

- Profiles made from cardboard (recycled paper)
- Stackable when nested
- Easy to fit

Applications

- Protect products during storage and shipment
- Prevent straps from cutting into packaged goods
- Prevent lightweight goods from being deformed when secured with stretch film and straps
- Stop loads from slipping when fixed with bands or stretch film
- Stabilise pallets

Available

- Various lengths, widths and thicknesses available
- Can also be supplied cut to length
- Flexible edge protection profiles also available

Advantages

- + Safety and protection for box edges
- + Easy to use
- + Requires little storage space

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
20147	Cardboard edge protectors	3 mm	60 mm x 60 mm x 1100 mm	Bundle of 40
20145	Cardboard edge protectors	3 mm	35 mm x 35 mm x 1000 mm	Bundle of 40
20146	Cardboard edge protectors	3 mm	35 mm x 35 mm x 1500 mm	Bundle of 40

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Plastic edge protectors



Alternative products

80 Cardboard edge protectors

Additional products

75 Strapping bands
76 Textile strapping and buckles

Protects corners and strapping bands

Product description

- Robust plastic corner protector
- For strapping bands up to 30 mm in width

Applications

- Underlayer for strapping bands
- Protects the corners of the transported goods

Advantages

- + Protects corners against damage through denting
- + Better secured thanks to the deflection of the forces in the strapping band
- + Cheap and stable

Stock range



Item no.	Item description	Width	Dimensions	Unit
78773	Small black edge piece	19 mm	28 mm x 25 mm	2000 per box
78774	Large black edge piece	30 mm	37 mm x 32 mm	2000 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Staplers

Secure fastening for cardboard boxes



78970:
Carton top stapler

Alternative products

- 49** Masterline
Polypropylene tape
- 75** Strapping band

Additional products

- 66** Document enclosed
envelopes
- 41** Corrugated boxes

Product description

- Manual staplers for fastening cardboard boxes
- Some pneumatic models available

Applications

- Fastening folding boxes and cartons
- Fixing cover sheets and interleaving in place
- Joining materials (single and double corrugated card)

Available

- Staples available for manual staplers

Advantages

- + Fastening folding boxes securely and quickly
- + Cost-effective
- + Tough and reliable fastening, high dimensional stability
- + Prevents goods being lost during transport

Staplers



78971
Rapid stapler ref 31




78972
Rapid stapler ref 33 gun tacker

Item no.	Item description	Unit
78970	Carton top stapler	Each
78971	Rapid stapler ref 31	Each
78972	Rapid stapler ref 33 gun tacker	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



MASTERLINE® 710S Stretch wrapper



Advantages

- + Height detection by means of photocell
- + Adjustable turntable and film carriage speed
- + Adjustable top and bottom wraps
- + 3 different wrapping programs: Simple, cross and rainproof wrapping
- + Mechanical film carriage
- + Mechanical brake
- + Optional ramp available
- + (Masterline 710R for pallet trucks, Masterline 710P for low-floor vehicles)

Application areas

- Pallets and tie downs
- Protection against damp and dirt, theft proof

	Masterline 710S
Electrical connection	230 V Ph~N / 50 hz / 1.39 kW
Weight	750 kg
Dimensions L x W x H	2400 mm x 1650 mm x 2500 mm
Pallet max.	1200 mm x 1000 mm
Working load max.	2000 kg
Diameter turntable	1650 mm
Height of turntable	80 mm

Item no.	Item description	Unit
78650	Semi-automatic stretch wrapping machine 710S	Each

Item no.	Item description	Unit	Unit
44058	Pallet Truck Ramp For 710S + 710P Stretchwrapper	1060 mm x 1500 mm x 75 mm	Each
44059	Vehicle Ramp For 710S + 710P Stretchwrapper	1060 mm x 2000 mm x 75 mm	Each
44060	Steel pit frame	1780 mm x 2670 mm	Each

MASTERLINE® 710P Stretch wrapper



Advantages

- + Height detection by means of photocell
- + Adjustable turntable and film carriage speed
- + Adjustable top and bottom wraps
- + 3 different wrapping programs: Simple, cross and rainproof wrapping
- + Mechanical foil carriage
- + Pre stretch up to 250%
- + Optional ramp available
- + (Masterline 710R for pallet trucks, Masterline 710P for low-floor vehicles)

Application areas

- Pallets and tie-downs
- Protection against damp and dirt, thief proof

	Masterline 710P
Electrical connection	230 V Ph~N / 50 hz / 1.39 kW
Weight	750 kg
Dimensions L x W x H	2400 mm x 1650 mm x 2500 mm
Pallet max.	1200 mm x 1000 mm
Working load max.	2000 kg
Diameter turntable	1650 mm
Height of turntable	80 mm

Item no.	Item description	Unit
78651	Semi-automatic stretch wrapping machine 710P	Each

Mobile Stretch Wrapper Robot

Also for oversize pallets



Additional products

- 70** Machine stretch film
- 72** Pallet top sheets
- 80** Cardboard edge protection

Product description

- No pallet weight restriction
- 4 programmes can be saved
- Film carrier speed can be independently adjusted up and down
- Pre-determined reel height

Applications

- Max. pallet height 3000 mm
- Pre-stretch system: up to 300%

Advantages

- + Charger included
- + Location independent and space-saving
- + Wrapping of oversize pallets possible
- + Options
- + Various jockey wheels
- + Film separation device
- + Mesh film processing
- + Maintenance free gel battery
- + Service & maintenance
- + Ask us about our maintenance service

Stock range


Item no.	Item description	Dimensions	Unit
72588	Mobile Stretch Wrapper Robot S5	2850 x 760 mm x 1120 mm	2

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Mobile Arm Stretch Wrapper Boom

Flexible application



Additional products

- 46** Plastic pallets
- 70** Machine stretch film
- 72** Pallet top sheets
- 80** Cardboard edge protection

Product description

- Semi-automatic rotating arm to wrap pallets with stretch film. Easy and reliable with battery supply, ideal for small productions.
- Two possible processing cycles (C1 – only upwards/only downwards, C2 = upwards and downwards) manual function and machine-reset self-diagnosis
- Carriages with pre-stretch cylinders with fixed percentage, variable by replacing the cogs above the cylinders. Standard pre-stretch 150-250%

Applications

- Pallet wrapping height: 1600 mm
- Radius of action: 1100 mm
- Max. pallet size: 1200 x 1200 mm
- Two sealed batteries for cyclical operation 12 V
- High-frequency battery charging device 230 V 1 Ph 50/60 Hz.
- Inner diameter: 38/50/76 mm
- Max. reel weight: 6 kg, Thicknesses of between 7 and 17 my

Advantages

- + Flexible application possibilities
- + Space-saving
- + Speed of the upward and downward movement of the carriage adjustable
- + Rotating speed adjustable
- + Upward and downward wrapping adjustable
- + Percentage of the film overlap adjustable
- + Battery-saving self-switch-off mechanism

PowerWraptor

No strain on the pallet



The alternative

82 Masterline 710P stretch wrapper

Additional products

70 Machine stretched film
72 Pallet top sheets
80 Edge protection

Product description

- Rotating speed setting
- Film overlap setting (climbing speed of the film carriage)
- Number of lower wraps adjustable
- Number of upper wraps adjustable
- Setting of the film overlap at the end of the pallet
- Use of known brand components

Applications

- Max. pallet height 2200 mm
- Max. pallet size 1450 x 1400 mm
- No pallet weight restriction
- Pre-stretch systems: up to 350 %
- Power connection: 400 V / 50 Hz
- Performance: 40 pallets/hour
- 8 programmes can be set

Advantages

- + Easy to use via touchscreen
- + Fast pallet change
- + No centrifugal pressure on the packaged goods
- + Ideal for unstable loads
- + No weight restriction

*Modern rotating arm wrapping machine with prize-winning Veloci design finish
Can be integrated into dispatch lines.*



Item no.	Item description	Unit
44021	Semi-auto rotating arm pallet stretch wrapping machine	Each

Pallet shrinking machine

The protective film layer



Product description

- Max. pallet height: 2200 mm
- Max. pallet size: 1200 x 1000 mm
- Up to 25 pallets/hour
- No escaping flames
- Natural gas, propane gas
- DVGW standard (German gas and water industry certification body)
- Electronic version also available

Applications

- rotating speed adjustable
- burner climbing speed adjustable
- under and upper shrink adjustable
- Siemens S7 control system

Advantages

- + Stable packaging
- + Waterproof packaging possible
- + Regular shrinking
- + Fully-automated version also available
- + Flame remains in the combustion tube
- + Safety
- + Permanent gas pressure control, ignition, flame, turntable control
- + Hose rupture protection
- + Burner can be switched off via automatic magnetic valve

Additional products

46 Wood pallets
73 Shrink hoods

AOP 151 turntable wrapper

Technical specifications

- Max. pallet height: 2500 mm
- Max. pallet size: 1200 x 1000 mm
- Max. pallet weight: 2000 kg
- 45 pallets/hour
- Siemens PLC

Advantages

- Easy integration
- Compact solution
- Fast installation



Integra rotating arm wrapper

Technical specifications

- Max. pallet height: 2400 mm
- Max. pallet size: 1200 x 1000 mm
- Max pallet weight 1500 kg
- 100 pallets/hour
- Siemens PLC

Advantages

- + No centrifugal pressure on the goods
- + High performance in continuous operation
- + Compact construction



Sigma ring wrapper

Technical specifications

- Max. pallet height: 2400 mm
- Max. pallet size: 1200 x 1000 mm
- Max. pallet weight: 1500 kg
- 140 pallets/hour
- Siemens PLC

Advantages

- No centrifugal pressure on the goods
- High performance in continuous operation
- Compact construction
- Cover sheet applied during wrapping



MASTERLINE® 650R Shrink packaging machine



Advantages

- + Particularly suitable for ecologically favourable polyolefine film
- + Mobile, i.e. flexible applications
- + 10 adjustable programs available
- + Security check of bonding arms
- + Electronic display
- + High speed

Application areas

- Protective film covering for products
- Bonding and shrinking in one process step
- Application in the newspaper and printing industries as well as the food industry / finished goods

	Masterline 650R
Electrical connection	220 V, 230 V 1ph, 3.15 kW
Weight	75 kg
Dimensions (closed)	1230 x 770 x 1165 mm
Dimensions (open)	1230 x 770 x 1280 mm
Working height	920 mm
Bonding arms	540 mm x 390 mm
Max. output	0-300 items per hour

Item no.	Item description	Unit
78652	Shrinkfilm heating + Sealing machine 650R	Each

MASTERLINE® 610P Mailing machine



Advantages

- + Film wrap replaces paper covering, which reduces cost due to lower material usage
- + Film protects against damp and moisture
- + Transparent film means enhanced advertising impact
- + Very efficient for high number of items (up to 1200 items per hour)
- + Simple operation and installation (plug and play)

Application areas

- Shrink-wrapping of newspapers, magazines and printed matter of all types
- Shrink-wrapping of operators manuals for machines, for example brochure
- Especially suitable for letter shops, printers, copy shops

	Masterline 610P
Electrical connection	220 - 240 V
Weight	130/144 kg
Product length	100 - 360 mm
Product width	160 - 250 mm
Maximum product height	20 mm
Machine dimensions	610 x 830 x 1055 mm
Foil thickness	25 - 30 mic
Foil width	450 mm - 550 mm

Item no.	Item description	Unit
78653	Mailing machine 610P	Each

Stretch and shrink film dispensers



Additional products

- 67 Cast hand stretch film
- 70 Machine stretch film



Securing loads ergonomically

Product description

- Hand held dispenser for use with stretch film
- Essential tool when manually packaging goods and products for shipment with stretch film
- Easily adjustable resistance brake keeps film under tension (not necessary for orientated films)

Applications

- For stretch-wrapping pallets manually

Advantages

- + Allows stretch films to be used quickly, easily and safely
- + No "hot hands"

Stock range

Item no.	Item description		Unit
72599	Hand stretch film end rollers	For 38 mm cores	2
72600	Hand stretch film end rollers	For 50 mm cores	2
16470	Hand stretch film dispenser	38, 50 and 70 mm	Each
78989	Shrink film dispenser + cutter	1500 mm	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Shrink film gun



For processing shrink film

Product description

- Robust hand-held shrink film device with swivelling burner
- The shrink film shrinks to form a protective covering when heat is applied and takes on the shape of the product
- Adjustable DIN pressure regulator with dual safety device, hose failure safety device and start button
- Modular system extends the working radius to up to 2 m
- BS (safety tested) symbol

Applications

- For securing loads, binding, covering
- Film provides protection against moisture, dirt and theft
- Also suitable for irregularly shaped goods

Available

- Hand held shrink film device supplied with carry case and following accessories:
- One adjustable safety pressure regulator
- 8 m propane gas high pressure hose with rotatable connector
- One assembly key
- One operating manual with guarantee card

Advantages

- + Lightweight device, can be used in any position
- + Burner swivels (during operation)
- + Modular extension system
- + Pressure regulator adjustable to the thickness of the film

Stock range

Item no.	Item description	Unit
78987	Ripack 2200 shrink gun	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Ergo line packing table

Ergonomic solution for the dispatch department

Product description

- Professional and flexible packing table system offering a wide range of design options from a single table to a complete packing line
- The system can be adapted to your specific packaging processes and can be extended, converted or modified at any time
- We will be happy to design complete packing tables, dispatch and packaging lines for you, with all the necessary packaging machines and materials



Additional products

Roll dispensers
Film cutter
FillPak TT®
Adhesive tape dispenser
Equipment systems
Cutting stand

Stock range


Item no.	Item description	Dimensions
72587	Ergo line packaging stations	1600 mm x 800 mm x 800 mm
Please visit www.antalispackaging.co.uk for more information		

Other specifications on request. Please contact us for an up to date quotation.




Floor mats

Anti-slip and high-grip



Additional products

88 Ergo line packaging table



Product description


- Embossed, extra wide upper profile
- Ensures ergonomic position security thanks to its anti-slip, high-grip surface and welded lower profiles
- Made from fully elastic soft PVC (red, blue)
- Made from recycled, filler-free soft PVC (black)
- Resists temperatures in high-stress conditions of between -5°C and +60°C

Applications

- Relieves the back when working at packaging stations
- Small pieces of litter and liquids fall or run through the grate gaps and the walkway remains clean and safe

Advantages

- + Comfortable walking and high position security thanks to the very broad upper profile




Stock range

Item no.	Item description	Grammage	Dimensions	Unit
79177	PVC anti-slip mat	12.5 mm	600 mm x 10 m	Roll
79178	PVC anti-slip mat	12.5 mm	800 mm x 10 m	Roll
79179	PVC anti-slip mat	12.5 mm	1000 mm x 10 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

ErgoPlus 3000 standing stool Ergonomic



Additional products

88 Ergo line packaging table

Product description

- Stable construction from plastic-coated steel profiles
- Several layers of foam cushioning allowing air to circulate
- Seat and back fully adjustable
- Back adjustable between 600 and 900 mm
- Attachable footrest (optional)

Applications

- Particularly suitable for all those who stand at the workplace or the machine without necessarily having to move around it

Advantages

- + Relief for the legs, back muscles and spinal column, thus preventing circulation problems, concentration problems and slipped discs
- + Improved employee performance and productivity through optimal ergonomy



Item no.	Item description	Unit
72584	Ergonomic stool	Each

Stand dispensers and cutters

Stable and safe

Bench mounted paper roll dispenser

Take-off height: 890/1215 mm, max. reel diameter 750 mm, max. weight 150 kg per reel. D x H 970 x 1740 mm



Item no.	Unit
78980	Each

Dual paper roll dispenser

Take-off height: infinitely adjustable, max. reel diameter of 800 mm each, max total weight 130 kg. D x H 920 x 1665 mm



Item no.	Unit
78981	Each

Mobile stand dispenser and cutter

Take-off height: 890 mm, max. reel diameter 1000 mm, max. weight 200 kg. D x H 970 x 1060 mm




Item no.	Unit
78982	Each

Dual mobile stand dispenser and cutter

Take-off height: infinitely adjustable, max. reel diameter 800 mm, max. weight 100 kg. D x H 920 x 1165 mm



Item no.	Unit
78983	Each



Hand held dispenser for self adhesive tape

For quick, efficient results



Additional products

- 49** Masterline Polypropylene tape
- 41** Corrugated boxes

Product description

- Hand held dispenser for all common self adhesive tapes

Applications

- For sealing boxes and packages easily

Advantages

- + Fast, easy and reliable use of self adhesive tapes
- + Ergonomic design

Stock range

Item no.	Item description	Width	Unit
16469	Pistol & grip brake tape dispenser	Max width 50 mm	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Adhesive tape dispenser

For wet adhesive tape



Alternative products

- 79** Strapping systems

Additional products

- 53** Gummed paper tape
- 40** Corrugated boxes

Product description

- For paper weights from 40 gsm up to fibre-reinforced products
- No noise when ready for operation
- Roll of tape can be dispensed with the adhesive upwards or downwards
- Electronic or mechanical operation

Applications

- For use with all standard-sized wet adhesive tape
- For sealing dispatch packaging

Advantages

- + Easy and not tiring to use
- + Reliable operation
- + Saves time and increases productivity

Stock range

Item no.	Item description		Unit
72598	Electronic tape dispenser	Suitable for 6 mm - 50 mm wide tape	Each
78978	Gummed paper tape dispenser	Suitable for 20 mm - 100 mm wide tape	Each
81848	Economy gummed paper tape dispenser	Suitable for 20 mm - 100 mm wide tape	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Heat sealing tongs

For barrier materials



Additional products

- 106** VACUPAC composite aluminium foil
- 105** Desiccant bags
- 101** Daubrite disks

Product description

- Heat sealing tongs for creating airtight and waterproof packaging using, for example, barrier materials and PE-coated papers
- Continuous adjustment of sealing temperature up to 250°C
- Low maintenance
- Complies with CE standard

Applications

- For making hoods, crate inserts, export packaging using VACUPAC and desiccants
- For re-sealing opened packaging
- For sealing all heat-sealable barrier films and materials
- Not suitable for PE films

Advantages

- + Continuously adjustable temperature setting
- + Easy to use
- + Lightweight
- + Low energy consumption
- + Low maintenance

Stock range

Item no.	Item description	Width	Unit
78984	Heat sealing tongs for foil	150 mm	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

8

Impulse sealing device

For plastic films



Product description

- Hand held device for sealing polyethylene, polypropylene and PVC up to max. 0.4 mm thick
- Includes mains supply unit and connecting cable
- Automatic sealing impulse on closing the device

Applications

- For sealing polyethylene, polypropylene and PVC films up to 0.4 mm thick

Available

- Four models available: For sealing lengths of 200, 300, 450 or 630 mm
- Each of them has a sealing seam width of 3 mm on both sides
- Table clamp also available as accessory

Advantages

- + Seals securely, robust seam
- + Easy to use
- + Simple to operate
- + Continuously adjustable sealing time

Stock range

Item no.	Item description	Width	Unit
78985	Heat sealing tongs for plastic	150 mm	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Impulse sealing devices

For plastic films



Alternative products

- 92** Impulse sealing device
- 94** Mini-grip bags

Additional products

- 95** Polythene bags
- 96** Polythene layflat tubing

Product description

- Sealing time is continuously adjustable
- Consistent pressure
- 230 V power supply
- Some devices can be operated with a foot pedal

Applications

- Sealing bags
- Packaging small parts

Available

- Devices can be supplied with a stand on request
- Different models available for every application

Advantages


- + Very easy to use
- + Impulse sealing process means that no warm-up time is required
- + Seals thermoplastic films of any kind

Stock range

Item no.	Item description	Dimensions	Unit
78988	Desktop impulse sealer	400 mm - 800 mm	Each

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Mini-grip bags

Versatile, fast and practical



Alternative products

60 Mail Lite

Additional products

41 Corrugated boxes

Product description

- Resealable, reusable mini-grip bags made from polyethylene
- Tough, food-safe

Applications


- For storing small items

Available

- Supplied in many sizes and thicknesses
- Also available with anti-static or electrically-conductive (ESD) finish, with Euro-standard punched holes or write-on strip

Advantages

- + Reusable
- + Highly transparent
- + Food safe
- + Tough



Stock range



Item no.	Item description	Colour	Thickness	Dimensions	Unit
52993	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	2.25" x 2.25"	1000 per box
11887	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	2.25" x 3"	1000 per box
52995	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	3" x 3.25"	1000 per box
52996	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	3.5" x 4.5"	1000 per box
11888	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	4.5" x 4.5"	1000 per box
53001	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	5" x 7.5"	1000 per box
52998	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	4" x 5.5"	1000 per box
53003	Grip seal polythene bags	Clear - plain	180 gauge 45 mic	6" x 9"	1000 per box
53004	Grip seal polythene bags	Clear - plain	180 gauge 45 mic	8" x 11"	1000 per box
53005	Grip seal polythene bags	Clear - plain	180 gauge 45 mic	9" x 12.75"	1000 per box
53007	Grip seal polythene bags	Clear - plain	180 gauge 45 mic	10" x 14"	1000 per box
53015	Grip seal polythene bags	Clear - plain	350 gauge 90 mic	12" x 16"	500 per box
11913	Grip seal polythene bags	Clear - plain	180 gauge 45 mic	13" x 18"	1000 per box
11914	Grip seal polythene bags	Clear - plain	180 gauge 45 mic	15" x 20"	1000 per box
72497	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	1.5" x 2.5"	1000 per box
72499	Grip seal polythene bags	Clear - plain	160 gauge 40 mic	5.5" x 5.5"	1000 per box
11917	Grip seal polythene bags	Clear with write on panel	160 gauge 40 mic	3.5" x 4.5"	1000 per box
11918	Grip seal polythene bags	Clear with write on panel	160 gauge 40 mic	4" x 5.5"	1000 per box
53028	Grip seal polythene bags	Clear with write on panel	160 gauge 40 mic	6" x 9"	1000 per box
53030	Grip seal polythene bags	Clear with write on panel	180 gauge 45 mic	9" x 12.75"	1000 per box
11920	Grip seal polythene bags	Clear with write on panel	180 gauge 45 mic	10" x 14"	1000 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Polythene and paper bags Simple and practical



Alternative products

- 94** Mini-grip bags
- 97** Electrically conductive bags and tubular film
- 97** Anti-static flat bags and tubular film

Additional products

- 49** Masterline Polypropylene tape

Product description

- Flat bags made from food-safe LDPE film
- Transparent

Applications

- Storage and protection of small items and spare parts

Available

- Different sizes supplied in boxes
- Can be printed to customer specifications

Advantages

- ✦ Easy and quick to seal
- ✦ Flexible and tear-resistant

Stock range



Item no.	Item description	Colour	Thickness	Dimensions	Unit
11812	Open top polythene bags	Clear	Light gauge	200 mm x 250 mm (8 x 10)	5000 per box
11851	Open top polythene bags	Clear	Light gauge	250 mm x 300 mm (10 x 12)	5000 per box
11852	Open top polythene bags	Clear	Light gauge	250 mm x 375 mm (10 x 15)	5000 per box
11853	Open top polythene bags	Clear	Light gauge	300 mm x 375 mm (12 x 15)	3000 per box
52980	Open top polythene bags	Clear	Light gauge	300 mm x 450 mm (12 x 18)	1000 per box
11854	Open top polythene bags	Clear	Light gauge	450 mm x 600 mm (18 x 24)	1000 per box
11855	Open top polythene bags	Clear	Light gauge	500 mm x 750 mm (20 x 30)	500 per box
11857	Open top polythene bags	Clear	Light gauge	600 mm x 900 mm (24 x 36)	500 per box
52954	Open top polythene bags	Clear	Medium gauge	100 mm x 150 mm (4 x 6)	1000 per box
11858	Open top polythene bags	Clear	Medium gauge	150 mm x 200 mm (6 x 8)	5000 per box
11862	Open top polythene bags	Clear	Medium gauge	175 mm x 225 mm (7 x 9)	4000 per box
11874	Open top polythene bags	Clear	Medium gauge	200 mm x 250 mm (8 x 10)	2000 per box
11875	Open top polythene bags	Clear	Medium gauge	200 mm x 300 mm (8 x 12)	2000 per box
52972	Open top polythene bags	Clear	Medium gauge	250 mm x 300 mm (10 x 12)	500 per box
11876	Open top polythene bags	Clear	Medium gauge	250 mm x 375 mm (10 x 15)	1000 per box
11877	Open top polythene bags	Clear	Medium gauge	300 mm x 375 mm (12 x 15)	1000 per box
11878	Open top polythene bags	Clear	Medium gauge	375 mm x 500 mm (15 x 20)	500 per box
11879	Open top polythene bags	Clear	Medium gauge	450 mm x 600 mm (18 x 24)	500 per box
11880	Open top polythene bags	Clear	Medium gauge	500 mm x 750 mm (20 x 30)	250 per box
11881	Open top polythene bags	Clear	Medium gauge	600 mm x 900 mm (24 x 36)	250 per box
11882	Open top polythene bags	Clear	Heavy gauge	250 mm x 300 mm (10 x 12)	500 per box
11883	Open top polythene bags	Clear	Heavy gauge	250 mm x 375 mm (10 x 15)	500 per box
11884	Open top polythene bags	Clear	Heavy gauge	300 mm x 450 mm (12 x 18)	500 per box
11885	Open top polythene bags	Clear	Heavy gauge	500 mm x 750 mm (20 x 30)	200 per box
11886	Open top polythene bags	Clear	Heavy gauge	600 mm x 900 mm (24 x 36)	100 per box

Item no.	Item description	Thickness	Dimensions	Unit
72500	Black polythene refuse sacks	40 mic	457 mm x 736 mm x 863 mm (18"x29"x34")	200 per box
16317	Black polythene refuse sacks	40 mic	457 mm x 736 mm x 990 mm (18"x29"x39")	200 per box
72589	Patch handle ptd carrier bag	45 mic	400 mm x 457 mm / 75 mm	1000 per box
72590	Patch handle white carrier bag	45 mic	375 mm x 450 mm / 75 mm	500 per box
72591	Patch handle burgundy carrier bag	45 mic	375 mm x 450 mm / 75 mm	500 per box
72592	Patch handle black carrier bag	45 mic	375 mm x 450 mm / 75 mm	500 per box
72593	Patch handle gold carrier bag	45 mic	375 mm x 450 mm / 75 mm	500 per box
72594	Patch handle silver carrier bag	45 mic	375 mm x 450 mm / 75 mm	500 per box
72595	Patch handle dark blue carrier bag	45 mic	375 mm x 450 mm / 75 mm	500 per box
72596	Kraft brown carrier bag	70 gsm	300 mm x 425 mm x 400 mm	125 per box
72597	Kraft white carrier bag	70 gsm	300 mm x 425 mm x 400 mm	125 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

LDPE gusseted bags



Alternative products

95 Polythene and paper bags

Additional products

47 Packaging tape

Practical protective film

Product description

- Ready-made bags made of LDPE on a roll with tear-off perforation

Applications

- Lining for crate pallets, boxes and containers
- Cover for pallets or products

Available

- Supplied on a perforated roll to save space
- Sized to fit Euro pallets

Advantages

- + Highly tear and puncture resistant
- + Protection against dust, moisture and dirt
- + Easy and quick to use

Stock range

Item no.	Item description	Thickness	Width / Width two side folds together x length	Unit
78819	Gusseted polybag	125 mic	1300 mm / 2150 mm x 1200 mm	30 per roll
78824	Gusseted polybag	125 mic	1300 mm / 2350 mm x 1950 mm	30 per roll
78825	Gusseted polybag	125 mic	1300 mm / 2550 mm x 2050 mm	25 per roll

Other specifications on request. Please contact us for an up to date quotation.

Polythene layflat tubing



Alternative products

95 Polythene and paper bags

Additional products

47 Packaging tape

Product description

- Range of tubing supplied a roll which can be converted into sleeves made of LPDE

Applications

- Ideal for packaging 'difficult to wrap' items. Simply insert item into tubing and cut to required length
- Heat Seal both ends to create made-to measure bags

Available

- Supplied in variety of widths and thicknesses

Advantages

- + Create made to measure bags
- + High tear and puncture resistant
- + Protection against dust, moisture and dirt

Stock range

Item no.	Item description	Colour	Thickness	Dimensions	Unit
11921	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	50 mm wide x 420 m	Roll
11922	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	75 mm wide x 420 m	Roll
11923	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	100 mm wide x 420 m	Roll
11924	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	150 mm wide x 420 m	Roll
11925	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	175 mm wide x 420 m	Roll
11926	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	200 mm wide x 420 m	Roll
11927	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	250 mm wide x 420 m	Roll
11928	Polythene layflat tubing	Clear	Medium gauge - 240 g 60 mic	300 mm wide x 420 m	Roll
11929	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	50 mm wide x 210 m	Roll
11931	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	75 mm wide x 210 m	Roll
11934	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	100 mm wide x 210 m	Roll
11936	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	150 mm wide x 210 m	Roll
11940	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	200 mm wide x 210 m	Roll
11937	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	175 mm wide x 210 m	Roll
11942	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	250 mm wide x 210 m	Roll
11943	Polythene layflat tubing	Clear	Heavy gauge - 480 g 120 mic	300 mm wide x 210 m	Roll

Other specifications on request. Please contact us for an up to date quotation.

Anti-static flat bags and tubular film - ESD packaging



Anti-static flat bags or tubular films made from polyethylene offer high protection for the sending, conveying or warehousing of sensitive electronic components. They come with the following standard printing: type description, ESD warning symbol, recycling symbol and batch number.

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
78775	Anti-static ESD gripbag	75 mic	152 mm x 203 mm	100 per pack
78776	Anti-static ESD gripbag	75 mic	203 mm x 254 mm	100 per pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Electrically conductive bags and tubular film - Conductive packaging



Electrically conductive bags and tubular films consist of a black, electrostatic and volume-conductive film. They are suitable for the sending of electronic components, plates, chips and storage media. Not to be used for batteries and accumulators. They are also available with the usual standard prints.

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
78777	Electro conductive black bag	100 mic	152 mm x 203 mm	100 per pack
78779	Electro conductive black bag	100 mic	203 mm x 254 mm	100 per pack

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Highshield shielding bags - Electrostatic shielding



The recyclable and weldable film bags shield against electrostatic discharge during conveying and the sending of electronic components. They can also be printed and fulfil the following technical requirements:

- Outer layer from conductive polyester
- Surface resistance $R_s = 10^{10} - 10^{11} \text{ Ohm}$
- Electrostatic shield $< 15 \text{ nJ}$
- (energy test, HBM with 1000 volts)
- Metallisation – aluminisation
- Inner surface – conductive polyethylene

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
81852	Anti-static ESD open top poly bag	70 mic	152 mm x 203 mm	500 per box
81848	Anti-static ESD open top poly bag	70 mic	203 mm x 254 mm	500 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Non-stick baking paper



Alternative products

99 Saga cooking paper

The tried-and-trusted baking paper

Product description

- Non-printed white baking paper coated on both sides and resistant to high temperatures

Applications

- Reliably prevents baked foods from sticking
- Promotes even browning when baking

Available

- Supplied in rolls
- Bleached/unbleached baking paper available

Advantages

- + No greasing or cleaning required, non-stick
- + Saves time and money
- + Makes all types of baking easier and faster
- + Can be re-used several times at medium baking temperatures

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
79163	Multi-Bake greaseproof paper	41 gsm	450 mm x 750 mm	Ream
79164	Multi-Bake greaseproof paper	41 gsm	500 mm x 750 mm	Ream
79165	White pure greaseproof paper	32 gsm	450 mm x 750 mm	Ream
79166	White pure greaseproof paper	32 gsm	350 mm x 450 mm	Ream
79167	White pure greaseproof paper	32 gsm	225 mm x 350 mm	Ream
79168	Natural pure greaseproof paper	34 gsm	450 mm x 750 mm	Ream
79169	Natural pure greaseproof paper	34 gsm	500 mm x 750 mm	Ream

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Parchment substitute



Smooth, versatile

Product description

- White, opaque, greaseproof cellulose paper

Applications

- Insert or lining for carrier boxes
- Used to protect meat and cakes etc
- For covering cream-topped foods
- Separate slices of cake

Available

- Sheets, formats, rolls, narrow rolls
- Bleached/unbleached
- Variants: coloured, opaque, sealable

Advantages

- + Food safe, tasteless, odourless
- + Highly transparent and very smooth

Stock range



Item no.	Item description	Grammage	Dimensions	Unit
79162	Vegetable parchment paper	42 gsm	500 mm x 750 mm	Ream

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Cooking paper

The new art of food preparation



Product description

- White, recyclable cooking and baking paper
- Siliconed on both sides
- High heat resistance
- Boil-proof (tested up to 2 hours)

Applications

- Suitable for oven baking and various other cooking methods
- For serving
- As interleaving
- For steaming, boiling and braising
- Also suitable for all types of baking

Advantages

- + Does not stick to the food even at high temperatures
- + Time saving when baking, boiling and washing up
- + Protects dishes and moulds against daily wear and tear
- + Reduces the amount of fat use
- + Biodegradable and compostable



For the food industry, we can also offer you the following products:

Flat bags ...

... from food-safe LDPE film : flexible and rip resistant, fast and secure fastening.

Find out more on page 95

Gusset bags ...

... from LDPE film : ready-for-use, rolled up bag with tear perforation.

Find out more on page 96

Shrink film ...

... for an optimal product presentation : highly transparent

Find out more on page 73

H1 plastic pallets ...

... for the optimal delivery of your products according to the hygiene regulations of the food industry.

Find out more on page 46

Corrugated plastic boards ...

... from polypropylene : suitable as covers and interleaving for shock freezing, deep freezing, cooling, storage and transportation. Simple to clean!

Find out more on page 108




VCI – How it works

The VCI method can be classified as active corrosion protection.

The VCI material has a very good evaporation property and can be incorporated into different materials, including carriers such as paper, carton, films, foam, powder, sprays or oils. The inhibitor continuously evaporates from these materials, forms a film over the packaged goods and protects it against a corrosive reaction. During evaporation, temperature and moisture play a significant role. As the VCI molecules bind better to metals than the water molecules, the material becomes a barrier between the packaged goods and the surrounding atmosphere and even dispels already existing water molecules and replaces them on the metal surface, so that a corroding reaction is prevented.

When using VCI materials, the distance to the object to be protected should not be more than 30 cm otherwise the time necessary for the protective atmosphere to develop lengthens. Around 6 m² of paper must be used per m³ of air. To ensure that the gas does not evaporate from the packaging through strong air movements, it should be packaged as airtight as possible. But a closed wrapping is usually sufficient.



PowerShield

Corrosion protection for the most demanding requirements



Due to the highly concentrated VCI substance in PowerShield, it is ideally suited for long-term protection against corrosion. This includes all extreme climatic environments. Both ferrous metals and multimetals (copper, aluminum, etc.) can be protected.

Application examples

- Long term storage of spare parts
- Seasonal lay-ups of equipment
- CKD shipments of automotive parts
- Worldwide shipping including sea freight
- Transport through areas of high humidity
- Protection of both Ferrous metals as well as Multimetals

Package offerings:

- Rolls
- Bags
- Cut Sheets
- Stamped sheets
- One or both sided VCI coating

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
79652	MM50 Powershield VCI paper universal metals	74 gsm	1 m x 25 kgs rolls 74 gsm	25 kgs per roll
79653	MM50 Powershield VCI paper universal metals	53 gsm	1 m x 12 kgs rolls 53 gsm	12 kgs per roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

MasterShield

For standard requirements



MasterShield is ideally suited for storage and shipping conditions of a shorter duration. Corrosion protection is for ferrous metals only.

For multimetal situations please see PowerShield above.

For products that are very conducive to corrosion we recommend either PowerShield or MasterShield depending on the transport conditions as well as the storage duration.

Stock range




Item no.	Item description	Thickness	Dimensions	Unit
79654	FE50 mastershield VCI paper ferrous metals	53 gsm	1 m x 10 kgs rolls 53 gsm	10 kgs per roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Daubrite™ disks

VCI protection for enclosed spaces



Daubrite™ emitters provides vapor corrosion protection to enclosed metal parts. When the emitter is opened, the VCI's seek the metal surfaces inside the packaging or enclosed environment and forms a protective molecular on the surface of the metal. This layer prevents moisture, hydrogen, salt, dirt, oxygen and other contaminants from depositing on the metal and causing damaging corrosion.

Application examples

- Each unit prevents metal corrosion, in a five cubic feet volume, for two years.
- Daubrite-5 VCI emitters come with a convenient ready to use (front) label for recording the date of installation.
- 50 units per package
- Each disk protects five cubic feet of enclosed space

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
67325	VCI Emitting disk ref 5	4mm	55mm Diameter	50 per box
67326	VCI Emitting disk ref 10	6mm	55mm Diameter	50 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Metal-Guard



Corrosion protection with a double effect

Metal-Guard's protective qualities are as follows:

- Reliable corrosion protection for ferrous and multimetals
- Protection against dust and dirt
- Excellent transparency for a good visual inspection at customs
- Good for use in automated packaging machines

The corrosion preventive film offers reliable protection through the proven VCI method. VCI substances are volatile in nature and create an effective shield on the metal surface against corrosive moisture – also during extreme shipping and storage conditions.

Metal-Guard is offered in numerous forms:

- Flat film
- Tube, half-tube (c-fold) or gusseted tube
- Flat Bags
- Gusseted bags, hoods or tubes
- Flat bottom bags and hoods

Application examples

- Bags for shipping small parts made of metal
- Top hood to cover containers during transport
- Interleaving layers
- Flat film on rolls for automated production lines
- Stamped special sizes

Stock range



Item no.	Item description	Thickness	Dimensions	Unit
67321	Premium metal guard VCI poly bag	100 mic	100mm x 150 mm	2000 per box
67322	Premium metal guard VCI poly bag	100 mic	150mm x 200 mm	1000 per box
67323	Premium metal guard VCI poly bag	100 mic	230mm x 300 mm	1000 per box
67324	Premium metal guard VCI poly bag	100 mic	300mm x 450 mm	500 per box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Evapo-Rust

Washes away rust inside and out



Evapo-rust washes away rust with unique non acidic, water based solution that virtually eliminates the need for laborious blasting, grinding or the use of harsh caustics and chemicals.

Evapo-rust's neutral PH formulation uniquely bonds only to rust and will not affect iron/metal compositions, plating or even non-oxide paint coatings. Simply immerse the rusted item into Evapo-rust and what the rust disappears in approximately 30 minutes to 24 hours.

Application examples

- De-rusts without need to dismantle product
- No acid
- No protective clothing needed
- Non flammable
- Waterbased
- One gallon of Evapo-rust de-rusts up to 300 lbs of rusted steel


Stock range



Item no.	Item description	Unit
67329	VCI evapo rust liquid 1 gallon containers	Bottle
67331	VCI evapo rust liquid 5 gallon containers	Bottle

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Corrconsult is entrusted with the task of studying the entire process chain, from the basic material to production, cleaning, storage and transport. All individual steps are intensively investigated in order to pinpoint and eliminate possible causes of corrosion. To do so, our modern laboratory is at your disposal. A broad range of tests are implemented in cooperation with external institutes.

An audit and certification process confirms the correct application of your corrosion protection.

VCI quality management

- Quality assurance of corrosion protection products
- Studies into defects and causes of corrosion
- Cooperation with independent laboratories and institutes

VCI packaging certification

- Corrosion protection studies and advice
- Development of corrosion packaging solutions
- Certification of individual packaging

VCI-online support

- Pack training courses with corrosion protection materials
- Sending of a test with data logger for climate determination
- Transport simulation (climatic checks with climate devices)



Corrosion problems?

The cause often lies in the manufacturing process!

Do you produce corrosion-sensitive products or need to ship them overseas? Then you are familiar with the problem of corrosion. Corrosion leads to customer complaints, time-consuming and expensive reworking and, in the worst of cases, to the scrapping of the components. Corrosion has many causes which are often difficult to pinpoint. Even small defects in the production process can trigger corrosion and thus high costs. Antalis help you save these costs. We do not only deliver the most suitable corrosion protection packaging, but can help you optimise your production process.

Process analysis



Basic material

- Collation of climate data
- Optimisation of packaging
- Optimisation of storage needs



Production

- Process materials**
- Analysis of the current situation:**
- ph value
 - Concentration
 - Conductance
 - Chloride
 - Corrosion protection
- Definition of the target situation:**
- Definition of threshold values
 - Drawing up of maintenance plans



Cleaning

- Analysis of the current situation:**
- ph value
 - Concentration
 - Conductance
 - Chloride
 - Corrosion protection



Storage and Transport

- Collation of climate data
- Corrosion tests in the laboratory
- Optimisation of the packaging

How to build export packaging



1 Usually a wooden pallet is used as a base, which is covered with a base sheet made from film. The packaged goods are then secured onto the pallet with locking screws.

2 As a second step, sharp corners and edges of the product are cushioned with standard packaging materials, as in this example with packaging foam in order to prevent a subsequent ripping of the film.

3 The BRANOGE desiccant bags are then placed in the packaging. They later absorb the remaining moisture. With the help of moisture indicators, the air moisture within the packaging can be controlled.

4 Now the second part of the film packaging is welded onto the base sheet. Before definitive sealing, the air is removed from the packaging along with most of the remaining moisture. The film hermetically protects the packaged goods from the outside air.

5 Finally, a wooden crate is usually placed around the packaged goods in order to protect the valuable product against external influences, such as collisions.



Packaging foam



Packaging tape



Desiccant bags



Silical gel



Indicators



Sealing tool



Plywood case



We will help you avoid the cost traps!

Packaging materials are classified in the business as slow-moving items. The actual packaging materials or manufacturing costs only account for 20% of the total packaging costs, while 80% are incurred by upstream and downstream process costs.

The potential for optimisation and savings is astronomical.

Ask us about it!

100 %

20 %

**Packaging material costs
Manufacturing costs**

80 %

**Upstream and
downstream process costs**

e.g.
• order processing
• warehousing
• quality control
• administration, etc.

Desiccant bags

Desiccant



Alternative products

101 Daubrite disks

Additional products

107 Valéron®
45 Plywood crate
106 VACUPAC composite aluminium foil

Product description

- Desiccant made of activated clay, supplied as granules packed in dust-proof paper or fleece bags
- Extracts the majority of the humidity from the ambient air

Applications

- Protects equipment, machine tools etc against humidity
- Requirement: export packaging combined with aluminium barrier foil, Valéron or TL foil (we will be happy to calculate the required amount of desiccant for you)

Available

- Available in bags of various sizes
- Special sizes and shapes on request
- Desiccant cartridges
- Desiccant capsules
- Humidity gauge
- Packaging aids

Advantages

- + Protects against corrosion when combined with barrier materials
- + Proven for use with export packaging


Stock range



Item no.	Item description	Grammage	Unit
30213	Desiccant clay bags	25 gsm	500 bags per carton

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



VACUPAC composite aluminium foil

Barrier material for water vapour proof packaging




Alternative products

107 Valéron®

Additional products

105 Desiccant bags
45 Plywood crate
92 Heat-sealing tongs



Film structure : polyester on the outside, aluminium in the middle, polyethylene on the inside surface

Product description

- Composite aluminium foil made from polyester, aluminium and polyethylene
- Greaseproof, waterproof, water vapour proof
- High mechanical and bursting strength
- Pliable and flexible
- Abrasion and tear resistant
- Resistant to insects and heat sealable
- VACUPAC conforms to DIN 55531-1
- Authorised for military use in accordance with German, American, British and French standards

Applications

- For use in combination with desiccants to absorb residual humidity inside the packaging
- Protection for delicate, sharp-edged, irregularly-shaped machines
- Protection against corrosion and climatic stresses
- Packaging, e.g. for sea transport, shipment to polar and tropical regions
- Long term packaging

Available

- Supplied as rolls with widths up to 4 m
- Pre-fabricated as crate inserts, hoods, tubing, bags, etc
- All authorisations already printed on foil
- Printing to customer specification on request
- We will be happy to assist you in finding the best packaging solution for your needs

Advantages

- + Tried-and-trusted export packaging material
- + Very good mechanical properties

VACUPAC technical data

Total area mass	DIN ISO 536	ca. 127 gsm
Tensile strength, length and breadth	DIN EN ISO 1924-2	> 55 N / 15 mm
Tensile strength of the seal seam, length	DIN EN ISO 1924-2	> 30 N / 15 mm
Tensile strength of the seal seam, breadth	DIN EN ISO 1924-2	> 30 N / 15 mm
Water vapour permeability	DIN 53 122-2 (40 °C / 95%)	< 0,05 gsm/d
Oil resistance	FED-STD-101 / 3015	compliant
Resistance	at temperatures	-40 to +60 °C

Stock range

Item no.	Item description	Dimensions	Unit
30257	Vacupac, unprinted	1.25 m x 200 m	Roll

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.



Valéron®

Innovative high-performance film



Alternative products

106 VACUPAC composite aluminium foil

Additional products

105 Desiccant bags



Valéron fastening eyelets for the attachment of strapping bands can be positioned and repositioned in line with your needs

Product description

- "Right angled composite" made from two layers of orientated HDPE film
- Even thin films have unique mechanical properties
- Waterproof, largely water-vapour-proof
- Extremely tear resistant, high tear strength
- Extremely puncture resistant
- Resistant to chemicals and UV resistant
- Temperature resistant between -40°C and +90°C
- Can be sewn, heat sealed, perforated, punched etc
- Width 1000 to 6000 mm

Applications

- Export packaging for machines and components
- CKD shipping for the automotive industry
- Tear-resistant protective packaging for outdoor storage
- Anti-corrosion packaging
- Light proof packaging
- Transport film for road, rail or overseas shipping
- Tarpaulins, protective hoods, crate inserts, advertising sheets

Available

- Supplied as rolls
- Thicknesses: 75 and 100 micron
- Roll widths: 1020 mm to max 6000 mm
- Roll lengths: 100 and 200 m
- Standard colours: white, black
- Also available as aluminium composite foil

Advantages

- + Unique mechanical properties (extremely robust)
- + Largely water vapour proof
- + 100 mic less desiccant used than with PE TL films
- + Repeated use
- + Variable position of fastening eyelets

Valéron® high performance film



Item no.	Item description	Thickness	Dimensions	Unit
44061	Valeron flat film	100 mic	1350 mm x 50 m	Roll

Valéron® fastening eyelets

Item no.	Item description	Unit
44063	Fastening eyelets for valeron film	100 per Box

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

Corrugated plastic sheets



Alternative products

44 Plastic pallet box

Additional products

30 Foam profiles

Corrugated plastic sheeting, basis for structural packaging

Product description

- Extruded corrugated sheets made of polypropylene (thermo-elastic plastic)
- Extremely stable, tear resistant, impact resistant, non-breakable, non-bendable, abrasion-resistant, waterproof, washable, food safe and autoclavable
- Resistant to many acids, mineral alkali, alcohol and greases
- Can be folded, punched, creased and laminated
- Can be printed, bonded, welded and riveted
- Consistently high quality guaranteed by trademark no.2051675 and constant quality assurance
- Working temperature between approx 0°C and 70°C

Applications

- Linings for crates and pallet boxes
- Waterproof covers
- Interleaving for pallets and pallet boxes
- Reusable packaging (e.g. crates, envelopes, folders)
- Trays, transport and automation containers
- Inserts, dividing elements, e.g. for small load carriers
- Edge and corner protection

Advantages

- + Lightweight
- + Suitable for a variety of uses and processes
- + Highly stable

Stock range




Item no.	Item description	Thickness	Dimensions	Unit
47234	White plastic corrugated sheets	4 mm	1000 mm x 1230 mm	Sheets
47235	White plastic corrugated sheets	3 mm	1000 mm x 1230 mm	Sheets
47237	White plastic corrugated sheets	4 mm	1040 mm x 1550 mm	Sheets
47240	White plastic corrugated sheets	4 mm	1220 mm x 1530 mm	Sheets
47241	White plastic corrugated sheets	4 mm	1220 mm x 2440 mm	Sheets
47242	White plastic corrugated sheets	6 mm	1220 mm x 2440 mm	Sheets
47245	White plastic corrugated sheets	4 mm	610 mm x 813 mm	Sheets
47246	White plastic corrugated sheets	6 mm	610 mm x 813 mm	Sheets
47247	White plastic corrugated sheets	4 mm	610 mm x 914 mm	Sheets
79694	White plastic corrugated sheets	4 mm	914 mm x 1220 mm	Sheets
47248	White plastic corrugated sheets	4 mm	915 mm x 1230 mm	Sheets
79693	White plastic corrugated sheets	4 mm	1220 mm x 914 mm	Sheets
47243	White plastic corrugated sheets	3 mm	1230 mm x 1000 mm	Sheets
47244	White plastic corrugated sheets	4 mm	1230 mm x 1000 mm	Sheets
32920	White plastic corrugated sheets	4 mm	813 mm x 610 mm	Sheets
47239	Yellow plastic corrugated sheets	4 mm	1220 mm x 1000 mm	Sheets

Please visit www.antalispackaging.co.uk for more information

Other specifications on request. Please contact us for an up to date quotation.

PDC – Packaging Design Center



Individual packaging solutions see the light of day in our development department. Thanks to cutting-edge 2D and 3D CAD programmes (e.g. Catia V5) we are in a position to develop packaging according to your individual requirements in a short space of time.

The engineers of the Packaging Design Centre will be happy to advise you on the selection of the most suitable materials to protect your products.

How you benefit from our service:

- High flexibility
- On-site consulting
- Selection of packaging materials in line with actual needs
- Extremely short development and construction times
- Visualisation of packaging solutions
- Data exchange via ODETTE or FTP servers
- Cutting plotters for quick model construction
- In-house manufacture of small batches (minimum batch size: 1 item)
- Production of packaging kits

The following can be processed for example:

- Foam
- PROPWell (twin-wall sheets)
- PROPboard (trilaminar)
- PROPsol (full plastic)
- Corrugated board
- Board
- The combination of different materials is also possible.




CAD drawing




Original non-returnable reels

p d c

Examples of packaging designs by PDC



Container insert made from PROPboard with foam mouldings




Transport packaging for mufflers with maximum space exploitation



Transport packaging with insert made from PROPwell



Internal lining made from contour-cut PE foam



Stackable workpiece made from PROPwell



Container made from PROPwell with foam dividers



PROPsol dividers for exhaust flaps



PROPwell tray for tailgate hinges



PROPwell tray with foam for spoilers



PROPwell interleaving for guide sleeves



Corrugated board form for engines (export)



Corrugated board divider for mirror housings

Dividers and interleaving



Frame dividers made from PROPYwell



Dividers made from PROPYwell with foldover edges and interleaving



Dividers made from PROPYboard with interleaving and foam inserts



Separators made from PROPYwell with interleaving

Complete packaging



Packaging for shell parts, plug-in compartment and box made from corrugated board



Packaging for mouldings with inserts made from PS, interleaving and box made from corrugated board



Packaging for medical devices, with foam layers, bags, box



Export packaging for cylinder heads (pallet, box, interleaving, dividers, bags, BRANOROST, flat cushion)

Special containers



Picking containers made from PROPYboard



Crate pallet insert made from PROPYboard with foam moulding



Transport cases made from PROPYwell for printing plates



Robust transport container made from PROPYboard

Examples of materials



Workpiece holder made from EPP



Frame dividers made from greyboard with nylon string



Deep extruded part made from polystyrene partly from recycled material



EPP form part

Form parts infobox

Preforms made from expanded polystyrene (EPS)

When using Styropor® packaging, the emphasis is put either on protection or the blocking of the product for safe transport. Both advantages can be optimally combined through the use of contoured packaging.

Preforms made from expanded polypropylene (EPP)

Expanded polyethylene foam is used in consumer goods production both as product protection during transport and as transport containers in industry. Thanks to the foamed material, expanded polyethylene offers excellent, low-weight protection against impacts.

Preforms made from polyethylene foam (PE)

Using cushioning curves and corresponding calculation programmes, preforms can be adjusted exactly to the specifications. On request, we are happy to provide you with samples and carry out documented case studies. The optimal packaging for your requirements can often be found by combining PROPYwell honeycomb boards, corrugated board or wood.

PROPYboard - The solution for heavy goods

Tri-laminate material is a three-layered material made from polypropylene, the inner course of which is deep drawn. This creates a honeycomb or cell structure, thanks to which the material becomes highly resistant and rigid. A further advantage of the honeycomb structure is that the material has no running length.

This gives it the same stabilities along its length and breadth. Thanks to its high stress resistance, it is used mainly for the packaging of heavy goods.




PROPYsol – The solution for permanent loads

PROPYsol is an extruded solid material made from polypropylene. It is extremely stable, flexible and printable. PROPYSol is further characterised by the fact that it can be stamped, thermoformed and laminated and that it is extremely resistant against many acids, mineral alkali, alcohol and fat. Packaging made from PROPYSol is particularly convenient when residual dirt needs to be completely removed as it is very easy to clean.

The material can also be specially prepared to be anti-static, UV stable, flame-resistant or food safe.

Tip! For packaging used in the recycling channels – containers from PROPYSOL are ideally suited for mechanical cleaning. « Clean Packaging » for products with stringent cleanliness requirements.




packCONSULT: the right advice every time!



The packConsult team analyses the internal packaging logistics of your company, the packing material used as well as the packaging process. The aim of the study is to pinpoint the areas where savings can be made and to draw up proposals for improvement in the form of a packaging concept. See also page 121.

On your behalf, we will optimise:

- Purchasing costs
- Warehousing costs
- Workstation ergonomics
- Packaging handling



Services

Antalis is a leading supplier of technically innovative packaging solutions that meet the needs of our customers from industry, trade and commerce. We do not only deliver packaging products but also added value services. Alongside services such as storage, JIT delivery, packing, printing and contract packaging, we also offer you our:



Packaging Design Center

The Packaging Design Center (PDC) is where our engineers develop new packaging solutions. With the modern 3D-CAD software CATIA V5, the packaging development centre PDC can handle almost any request you put to it. Fast prototype construction, pre-production models and small batches are only some of the capabilities of the PDC. We can thus boast extremely short development times and cost-cutting approaches.

Find out more on pages 109.




Laboratory

To guarantee a high level of quality, the papers, boards and films are analysed by our technology centre. We are also happy to carry out studies on your behalf. For example, we can test bursting pressure, tensile strength, breaking length, water tightness, pH value, Cobb value, grammage, thickness, etc.



Paper converting

Not many shipping agents will be willing to cut or process packing paper, boxes and films directly from the meter thick rolls. However, rational workflows call for more bespoke materials, e.g. papers from the size of a postage stamp to sheets with an edge length of over 5 m.



Packaging machines

Thanks to the use of packaging machines, rational workflows are created and the material consumption reduced. Our range of services therefore starts with on-site advice and analysis. This is the starting point for us to be able to offer you the best possible machine in complete independence from the manufacturer. As we also take care of delivery, assembly, entry into operation and training, you receive all of the services from a one-stop-shop.



Anti corrosion training

We want to share our comprehensive packaging know-how and therefore offer training courses on the theme of « right packaging » and « corrosion protection according to the VCI method ». If interested, do not hesitate to get in touch with us.
(see contact details overleaf)

Consulting




consult: the right advice every time!

The packConsult team analyses the internal packaging logistics of your company, the packing material used as well as the packaging process. The aim of the study is to pinpoint the areas where savings can be made and to draw up proposals for improvement in the form of a packaging concept.

Contact our packaging engineers today:

pkteam@antalis.co.uk and find out more on page 109.



Other services:

- Consultation services relating to standard packaging included in the price of the material
- Free online ordering service



Services invoiced according to the work involved:

- High quality sales and consultancy service by our specialist sales teams



Development and consultancy services invoiced:

- High quality offering
- Drawings
- Models
- Technical specifications
- Documented packaging tests



consult Corrosion protection services

Within the framework of the corrCONSULT service, we study your anti-corrosion requirements as well as your application and process technology. The service offering covers, for example:

VCI quality management

- Quality assurance of anti-corrosion products
- Study into the corrosion problems and the cause of the problems
- Cooperation with independent laboratories and institutes

VCI packaging certification


- Anti-corrosion studies and advice
- Development of anti-corrosion packaging solutions
- Certification of individual packaging

VCI online coaching

- Packaging training courses with anti-corrosion materials
- Test shipment with data logger to determine climatic conditions
- Simulated shipment (study into climatic conditions with climate control devices)

Find out more on our homepage and on page 100 or under:

pkteam@antalis.co.uk



consult – your film specialists

You want to make efficient use of stretch films, cut costs and need professional advice ? The secret is to reduce film consumption per pallet to a minimum by using the right stretch film while at the same time ensuring optimal unit load security. With our new stretchCONSULT service, we help you find the optimal solution for your unit load security by analysing the entire packaging process.

As usual, this service is offered to you by Antalis in complete independence from the manufacturers.

Put the stretchCONSULT know-how to good use.

We are more than happy to answer any questions you may have on:

pkteam@antalis.co.uk

Enquiry form for packaging machines

Simply copy, complete and mail



Phone +44 870 2411462
Fax +44 870 607 3144

Antalis Packaging

Interlink Way West
Coalville
Leicestershire
LE67 1LE

In order to offer you the best packaging technology for your application, please provide us with the following information:

Sector:	<input type="text"/>	
The purpose of your machine:	<input type="checkbox"/> Strapping	<input type="checkbox"/> Shrinking
	<input type="checkbox"/> Stretching	<input type="checkbox"/> Assembly
	<input type="checkbox"/> Conveying	<input type="checkbox"/> Palleting
	<input type="checkbox"/> Zone protection	<input type="checkbox"/> Filling and cushioning
	<input type="checkbox"/> Sealing	<input type="checkbox"/> Other <input type="text"/>
What are the products to be packaged:	<input type="text"/>	
What material do you currently use for your packaging needs:	<input type="text"/>	

Product specifications:

Product dimensions:	<input type="text"/>	(LxWxH)	Weight:	<input type="text"/>		
Box outside dimensions:	<input type="text"/>	(LxWxH)				
Pallet dimensions:	<input type="text"/>	(LxWxH)				
Product on pallet:	<input type="checkbox"/> stable	<input type="checkbox"/> unstable	<input type="checkbox"/> protrudes	<input type="checkbox"/> smaller	<input type="checkbox"/> flush	<input type="checkbox"/> upside down
Packaging volumes: number of pallets:	<input type="text"/>	<input type="checkbox"/> per hour	<input type="checkbox"/> per day	<input type="checkbox"/> per month		

Your contact details:

Customer n°	<input type="text"/>	Postcode, Town	<input type="text"/>
Company	<input type="text"/>	Telephone number	<input type="text"/>
Mr/Ms	<input type="text"/>	Fax	<input type="text"/>
Department	<input type="text"/>	E-mail	<input type="text"/>
Street	<input type="text"/>	<input type="checkbox"/> Please send me your newsletter	

Simply copy, complete and mail



Fax +44 870 607 3144

Interlink Way West
Coalville
Leicestershire
LE67 1LE

Packaged goods:

Description:

Dimensions: (LxWxH)

Weight:

Sample part can be ordered: ☐ yes ☐ no

CAD data can be provided: ☐ yes ☐ no

Other:

Specifications:

☐ New development ☐ Adaptation

Surrounding packaging:

Dimensions (LxWxH):

☐ Disposable ☐ Reusable

Material:

Color:

Special features: ☐ electrically conductive ☐ antistatic
☐ flame retardant ☐ UV stable

Other:

Amount:

Printed: ☐ yes ☐ no

Position: _____

Text:

Color:

A full page of blank graph paper with a uniform grid of squares. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are thin and black, set against a white background. There are no margins, text, or other markings on the page.

Customer n°	
Company	
Mr/Ms	
Department	
Street	

Postcode, Town

Telephone number

Fax

E-mail	
--------	--

☐ Please send me your newsletter

3M adhesive transfer tape	55
3M Polypropylene hand tape	47
3M Polypropylene machine tape	47
3M Scotch cellulose tape	48
410A Auto strapping machine	79
410T Table strapping machine	79
480 Hand strapping device	78
610P Mailing machine	86
650R Shrink packaging machine	86
710P Stretch wrapper	82
710S Stretch wrapper	82

A

Acid free tissue	6
Adhesive tape dispenser	91
AirCap®	26
Alphasac®	61
Aluminium adhesive tape	56
Anti-static bubble wrap	28
Anti-static flat bags and tubular film	97
AOP 151 turntable wrapper	85

B

Bench mounted paper roll dispenser	90
Blown hand stretch film	68
Bubble bags	29
Bubble mask	27
Bubble wrap	27
Business card boxes	43

C

Cardboard edge protectors	80
Cast hand stretch film	67
Cleaning cloths	9
Coloured printed tape	51
Complete packaging	110
Compressed wood/Inca pallets	46
Consulting	113
Continuous cartons	43
Correx	44
Corrosion protection services	113
Corrugated boxes - single wall	40
Corrugated boxes - double wall	41
Corrugated cardboard	35
Corrugated plastic sheets	108
Cross weave tape	54

D

Daubrite™ disks	101
Desiccant bags	105
Die cuts	53
Dividers and interleaving	110
Document enclosed envelopes	66
Double sided adhesive tape	56
Dual mobile stand dispenser and cutter	90
Dual paper roll dispenser	90
Dunnage bags	38

E

Economy sealer for 12 mm	77
Economy tensioner for 12 mm	77
Electrically conductive bags and tubular film	97
Electrically conductive bubble wrap	28
Embossed paper	35
Ergo line packing table	88
ErgoPlus 3000 standing stool	89
Eskaboard	10
Evapo-Rust	102

F

Fabric tape	57
Fill-Air Cyclone™	14
Filla paper	5
FillPak®	21
FillPak M™	23
FillPak TT®	22
Fillteck inflatable cushioning system	
1001 PSG-01	15
Flame resistant paper	8
Floor mats	89
Foam Pack	32
Foam profiles	30
Foam X	13

G

Glue dots	58
Glue gun	59
Glue sticks	59
Greyboard	11
Gummed paper tape	53

H

Hand held dispenser for self adhesive tape	91
Heat sealing tongs	92
Heavy duty steel strap sealer	77
Heavy duty steel strap tensioner	77
Highshield shielding bags - Electrostatic shielding	97
Hpt50 Heavy duty tensioner	77
Humber board backed envelopes	64

I

Imitation kraft paper	2
Impulse sealing device	92
Impulse sealing devices	93
Instapak®	24
Integra rotating arm wrapper	85

J

Jiffy bags	63
------------	----

K

Korrvu® Retention packaging	34
Korrvu® Suspension packaging	34
Kraft union	3

L

Laboratory	112
lamiPACK	36
LDPE gusseted bags	96
Libra display board	12
Linson book binding tape	52
Loose fill	33

M

Machine stretch film	70
Mail Lite®	60
Mail Tuff™	61
Masking paper	8
Masking tape	54
Masterline Polypropylene tape	49
Masterline PVC tapes	50
MasterShield	101
Metal-Guard	102
Mini-grip bags	94
Mobile Arm Stretch Wrapper Boom	83
Mobile dispenser for PET strap	
PTD406	77
Mobile dispenser for polyprop strap	77
Mobile stand dispenser and cutter	90
Mobile Stretch Wrapper Robot	83

N

Newair I.B.™	16
News offcuts	5
Non-slip paper	9
Non-stick baking paper	98

P

Packaging Design Center	112
Packaging foam	32
Packaging machines	112
packCONSULT	111
Packing tissue	6
Padded boxes	33
PadPak®	17
PadPak compact	20
PadPak LC™	19
Pallet collars	45
Pallet probe	77
Pallet shrinking machine	84
Pallet top sheets	72
Paper converting	112
Parchment substitute	98
PDC – Packaging Design Center	109
PE packing tape	55
Plastic edge protectors	80
Plastic pallet box	44
Plastic pallets	46
Plywood crate	45
POLYKRAFT	7
POLYKREPP waterproof	7

Polyolefin centrefold shrinkfilm	73
Polythene and paper bags	95
Polythene layflat tubing	96
Polypouch tape	58
Postal tubes	65
Postal wrap	66
PowerShield	100
PowerWrap™	84
Pre-stretched hand film	69
Pre-stretched machine film	71
Printed adhesive tapes	50
Printed tape	51
Process analysis	103
PROPYboard	111
PROPYsol	111
Protective films	57
Protective netting	37
Pure kraft	2
PVC shrink film	74

R

Rapid Fill™	15
Rectangular mailing tube	65

S

Sack kraft	4
SAGA Cooking paper	99
Sealer for steel strap	77
Self erecting box	42
Services	112
Shockwatch®	38
Shrink film gun	87
Shrink hoods	73
Sigma ring wrapper	85
Special containers	110
Speedypacker insight®	25
Stackable plastic containers	44
Stand dispensers and cutters	90
Staplers	81
Stencil board	10
Strapping band	75
Stratos™	71
Stretch and shrink film dispensers	87
Stretch bands	72

T

Takstrip sealing tape	52
Textile strapping and buckles	76
Tiltwatch®	39
Trent all board envelopes	64

U


U Pack™	20
---------	----

V

VACUPAC composite aluminium foil	106
Valéron®	107
VCI – How it works	100

W

Wardrobe boxes	42
Waxed kraft paper	3



Quick search for the right packaging ...

Engineering

	Export of machines/ components	Anti-corrosion packaging	Unit load security	Outdoor storage	Storage of small parts	Shipping of spare parts	Internal logistics	Packaging of large goods	Weather protection	Cushioning for heavy goods
PadPak										17
LamiPACK							36			
Corrugated box	40				40					
Desiccant	105	105	105							
Evapo-rust	102	102			102	102	102	102		
Machine-stretch film			70- 71		70- 71					
Vacupac aluminium composite film	106		106							
Valéron	107	107	107		107		107	107		
Containers and load carriers				44- 47	44- 47	44- 47				
Plywood crates	45		45		45		45	45		
Strapping machines		77- 79			77- 79					
Stretch machines		82- 85			82- 85					
Mini-grip bags				94						
Strapping bands		78			78		78			
Technical adhesive tapes	47- 57									

... for your application and sector

Get what you want in three steps ...

1. Select the product finder for your segment
2. The top line is a selection of the typical packaging applications
3. The marks in the columns show you which packaging material is suitable

Electrical engineering

	Anti-static packaging parts	Storage of small parts	Internal logistics	Storage	Transport and shipping	Electrically conductive packaging	Anti-corrosion packaging	Shield
Evapo-rust						102		
Conductive cushioning film	28				28			
Electrically conductive cushioning film					28	28		
Padded box	33				33			
Conductive flat bags and tubular film	97	97						
Electrically conductive bags and tubular film		97				97		
Anti-static shielding bags		97						97

Logistics

	Automatic devices	CTD shipping	Export	Hand held devices	Internal logistics	Unit load security	Storage	Transport and shipping	Transport monitoring	Storage of small parts	Packaging, bundling
Transport indicators								38+ 39			
Corrugated box				40- 41		40- 41		40- 41	40- 41		
Desiccant		105									
Evapo-rust	102	102									
Machine stretch films					70- 71						
Vacupac aluminium composite film	106	106									
Valéron		107				107					
Containers and load carriers		44- 47		44- 47		44- 47	44- 47				
Plywood crates		45				45	45		45	45	
Strapping machines	77- 79				77- 79						
Hand strapping devices			77- 78		77- 78						
Stretch machines	85- 87				85- 87						
Stretch film dispensers			87		87						
Mini-grip bags										94	
Pallets				46	46		46				

Furniture industry

	Surface protection	Transport and shipping	Corner and edge protection	Bundling	Unit load security	Protection and cushioning	Binding, holding fixing assembly	Internal logistics
PadPak		17	17		17			
Air cushioning film	26- 27				26- 27			
Packaging foam	32				32			
Foam profiles	30	30			30			
Corrugated box		40- 41						
Machine-stretch films				70- 71				
Containers and load carriers							44- 47	
Hand strapping devices			77- 78	77- 78				
Mini-grip bags			94					
Packaging tape	47- 57		47- 57				47- 57	
Strapping bands			78	78			78	
Edge protection profiles	80	80		80	80			
Double-sided adhesive tape							56	

Can't find your sector?

Use the simple search engine on our homepage
www.antalispackaging.co.uk. Search by entering product
 names, applications, sectors or key words.

1. These Conditions of Sale ("the Conditions") shall apply, to the exclusion of all other terms and conditions, to each transaction ("the Contract") for the sale of goods ("the Goods") by Antalis McNaughton Limited ("the Company") to a purchaser of Goods ("the Buyer"), unless otherwise agreed in writing or as provided below.

2. The British Paper and Board Trade Customs 1988 as amended from time to time ("the Customs") shall apply to each Contract, unless inconsistent with the terms of the Contract, in which case the Contract shall apply.

3. The price of the Goods ("the Price") shall be the Company's quoted price and shall be exclusive of VAT, delivery, carriage and insurance.

The Company shall be entitled to increase the Price at any time before the Goods are despatched to reflect any increase in the cost to the Company arising from any factor beyond its control or any changes in delivery dates, quantities or specifications requested by the Buyer or any delay caused by the Buyer's failure to provide adequate information or instructions.

4. Unless otherwise agreed, the Buyer shall pay the Price (whether or not formally demanded) on or before the end of the month following the month in which the Goods are delivered. The time of payment of the Price shall be of the essence of the Contract.

5. If the Buyer fails to make any payment when due then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to:

(a) cancel the Contract or suspend any further deliveries to the Buyer;

(b) charge the Buyer interest (both before and after any judgement) on the amount unpaid at the rate of 4% per annum above HSBC Bank PLC base rate from time to time until payment in full is made, such interest to be compounded at quarterly intervals;

(c) withdraw all credit facilities extended to the Buyer and require immediate payment of any and all outstanding invoices issued by the Company to the Buyer whether or not they are due for payment;

(d) cancel and withdraw any trade discount allowed to the Buyer on the Price.

6. Any date quoted for delivery of the Goods shall be approximate only and the Company shall not be liable for any delay in the delivery of the Goods whatsoever. Delivery shall be made to the address agreed with the Company.

7. If the Buyer fails to take delivery of the Goods or fails to give adequate delivery instructions to the Company then, without prejudice to any other right or remedy available to the Company, the Company may store the Goods until actual delivery and charge the Buyer for the reasonable costs (including insurance) of storage and after a period of 7 days sell the Goods at the best price readily obtainable and (after deducting reasonable storage and selling expenses) account to the Buyer for the excess over the Price or charge the Buyer the amount of any shortfall.

8. Risk of damage to, or loss of, the Goods shall pass to the Buyer on delivery or, if the Buyer wrongfully fails to take delivery, at the time when delivery is tendered. The property in the Goods shall not pass to the Buyer until the Company has received payment in full of the Price and of the Price of all other Goods agreed to be sold by the Company to the Buyer for which payment is then due.

9. Until property in the Goods passes to the Buyer, the Buyer shall hold the Goods as the Company's fiduciary agent and bailee, shall keep the Goods separate from those of the Buyer and third parties, keep the Goods properly stored, protected and insured and identified as the Company's property and the Buyer shall not pledge or charge the Goods by way of security or otherwise. Until that time the Buyer shall be entitled to resell or use the Goods in the ordinary course of its business but shall account to the Company for the proceeds of sale or otherwise of the Goods, and shall keep all such proceeds separate from any monies or property of the Buyer and third parties and, in the case of tangible proceeds, properly stored, protected and insured. The Company shall be entitled at any time to require the Buyer to deliver up the Goods to the Company and, if the Buyer fails to do so, to enter upon any premises of the Buyer or of any third party where the Goods are stored and repossess the Goods. Any breach of this clause by the Buyer shall cause all monies owing to the Company to become immediately due and payable.

10. If the Buyer makes any voluntary arrangement with its creditors, becomes subject to an Administration Order, or (being an individual or firm) becomes bankrupt, or (being a company) goes into liquidation (otherwise than for the purposes of amalgamation or reconstruction), or an encumbrancer takes possession, or a Receiver is appointed of any of the property or assets of the Buyer, or the Buyer ceases or threatens to cease to carry on business or the Company reasonably apprehends that any of the events mentioned in this clause is about to occur (and notifies the Buyer accordingly) then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to cancel the Contract or suspend any further deliveries without any liability on the part of the Company and, if the Goods have been delivered but not paid for, the Price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

11. (a) Subject as provided below the Company warrants that the Goods will correspond to their specification at the time of delivery and shall be free from defects in materials and workmanship. All other warranties, conditions or other terms implied by statute or common law are excluded to the fullest extent permitted by law.

(b) Except in respect of death or personal injury caused by the Company's negligence, the Company's entire liability under each Contract shall be limited to the Price attributable to the Goods which are the subject of the claim. The Company shall not be liable to the Buyer for any consequential or special loss or damage (whether for loss of income, profit or otherwise), costs, expenses or other claims for compensation which arise out of, or in connection with, the supply of the Goods or their use or resale by the Buyer.

(c) Any claim by the Buyer which is based on any defect in the quality or condition of the Goods or their failure to correspond with specification or non or incorrect delivery shall (whether or not delivery is refused by the Buyer) be notified to the Company within 7 days from the date of delivery or (where there is non or incorrect delivery or the defect or failure was not apparent on reasonable inspection) within a reasonable time after discovery of the defect or failure. If delivery is not refused, and the Buyer does not notify the Company accordingly, the Buyer shall not be entitled to reject the Goods and the Company shall have no liability for such defect or failure, and the Buyer shall be bound to pay the Price as if the Goods had been delivered in accordance with the Contract.

(d) Where any valid claim is notified to the Company, the Company shall be entitled to repair or replace the Goods (or the part in question) free of charge or, at the Company's sole discretion, grant credit to or refund to the Buyer the Price of the Goods (or a proportionate part of the Price), but the Company shall have no further liability to the Buyer.

(e) The Company shall not be liable to the Buyer or in breach of contract where performance of its obligations is prevented, frustrated or impeded as a result of any act of God, war, or civil disturbance, strikes or other industrial action, government or other authority, laws, regulations or orders, national emergencies, lockout, fire, flood, draught, tempest, import or export restrictions, power failure, difficulty in obtaining materials or Goods or any other cause beyond the control of the Company.

12. (a) Each Contract shall only confer rights and benefits on the Buyer and no third party shall acquire rights or benefits under the Contract or these Conditions.

(b) The Company is a subsidiary of Antalis Group Limited. Accordingly the Company may perform any of its obligations or exercise any of its rights hereunder by itself or through any other company which is a subsidiary of Antalis Group Limited, provided that any act or omission of any such other member shall be deemed to be the act or omission of the Company.

(c) Any notice given under these Conditions shall be in writing addressed to the registered office or principal place of business of the addressee or such other address as may at the relevant time have been notified as the correct address.

(d) No waiver by the Company of any breach of the Contract by the Buyer shall be considered as waiver of any subsequent breach of the same or any other provision.

(e) The Conditions and each Contract shall be governed by and construed in accordance with the laws of England.