



PRINT

Anglia
Tel: 0870 607 3103
Fax: 0870 607 3158

London West
Tel: 0870 607 3114
Fax: 0870 607 3168

Midlands
Tel: 0870 607 3106
Fax: 0870 607 3160

North East
Tel: 0870 607 3109
Fax: 0870 607 3163

North West
Tel: 0870 607 3112
Fax: 0870 607 3166

Northern Ireland
Tel: 02890 847700
Fax: 02890 847716

Scotland
Tel: 0870 607 3108
Fax: 0870 607 3162

South East
Tel: 0870 607 3143
Fax: 0870 607 3154

South West
Tel: 0870 607 3110
Fax: 0870 607 3164

West
Tel: 0870 607 3102
Fax: 0870 607 3157

Yorkshire
Tel: 0870 607 3107
Fax: 0870 607 3161

REPUBLIC OF IRELAND

Tel: 01 876 3188
Fax: 01 856 7111

OFFICE

North
Tel: 0870 607 3136
Fax: 0870 607 3178

South
Tel: 0870 607 3132
Fax: 0870 607 3171

Talk Paper
Tel: 01530 517200
Fax: 01530 517127

PUBLISHING & WEB

Tel: 0203 283 4329
Fax: 0203 283 4330

REELS

Tel: 0870 607 3115
Fax: 0113 259 8286

SIGN & DISPLAY

North
Tel: 01925 868650
Fax: 01925 868670

South
Tel: 0208 390 6888
Fax: 0208 399 1714


SOLUTIONS

Dartford
Tel: 01322 313080
Fax: 01322 313089

PAPER DESK

Tel: 0870 600 4400

REELS EASY REFERENCE GUIDE



Antalis Limited
Interlink Way West,
Coalville, Leicestershire
LE67 1LE
Tel: 0870 607 9014
Fax: 01530 505 058
email: contact@antalis.co.uk
www.antalis.co.uk

antalis TM
Just ask Antalis

antalis TM
Just ask Antalis



The mark of
responsible forestry

Printed on Trucard 2 Gloss 240gsm

Feb 2013

WELCOME

...to Antalis Reels, a dedicated division providing you with a credible and viable alternative choice in the reels market.

This guide provides an introduction to our comprehensive product offer for the business forms, transactional documents, security and direct marketing industries.

We have invested heavily in our product offer, training and infrastructure to ensure we can offer you the most innovative products from the best manufacturers, backed up with the service and expertise you expect from a market leading supplier.

We hold a wide selection of sizes in stock for next day or even same day delivery, also supported by a substantial Wharf facility - ideal for fulfilling larger requirements. As part of a leading UK merchant group you can also tap into over 13,000 products in our range covering all your needs for papers, boards, envelopes, packaging or signage materials - all from a single source. Our range also includes a comprehensive selection of environmentally certified products.

For further information on our range, please get in contact with our dedicated reels team on 0870 607 3115 or e-mail reels@antalis.co.uk

CONTENTS

KEY TO OUR ICONS	3
PRE-PRINT	4
BESPOKE	6
BOARDS	7
SECURITY	8
WHARF OFFER	10
CARBONLESS AND SUNDRIES	12
GLUES & BINDING TAPE	13
PRINTING BOARDS	14
GREYBOARDS	14
PACKAGING	15

KEY TO OUR ICONS

To help you select the most appropriate stock for your particular job, we've included a series of icons next to each product in this guide, to show the applications each one is suitable for and the certifications they carry.

 COLOUR COPIER Guaranteed for colour copying.	 OPTICAL SCANNING Suitable for use with optical scanning equipment.	 CBS1 Complies with Clearing Bank Standard 1.
 BLACK AND WHITE LASER Guaranteed for mono laser printing.	 OFFSET Suitable for Offset printing.	 CBS2 Complies with Clearing Bank Standard 2.
 COLOUR LASER Guaranteed for colour laser printing.	 ELEMENTAL CHLORINE FREE Indicates that pulp has been bleached without using elemental chlorine.	 DIN 6723 Suitable for use in optical character recognition systems.
 BLACK AND WHITE INKJET Guaranteed for mono inkjet printing.	 ISO 9001 The internationally recognised standard for quality. Products showing this icon have been produced by a manufacturer accredited to ISO 9001.	 FSC® If a product carries the trademark of the Forest Stewardship Council (FSC) then the wood used to make it has come from a forest which is well managed according to strict environmental, economic and social standards.
 COLOUR INKJET Guaranteed for colour inkjet printing.	 ISO 9706 ISO 9706 accreditation sets out standards for permanency or longevity of the paper.	
 PRE-PRINT Suitable for pre-print processes.	 ISO 14001 Suppliers accredited to ISO 14001 have an Environmental Management System in place that governs their actions.	 NAPM RECYCLED Approved by the NAPM that the product is 100% recycled.
 PROCESS CHLORINE FREE Indicates that no bleach has been added during the recycling process to whiten the product.	 ISO 50001 Suppliers accredited to ISO 50001 have an energy management system in place that governs their actions.	 EU ECOLABEL Eco Label products deliver high performance and environmental quality, verified by a robust and independant certification process.

PRE-PRINT RECYCLED

COCOON PRE-PRINT

Cocoon is an extra-white FSC certified 100% recycled paper. It is produced totally ecologically using very advanced technology giving it the appearance and printing qualities of a paper made from virgin fibre, but with far superior environmental credentials.

COCOON Preprint



TECHNICAL SPECIFICATIONS	SPEC	GSM	80	90	100
<ul style="list-style-type: none">● Suitable for: HSWO, Offset litho, Mono Laser printing● Major Attributes: Letterheads, Pre-printed forms, Bank statements, Personalisation, Brochures, Manuals● Certifications: FSC Recycled, NAPM 100% Recycled, ISO9001, ISO14001, Process Chlorine Free (PCF)	Bulk (cm3/g)		1.12	1.13	1.15
	Roughness (ml/min)		200/250	200/250	200/250
	CIE Whiteness (%)		150	150	150
	Opacity (%)		94	95	95
	Thickness (Um)		35+/-5	35+/-6	35+/-7
Technical information for guidance only					
RANGE CHART	GSM	Reel Length	Reel Width mm		
			432	445	457
	80gsm	8000m	63552	63553	63554
	90gsm	7000m	63555	63556	63557
	100gsm	6300m	63558	63559	63560

PRE-PRINT LASER STATEMENT

Antalis supplies paper for litho pre-print. To achieve the best results and avoid possible problems please follow these recommendations:

- Keep the paper wrapped until ready for litho printing
 - Cover the paper in between printing passes
 - Make sure the litho inks are specifically laser compatible
 - When printing offset litho keep the damping down to a minimum
 - After litho printing make sure the paper is waterproof wrapped
 - When paper is cut after litho printing, prior to lasering use a good sharp guillotine knife. After guillotining, the paper should be waterproof wrapped again and kept away from extreme temperatures and humidity
 - When the paper is supplied either to the laser printer, or to the end user, make sure that it is boxed in waterproof barrier boxes, and that the end user keeps the material wrapped prior to using it
- Make sure that the paper is cut to long grain for laser printing
 - Do not try to laser on top of litho ink film
 - To avoid poor toner adhesion do not laser on the reverse side of heavy litho ink film
 - Make sure that the ink toner used has been recommended by the printer manufacturer
 - We do not recommend printing litho laser on sheet sizes above SRA1
- By following the above guidelines any of the papers we supply which are recommended for litho laser pre-print will perform well throughout the whole process.

PRE-PRINT

MODO PRE-PRINT REELS

Modo Pre-Print Plus is a high white grade that runs smoothly on offset presses, all types of sheet-fed printers and converting peripherals. It is fully compatible with electrostatic and offset printing.

Modo PrePrint Plus



TECHNICAL SPECIFICATIONS		SPEC	GSM	80	90	100	115								
<ul style="list-style-type: none">● Suitable for: High Speed Web Offset, Offset Litho, Mono/Colour Laser Printing, Mono/Colour inkjet● Major Attributes: Letterheads, Pre-printed forms, Bank statements, Personalisation, Brochures, Manuals● Certifications: FSC Mix, EU Flower, ISO9001, ISO14001, ISO50001, ECF	Roughness (ml/min)			220	220	220	220								
	CIE Whiteness (%)			160	160	160	160								
	Opacity (%)			93	95	96	97								
	Stiffness (MD)			0.5	0.6	0.85	1.3								
	Stiffness (CD)			0.2	0.22	0.32	0.5								
Technical information for guidance only															
RANGE CHART		GSM	Reel Length	Reel Width mm											
				235	241	254	310	343	368	380	406	432	445	457	482
	70	8600m	48346	48349	-	48358	48363	-	-	-	-	-	-	-	-
	80	7600m	48369	48371	48415	48434	48437	48439	48449	48451	56793	56621	48465	48466	
	90	6700m	48467	48477	48478	48543	48544	-	48545	-	56622	56623	48546	48547	
	90 -12000D	9800m	-	-	-	-	-	-	-	-	63621	63622	-	-	
	100	6000m	48548	48549	48550	48551	48552	48553			56625	56626	16494	48554	
	100 -12000D	8800m	-	-	-	-	-	-	-	-	63623	63624	-	-	
	115	5400m	48555	-	-	-	-	-	-	-	48556	31742	93147	-	

PRINT SPEED LASER JET REELS

An uncoated bright white business paper offering excellent print results, perfect for pre-print litho and thermography. It is guaranteed for use on a wide range of office equipment including high volume copying, colour copying, laser and both mono and colour inkjet printers.



TECHNICAL SPECIFICATIONS	SPEC	GSM	80	90	100
<ul style="list-style-type: none">● Suitable for: High Speed Web Offset, Offset Litho, Mono/Colour Laser Printing● Major Attributes: Letterheads, Pre-printed forms, Bank statements, Personalisation, Brochures, Manuals● Certifications: FSC Mix, ISO9001, ISO14001, ISO9706, EU Flower, OCR	CIE Whiteness (%)		150	150	150
	Opacity (%)		169	169	169
	Moisture (%)		95	96	97
	Stiffness (MD)		5.0	5.0	5.0
Technical information for guidance only					
RANGE CHART	GSM	Reel Length	Reel Width mm		
			432		
	80gsm	8050m	26380		
	90gsm	7150m	26381		
	100gsm	7100m	26379		
	110gsm	6150m	48278		

BESPOKE



For further information on our creative range please contact our sales team

Any colour, any grammage in reel format with just a 2 tonne minimum order - and we can usually deliver in under 4 weeks. You won't find that kind of service from any other UK merchant.

These papers are available as specials in reel formats for orders over 2 tonnes. The minimum reel width is 200mm with wider options available as required. All the ranges are certified to the FSC standard and Conqueror is also Carbon Neutral.



Our sister company Arjo Wiggins fine papers are one of the leading creative papers manufacturers in Europe. As part of the Antalis Group we have exclusive access to their range of market leading brands.

The ultimate paper offering a wide variety of finishes to suit all marketing and corporate communications

A powerful combination of paper and finishes to add value to any communication

The soft textured finishes in these ranges offer a daring and distinctive solution to printed communications

The original premium coloured paper range providing a trusted solution to high quality communications

The coloured range that breathes life into any communication

BOARDS

CHALLENGER PULP BOARD



Challenger is a white uncoated pulpboard made from FSC certified pulp. It offers an excellent substance caliper ratio and has a quality finish. It is available in a wide choice of weights and sizes.



TECHNICAL SPECIFICATIONS	SPEC	GSM	150	170	188
• Suitable for: High speed web offset, offset litho, letterpress, varnishing, film lamination, foil blocking, embossing, folding and die cutting	Mic		200	230	250
	Stiffness M/D		345	460	620
	Stiffness C/D		240	315	415
	Whiteness		65	65	65
	Smoothness T/S		390	390	390
• Major Attributes: Cover work on brochures, postcards, menus, reply paid cards, greetings cards, tags, tickets	Smoothness W/S		420	420	420
	Technical information for guidance only				

RANGE CHART	Mic	Reel Length	Reel Width mm					
			241	255	310	343	380	457
	200mic	3500m	63561	63562	63563	63564	63568	63574
	230mic	3500m	63579	63580	63581	63582	63583	63584
	250mic	3500m	-	63585	63586	63587	63588	63589

PRINT SPEED PREMIUM BOARD



This is the paper to use where consistently high quality, both print and paper, is top of your list of requirements. The extra smoothness, high opacity and superior bulk are things you'll find Print Speed offers in abundance.



TECHNICAL SPECIFICATIONS	SPEC	GSM	150	190
• Suitable for: High speed web offset, offset litho, letterpress, varnishing, film lamination, foil blocking, embossing, folding and die cutting	CIE Whiteness (%)		161	161
	Stiffness ISO 2493 MD (mNm)		1.8	3.1
	Stiffness ISO 2493 CD (mNm)		1.0	1.8
	Roughness Bendtsen (ml/min)		150	200
	Thickness (Um)		172	230
• Major Attributes: Cover work on brochures, postcards, menus, reply paid cards, greetings cards, tags, tickets	Technical information for guidance only			

RANGE CHART	GSM	Reel Length	Reel Width mm							
			235	241	254	305	343	368	432	457
	150gsm	4600m	74044	74045	74046	74048	74049	74051	74052	74053
	190gsm	3400m	-	-	74047	-	74050	-	-	74054

SECURITY

TRUCHEQUE CBS1

Exclusive to Antalis Reels in the UK

Fully chemically sensitised and UV Dull, suitable for the manufacture of cheque books, letter cheques, vouchers, certificates and other secure documentation.

trucheque



TECHNICAL SPECIFICATIONS	SPEC \ GSM		95					
	Mic		114					
	Stiffness M/D		3.3					
	Stiffness C/D		1.3					
	Whiteness		55					
	Smoothness (ml/min)		150					
Technical information for guidance only								
<ul style="list-style-type: none">● Available in: plain and watermarked.● Suitable for: High Speed Web Offset, Offset Litho, Mono/Colour Laser Printing● Major Attributes: Cheques, share certificates, passport pages, laser personalisation, MICR/OCR/OMR reading, hologram application● Certifications: FSC Mix, ISO9001, ISO14001, CBS1, OCR, ECF, ISO9706								
RANGE CHART	GSM	Reel Length	Reel Width mm (70mm core)					
			235	254	432	445	457	470
		95gsm	7000m	63545	63546	63547	63548	63550

MODO OCR PLUS

Modo OCR Plus maximises data recognition technology with excellent print quality and contrast for precise information capture. It meets all European postal requirements and is accredited with DIN 6723 and Clearing Bank Specification 2 (CBS2).

Modo OCR Plus



TECHNICAL SPECIFICATIONS	SPEC \ GSM		85	
	Opacity		94	
	Whiteness		146	
	Roughness (ml/min)		200	
	Thickness (Um)		122	
	Stiffness M/D		0.52	
	Stiffness C/D		0.19	
Technical information for guidance only				
● Suitable for: High Speed Web Offset, Offset Litho, Mono/Colour Laser Printing				
● Major Attributes: Cheques, share certificates, passport pages, laser personalisation, MICR/OCR/OMR reading, hologram application				
● Certifications: FSC Mix, EU Flower, ISO9001, ISO14001, ISO50001, DIN6723, CBS2, OCR, ECF				
RANGE CHART	GSM	Reel Length	Reel Width mm	
			432	457
	85gsm	7200m	31875	31876


SECURITY

CBS1 OCAREAD

Ocaread is the leading non-sensitised security paper, ideal for general print applications. It is chemically enhanced to highlight even the most sophisticated attempts at fraudulent alterations to documents. It is compatible with all leading OCR and MICR readers.



TECHNICAL SPECIFICATIONS	SPEC \ GSM		95				
	Mic		114				
	Stiffness M/D		3.3				
	Stiffness C/D		1.3				
	Whiteness		55				
	Smoothness (ml/min)		150				
Technical information for guidance only							
● Suitable for: High Speed Web Offset, Offset Litho, Mono/Colour Laser Printing							
● Major Attributes: Cheques, share certificates, passport pages, laser personalisation, MICR/OCR/OMR reading, hologram application							
● Certifications: FSC, ISO9001, ISO14001, ISO9706, CBS1, OCR, ECF							
RANGE CHART	GSM	Reel Length	Reel Width mm				
			229	254	311	381	457
	95gsm	7000m	10288	10326	10289	10304	15152



WHARF OFFER

48 hour service, bespoke reel widths available on request, all product stored at wharf subject to signature of contract and agreement of terms & conditions. Call 0870 607 3115 for further details.

MODO LASER

Uncoated Woodfree paper for offset printing, followed by continuous form fed laser printing.



Modo Laser

TECHNICAL SPECIFICATIONS	SPEC	GSM	70	80	90	100
<ul style="list-style-type: none">• Suitable for: High Speed Web Offset, Offset Litho, Mono Laser Printing• Printing Methods: Laser (xerography) - typical for use on machines such as OCE Variostream, Xeikon reel fed range, Xerox Docuprint continuous 490/980• Certifications: FSC Mix available on request, EU Flower, ISO9001, ISO14001, ISO50001, ECF	CIE Whiteness		160	160	160	160
	Opacity (%)		90	93	95	96
	Roughness (ml/min)		230	230	230	230
	Thickness (µm)		95	107	120	132
	Technical information for guidance only					

MODO PREPRINT PLUS

Uncoated Woodfree extra white paper for offset preprint and subsequent sheeting for laser or inkjet printing.



Modo PrePrint Plus

TECHNICAL SPECIFICATIONS	SPEC	GSM	80	90	100	115
<ul style="list-style-type: none">• Suitable for: High Speed Web Offset, Offset Litho, Mono/Colour Laser Printing, Mono/Colour inkjet• Main Uses: Letterheads, Pre-printed forms, Bank statements, Personalisation, Brochures, Manuals• Certifications: FSC Mix available on request, EU Flower, ISO9001, ISO14001, ISO50001, ECF	CIE Whiteness		160	160	160	160
	Opacity (%)		94	96	97	98
	Roughness (ml/min)		180	180	180	200
	Thickness (µm)		109	122	134	150
	Technical information for guidance only					

MODO MEDIA PLUS

An extra smooth and extra white paper, ideal for advanced high speed colour digital printing.



Modo Media Plus

TECHNICAL SPECIFICATIONS	SPEC	GSM	80	90	100
<ul style="list-style-type: none">• Suitable for: High Speed Web Laser, Mono/Colour Laser• Printing Methods: Laser (xerography) - typical for use on machines such as OCE Variostream, Xeikon reel fed range, Xerox Docuprint continuous 490/980• Certifications: FSC Mix available on request, EU Flower, ISO9001, ISO14001, ISO50001, ECF	CIE Whiteness		167	167	167
	Opacity (%)		94	96	97
	Roughness (ml/min)		120	80	80
	Thickness (µm)		103	109	117
	Technical information for guidance only				

WHARF OFFER

48 hour service, bespoke reel widths available on request, all product stored at wharf subject to signature of contract and agreement of terms & conditions. Call 0870 607 3115 for further details.

MODO JET

High quality extra white paper, ideal for reel fed colour inkjet printing.




Modo Jet

TECHNICAL SPECIFICATIONS	SPEC	GSM	80	90	100	115
<ul style="list-style-type: none">• Suitable for: High Speed Web Inkjet, Mono/Colour inkjet• Printing Methods: Inkjet - typical for use on machines such as Infoprint 5000, Kodak VI 2000, HP Inkjet Webpress, Screen Truepress 520, OCE Jetstream, AGFA Dotrix• Certifications: FSC Mix available on request, EU Flower, ISO9001, ISO14001, ISO50001, ECF	CIE Whiteness		160	160	160	160
	Opacity (%)		93	95	96	97
	Roughness (ml/min)		200	200	200	200
	Thickness (µm)		107	120	132	150
	Technical information for guidance only					

MODO JET PLUS

A smooth and white paper, ideal for advanced high speed colour inkjet printing.



Modo Jet Plus

TECHNICAL SPECIFICATIONS	SPEC	GSM	80	90	100
<ul style="list-style-type: none">• Suitable for: High Speed Web Inkjet, Mono/Colour inkjet• Printing Methods: Inkjet - typical for use on machines such as Infoprint 5000, Kodak VI 2000, HP Inkjet Webpress, Screen Truepress 520, OCE Jetstream, AGFA Dotrix• Certifications: FSC Mix available on request, EU Flower, ISO9001, ISO14001, ISO50001, ECF	CIE Whiteness		167	167	167
	Opacity (%)		94	96	97
	Roughness (ml/min)		140	110	110
	Thickness (µm)		104	111	118
	Technical information for guidance only				

MODO JET PRO

High quality extra white paper made with ColorPRO technology, ideal for enhanced print quality on reel fed colour inkjet printing using pigmented inks.



Modo Jet PRO
with ColorPRO Technology

TECHNICAL SPECIFICATIONS	SPEC	GSM	80	90	100
<ul style="list-style-type: none">• Suitable for: High Speed Web Inkjet, Mono/Colour inkjet• Printing Methods: Inkjet - typical for use on machines such as Infoprint 5000, Kodak VI 2000, HP Inkjet Webpress, Screen Truepress 520, OCE Jetstream, AGFA Dotrix• Certifications: FSC Mix available on request, EU Flower, ISO9001, ISO14001, ISO50001, ECF, ColorPRO Technology	CIE Whiteness		167	167	167
	Opacity (%)		94	95	96
	Roughness (ml/min)		150	120	120
	Thickness (µm)		105	113	120
	Technical information for guidance only				

CARBONLESS AND SUNDRIES

IDEM SUPERIOR

A range of carbonless papers, specially designed for the production of business forms using traditional litho offset and letter press equipment.

Proven on-press performance.

Reliable and consistent edge padding results.



- **Suitable for:** High Speed Web Offset, Offset Litho, Mono/Colour Laser Printing
- **Major Attributes:** Business forms
- **Certifications:** FSC mix, ISO9001, ISO14001, ECF
- **Colours available include:** White, Blue, Green, Pink, Yellow, Chamois

TOP SHEETS

GSM	Colour	Length	Reel Width mm														
			215	230	235	241	255	280	305	310	330	345	368	405	432	457	482
60gsm	Blue	3600	-	-	-	23388	23390	-	-	22391	22393	-	-	-	22394	-	-
60gsm	Blue	7200	-	-	-	23389	-	-	-	22392	-	-	-	-	-	-	-
60gsm	Green	3600	-	-	-	22395	22397	-	-	22400	22401	-	-	-	22402	-	-
60gsm	Green	7200	-	-	-	22396	-	-	-	-	-	-	-	-	-	-	-
60gsm	Pink	3600	-	-	-	22403	22405	-	-	22406	22407	-	-	22408	22410	-	-
60gsm	Pink	7200	-	-	-	22404	-	-	-	-	-	-	-	-	-	-	-
60gsm	White	3600	-	-	48775	24322	32950	24325	32958	24327	10973	-	24334	-	-	-	-
60gsm	White	7200	20803	25786	41616	41617	41618	41619	43930	41620	41621	20807	41622	10142	10143	48970	41623
60gsm	White	11000	-	-	-	-	-	-	-	37370	-	-	-	-	-	-	-
60gsm	Yellow	3600	-	-	-	20176	20178	-	-	20179	20181	20182	-	20183	20184	-	-
60gsm	Yellow	7200	-	-	-	20177	-	-	-	20180	-	-	-	-	91127	20185	-
80gsm	White	3600	-	-	48877	29024	-	-	-	29025	-	-	48880	-	-	20555	20556
80gsm	White	7200	-	-	41624	29219	41626	-	48637	41627	41628	10150	41629	20808	21056	20810	41631

MIDDLE SHEETS

GSM	Colour	Length	Reel Width mm														
			215	230	235	241	255	280	305	310	330	345	368	405	432	457	482
53gsm	Blue	3600	20472	-	48882	18615	18619	48565	-	48566	18635	48567	18829	-	-	-	-
53gsm	Blue	7200	-	-	41586	31365	-	-	31396	-	-	-	-	20813	-	20814	41589
53gsm	Green	3600	20563	-	48883	18616	18620	48568	-	48569	18636	48570	18830	-	-	-	-
53gsm	Green	7200	-	-	41590	41591	-	-	41592	-	-	-	-	20815	-	20816	41595
53gsm	Pink	3600	20565	-	48884	18617	18621	18625	-	18633	18637	48571	18831	-	-	-	-
53gsm	Pink	7200	-	-	41596	41597	-	-	41600	-	41601	-	-	-	-	20819	41603
53gsm	White	3600	20568	-	48881	18606	18607	18608	-	48572	18611	-	18613	-	-	-	-
53gsm	White	7200	-	-	31162	41610	-	-	41613	-	31282	41614	41615	10182	-	10183	31318
53gsm	Yellow	3600	20570	-	48885	18618	18622	18626	-	18634	18638	48573	18832	-	-	-	-
53gsm	Yellow	7200	-	42739	41604	31650	-	-	41606	-	31869	-	-	-	-	10180	41608
60gsm	Blue	3600	-	-	-	-	36159	-	-	-	-	36166	-	-	-	-	-
80gsm	Blue	7200	-	-	-	48980	-	-	37524	48984	20868	-	-	-	20874	-	-
60gsm	Green	3600	-	-	-	-	48623	-	-	-	-	36179	-	-	-	-	-
60gsm	Green	7200	-	-	-	48072	-	-	37525	48985	20880	-	-	-	20901	-	-
60gsm	Pink	3600	-	-	-	-	36182	-	-	-	-	36192	-	-	-	-	-
60gsm	Pink	7200	-	-	-	48073	-	-	37522	48986	20902	-	-	-	20903	-	-
60gsm	White	3600	-	-	-	-	48626	-	-	-	-	-	-	-	-	-	-
60gsm	White	7200	-	-	-	-	48075	-	35893	48977	10185	48978	-	-	20904	-	-
80gsm	Yellow	3600	-	-	-	-	36196	-	-	-	-	36204	-	-	-	-	-
80gsm	Yellow	7200	-	-	-	48074	-	-	37523	48987	20905	-	-	-	20906	-	-

CARBONLESS AND SUNDRIES

BOTTOM SHEETS

GSM	Colour	Length	Reel Width mm														
			215	230	235	241	255	280	305	310	330	345	368	405	432	457	482
57gsm	Blue	3600	20630	-	48898	18673	48557	48558	18686	18689	18693	-	18833	-	-	-	-
57gsm	Blue	7200	-	-	41550	32290	-	-	41552	41553	32691	43944	41554	20908	10152	20909	41555
57gsm	Green	3600	20636	-	48899	18674	48559	48560	18685	-	18694	-	18834	-	-	-	-
57gsm	Green	7200	-	-	41556	28028	-	-	32395	41558	32410	43946	-	20915	20916	20932	26948
57gsm	Pink	3600	20637	-	48900	18675	18679	18683	18687	18691	18695	-	18835	-	-	-	-
57gsm	Pink	7200	-	-	41559	32478	-	-	32741	41560	41561	41562	41563	10155	10156	16581	41564
57gsm	White	3600	20640	-	48897	18664	18665	18666	18667	18668	18669	-	18671	-	-	-	-
57gsm	White	7200	-	31923	31932	41572	-	-	41574	32044	32131	41575	41576	10161	32058	32173	41578
57gsm	Yellow	3600	20641	-	48901	18676	18680	18684	18688	18692	18696	-	18836	-	-	-	-
57gsm	Yellow	7200	-	-	41565	41566	-	-	32650	28030	27842	-	41570	10158	10159	20939	41571
80gsm	White	3600	-	-	20742	-	20746	20747	20770	47196	32911	20773	-	-	-	20801	-
80gsm	White	7200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125gsm	Chamois	3600	-	-	-	-	18704	-	-	18705	-	18706	-	-	-	-	-
125gsm	White	3600	-	-	-	-	18701	-	-	18702	48906	18703	-	-	49928	-	-
170gsm	Chamois	3600	-	-	-	-	40567	-	-	40568	-	40569	-	-	-	-	-
170gsm	White	3600	-	-	-	-	40564	-	-	40565	-	40566	-	-	14658	-	-

GLUES & BINDING TAPE

LINSON TAPE

Item Code	Description	Size	Pack Quantity	Pallet Quantity
69659	Linson Sealing Tape Black	38mm x 50m	4	24
69663	Linson Sealing Tape Black	50mm x 50m	3	504
69664	Linson Sealing Tape Geranium	50mm x 50m	3	18
69665	Linson Sealing Tape Sapphire Blue	50mm x 50m	3	18



GLUES

Item Code	Product	Litres
19957	Padding Adhesive	5
14585	Idem Self Separating Adhesive	2
19462	Idem Self Separating Adhesive	5



INK

Item Code	Product	Litres
11488	Idem Desensitising Ink	1 kilo tin



PRINTING BOARDS

KENDAL MANILLA

Kendal Manilla is the benchmark for high quality filing products. Use Kendal Manilla where you need the assurance of a high quality board, with good printing and converting performance.

Item Code	Tint	Substance	Size	Dimensions	Sheets Per Pack
93058	Blue	180gsm	Double Crown	520 x 775mm	125
93059	Blue	225gsm	Double Crown	520 x 775mm	200
93060	Blue	270gsm	Double Crown	520 x 775mm	125
93061	Blue	315gsm	-	560 x 740mm	125
93052	Buff	180gsm	Double Crown	520 x 775mm	250
93053	Buff	225gsm	Double Crown	520 x 775mm	200
93054	Buff	270gsm	Double Crown	520 x 775mm	125
93055	Buff	315gsm	Double Crown	520 x 775mm	125
93056	Buff	315gsm	-	560 x 740mm	125
93057	Buff	485gsm	-	560 x 740mm	100
93074	Green	225gsm	Double Crown	520 x 775mm	200
93075	Green	270gsm	Double Crown	520 x 775mm	125
93076	Green	315gsm	-	560 x 740mm	125
93089	Grey	225gsm	Double Crown	520 x 775mm	200
93084	Orange	225gsm	Double Crown	520 x 775mm	200
93086	Orange	315gsm	-	560 x 740mm	125
93064	Pink	225gsm	Double Crown	520 x 775mm	200
93065	Pink	270gsm	Double Crown	520 x 775mm	125
93066	Pink	315gsm	-	560 x 740mm	125
93069	Red	225gsm	Double Crown	520 x 775mm	200
93070	Red	270gsm	Double Crown	520 x 775mm	125
93071	Red	315gsm	-	560 x 740mm	125
93099	Violet	270gsm	Double Crown	520 x 775mm	125
93079	Yellow	225gsm	Double Crown	520 x 775mm	200
93080	Yellow	270gsm	Double Crown	520 x 775mm	125

GREYBOARDS

EMBLEM GREYBOARD

A selection of greyboards in a range of sizes and microns for graphic applications.

Item Code	Substance	Size	Dimensions	Pack Quantity	Pallet Quantity
15507	750 mic - 450 gsm	A4	210 x 297 mm	approx 285 sheets per pack	54 packs
74997	750 mic - 450 gsm	SRA2	450 x 640 mm	approx 192 sheets per pack	18 packs
75557	900 mic - 540 gsm	SRA2	450 x 640 mm	approx 160 sheets per pack	18 packs
71165	1250 mic - 750 gsm	SRA2	450 x 640 mm	approx 116 sheets per pack	18 packs
69093	750 mic - 450 gsm	SRA1	640 x 900 mm	approx 96 sheets per pack	18 packs
69259	900 mic - 540 gsm	SRA1	640 x 900 mm	approx 80 sheets per pack	18 packs
68225	1250 mic - 750 gsm	SRA1	640 x 900 mm	approx 57 sheets per pack	18 packs
68527	1500 mic - 900 gsm	SRA1	640 x 900 mm	approx 45 sheets per pack	18 packs
68698	2250 mic - 1440 gsm	SRA1	640 x 900 mm	approx 30 sheets per pack	18 packs

Kendalmanilla

PACKAGING

STANDARD PRINTERS BOXES - CORRUGATED

A range of boxes especially suited to the transport of printed material.

Item Code	Product	Pack Quantity
35279	Single Wall 305 x 229 x 229mm A4	25
53424	Single Wall A4 2Rm 305 x 229 x 114mm	20
53297	Single Wall A4 5Rm 305 x 229 x 305mm	20
53296	Single Wall A4 3Rm 305 x 229 x 178mm	20
13836	Single Wall A4 4Rm 305 x 229 x 229mm	25
16202	Single Wall A3+ 4RM 445 x 315 x 267mm	20
35280	Double Wall 305 x 229 x 229mm A4	10
74190	Double Wall 305 x 229 x 178mm 3Rm	20

CONTINUOUS CARTONS - CORRUGATED

Special continuous form boxes with automatic base.

Item Code	Product	Pack Quantity
47750	Oyster 1B Base 218 x 218 x 152mm	25
47751	Oyster 1L Lid 228 x 228 x 152mm	25
15459	Oyster 2B/Base 262 x 212 x 152mm	25
15460	Oyster 2L/Lid 270 x 220 x 152mm	25
15461	Oyster 3B/Base 339 x 212 x 152mm	25
15462	Oyster 3L/Lid 347 x 220 x 152mm	25
15475	Oyster 10B/Base 308 x 218 x 152mm	25
15476	Oyster 10L/Lid 316 x 226 x 152mm	25
15477	Oyster 11B/Base 323 x 234 x 152mm	25
15478	Oyster 11L/Lid 331 x 242 x 152mm	25
15483	Oyster 14B/Base 310 x 260 x 152mm	25
15484	Oyster 14L/Lid 318 x 268 x 152mm	25
15485	Oyster 15B/Base 305 x 241 x 152mm	25
15486	Oyster 15L/Lid 313 x 249 x 152mm	25
15497	Oyster 21B/Base 286 x 248 x 152mm	25
15498	Oyster 21L/Lid 294 x 256 x 152mm	25

STATIONERY BOXES

Item Code	Product	Pack Quantity
88862	Brown A4 1Rm 305 x 216 x 57mm	50
88861	White A4 1Rm 305 x 216 x 57mm	50

PLASTIC BOXES

Clear plastic boxes for protection and ease of identification.

Item Code	Product	Pack Quantity
15512	Business Card Boxes (smalls) 97 x 62 x 36mm	250
61634	Compliment Slip Box and Lid 226 x 116 x 55mm	100

MANUAL STRETCH FILM

Polyethylene films available in a range of microns to hold goods firm on a pallet during transit or storage. Apply with a hand dispenser or choose film with an extended core for ease of use.

Item Code	Product	Pack Quantity
30053	XS HSF Blown 400mm x 300m 16mic	6
39303	XS HSF Blown 400mm x 300m 19Mic	6
38553	XS HSF Blown 400mm x 300m 19mic Ex Core	6
39305	XS HSF Blown 500mm x 300m 19mic	6
52896	XS HSF Blown Black 500mm x 250m 25mic	6
71905	Premium HSF Cast 400mm x 300m 16mic	6
52668	Premium HSF Cast 400mm x 300m 19mic Ex Core	6
35710	Premium HSF Cast 500mm x 300m 19mic	6
35705	Premium HSF Cast 500mm x 300m 22mic	6
66652	Hand Dispenser	1

PACKAGING TAPE

We have an extensive range of tapes for all uses, our best sellers are listed below. Also available in White & Oyster.

Item Code	Product	Pack Quantity
18855	3M Scotch PP Brown Tape 50mm x 66m	6
18849	3M Scotch PP Transparent Tape 50mm x 66m	6
18856	3M Scotch PP Brown Tape 50mm x 132m	6
18851	3M Scotch PP Transparent Tape 50mm x 132m	6

POSTAL BAGS

An economical, practical and lightweight postal bag fully lined with Aircap® bubble to give protection in transit. Also available in white and oyster.

Item Code	Product	Pack Quantity
61528	Mail Lite Gold Env A/000 110 x 160mm	100
61530	Mail Lite Gold Env B/00 120 x 210mm	100
61531	Mail Lite Gold Env C/0 150 x 210mm	100
61532	Mail Lite Gold Env D/1 180 x 260mm	100
61533	Mail Lite Gold Env E/2 220 x 260mm	100
61534	Mail Lite Gold Env F/3 220 x 330mm	50
61535	Mail Lite Gold Env G/4 240 x 330mm	50
61536	Mail Lite Gold Env H/5 270 x 360mm	50
61537	Mail Lite Gold Env J/6 300 x 440mm	50
61529	Mail Lite Gold Env K/7 350 x 470mm	50

For further information on our comprehensive range of over 3000 packaging products, please contact your sales office.