




STAUFEN PVC FILMS

EASY REFERENCE GUIDE



Bilcare
Research

antalis ^{EM}
Just ask Antalis

WELCOME TO ANTALIS.

STAUFEN

EASY REFERENCE GUIDE

STAUFEN, MANUFACTURED BY BILCARE SOLUTIONS, IS A RANGE OF RIGID PVC FILMS FOR PRINTING AND DECORATIVE APPLICATIONS. AVAILABLE IN A VARIETY OF FINISHES AND DESIGNED TO MEET THE HIGH DEMANDS OF THE VISUAL COMMUNICATION PRINT MARKET.

Thanks to their superb properties:

- Printable by most common printing methods
- Excellent lay-flat properties and even thickness distribution
- Consistent surface quality
- Outstanding processibility
- High chemical resistance
- Self-extinguishing when removed from the source of flames
- Recyclable

Staufen PVC Films are suitable for a whole host of applications:

- Signage
- Point of sale displays
- Posters and banners
- Decorative articles
- Globes and maps
- Labels and price tags
- Light boxes and back-lit poster inserts
- Mouse pads and coasters
- Sequins
- Calendars

And a variety of processing techniques:

- Offset, screen, digital, flexo and gravure printing
- Die cutting, folding, bending and cutting
- Thermoforming, embossing and gluing
- Welding (ultrasonic, high frequency, impulse, contact)
- Lamination, adhesive lamination, coating

Environmental credentials:

- Contain no plasticisers
- Contain no cadmium, lead or mercury
- Physiologically safe
- The majority of our films satisfy food contact requirements as stipulated by the EU Regulation (EC) No. 10/2011 (article 16, 22 and relative amendments)

Also available to order, subject to minimum order quantities:

- Offset modification, UV stabilisation
- Range of colours and opacities
- Fire rating up to B1 according to DIN 4102 (Germany) and M1 according to NF P-92-512 (France)
- Anti-static treatment
- Lampshade translucent (Backlit) Films
- Metallising quality
- Further grades and special versions upon request

Print opacity:

- 1522 standard opacity (SG 1.37 g/cm³)
Single-sided printing all gauges.
Double-sided printing 400 µm and above
- 1309 high opaque (SG 1.41 g/cm³)
Double-sided printing 250 - 450 µm
- 1128 extra high opaque (SG 1.47 g/cm³)
Double-sided printing 200 - 250 µm

For full technical information on the products listed, visit antalisco.uk.

STAUFEN GLOSS/MATT WHITE

Opaque, rigid PVC film, impact modified and suitable for offset UV, digital, screen, flexo and gravure printing.

ITEM NUMBER	DESCRIPTION	MANUFACTURERS REFERENCE	FINISH	MICRON	DIMENSIONS	DENSITY g/cm ³	KG / SHT	MOQ	UNIT
STAUFEN GLOSS WHITE									
55744	STAUFEN GLOSS WHITE PVC	PR315-4D-1522-2020	GLOSS/GLOSS	220	635 x 914mm	1.37	0.175	100	SHEET
55745	STAUFEN GLOSS WHITE PVC	PR315-4D-1522-2020	GLOSS/GLOSS	400	635 x 914mm	1.37	0.318	50	SHEET
55746	STAUFEN GLOSS WHITE PVC	PR315-4D-1522-2020	GLOSS/GLOSS	600	635 x 914mm	1.37	0.477	50	SHEET
STAUFEN MATT WHITE OPAQUE									
55747	STAUFEN MATT WHITE OPAQUE PVC	PR315 4D-1522 - 505R	MATT/MATT	210	635 x 914mm	1.37	0.167	100	SHEET
55748	STAUFEN MATT WHITE OPAQUE PVC	PR315 4D-1522 - 505R	MATT/MATT	210	1067 x 1575mm	1.37	0.483	50	SHEET
55749	STAUFEN MATT WHITE OPAQUE PVC	PR315 4D-1522 - 505R	MATT/MATT	210	1250 x 1850mm	1.37	0.665	25	SHEET
55751	STAUFEN MATT WHITE OPAQUE PVC	PR315 4D-1522 - 505R	MATT/MATT	400	1067 x 1575mm	1.37	0.921	25	SHEET
55759	STAUFEN MATT WHITE OPAQUE PVC	PR315 4D-1522 - 505R	MATT/MATT	400	1250 x 1850mm	1.37	1.267	10	SHEET
55760	STAUFEN MATT WHITE OPAQUE PVC	PR315 4D-1522 - 505R	MATT/MATT	600	1067 x 1575mm	1.37	1.381	10	SHEET
55851	STAUFEN MATT WHITE OPAQUE PVC	PR316 4D-1522 - 505R	MATT/MATT	850	1067 x 1575mm	1.36	1.943	10	SHEET
55855	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	220	1300 x 1000m	1.37	0.392	1	REEL
55857	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	220	1600 x 1000m	1.37	0.482	1	REEL
55859	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	400	1300 x 1000m	1.37	0.712	1	REEL
55860	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	400	1600 x 1000m	1.37	0.877	1	REEL
55861	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	220	1300 x 50m	1.37	19.591	1	ROLL
55862	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	220	1600 x 50m	1.37	24.112	1	ROLL
55864	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	400	1300 x 50m	1.37	35.620	1	ROLL
55865	STAUFEN MATT WHITE OPAQUE PVC	PR315-4D-1522-505R	MATT/MATT	400	1600 x 50m	1.37	43.840	1	ROLL

STAUFEN GLOSS CLEAR

Clear transparent, rigid PVC film, impact modified and suitable for offset UV, digital, screen, flexo and gravure printing. An anti-glare effect and scratch resistance can both be achieved with an embossed surface.

ITEM NUMBER	DESCRIPTION	MANUFACTURERS REFERENCE	FINISH	MICRON	DIMENSIONS	DENSITY g/cm ³	KG / SHT	MOQ	UNIT
STAUFEN GLOSS CLEAR									
55651	STAUFEN GLOSS CLEAR PVC	PR105-4D-0015-2020	GLOSS/GLOSS	220	635 x 914mm	1.34	0.171	100	SHEET
55655	STAUFEN GLOSS CLEAR PVC	PR105-4D-0015-2020	GLOSS/GLOSS	220	1040 x 1550mm	1.34	0.475	50	SHEET
55656	STAUFEN GLOSS CLEAR PVC	PR105-4D-0015-2020	GLOSS/GLOSS	400	635 x 914mm	1.34	0.311	50	SHEET
55740	STAUFEN GLOSS CLEAR PVC	PR105-4D-0015-2020	GLOSS/GLOSS	400	1040 x 1550mm	1.34	0.864	50	SHEET
55741	STAUFEN GLOSS CLEAR PVC	PR107-4D-0015-2020	GLOSS/GLOSS	600	1040 x 1550mm	1.32	1.277	10	SHEET

STAUFEN MARK RESIST

Staufen Mark Resist is a range of unplasticised rigid PVC films calendered with an embossing to give a fine grain finish on the front offering protection and a smooth finish on the reverse for printing.

ITEM NUMBER	DESCRIPTION	MANUFACTURERS REFERENCE	FINISH	MICRON	DIMENSIONS	DENSITY g/cm ³	KG / SHT	MOQ	UNIT
STAUFEN MARK RESIST									
59945	STAUFEN MARK RESIST PVC	PR105-4D-0015- 5041	MATT/MATT	225	700 x 1000mm	1.31	0.206	100	SHEET

OUR LATEST PRODUCT RANGES, AVAILABLE IN YOUR POCKET!



Download our **FREE Antalis DocuCloud App** from your app store now and keep up to date with

our latest ranges along with access to exclusive content and videos. Available for Smartphone, Tablet and PC*.

*PC's must be running Windows 10



Our Branches

PRINT

Anglia

Tel: 0370 607 3103
Fax: 0370 607 3158
email: anglia@antal.co.uk

Midlands

Tel: 0370 607 3106
Fax: 0370 607 3160
email: midlands@antal.co.uk

North West

Tel: 0370 607 3112
Fax: 0370 607 3166
email: northwest@antal.co.uk

Northern Ireland

Tel: 02890 847 700
Fax: 02890 847 716
email: belfastsales@antal.co.uk

Scotland

Tel: 0370 607 3108
Fax: 0370 607 3162
email: scotland@antal.co.uk

South East

Tel: 0370 607 3143
Fax: 0370 607 3154
email: southeast@antal.co.uk

South West

Tel: 0370 607 3110
Fax: 0370 607 3164
email: southwest@antal.co.uk

West

Tel: 0370 607 3102
Fax: 0370 607 3157
email: west@antal.co.uk

Yorkshire

Tel: 0370 607 3107
Fax: 0370 607 3161
email: yorkshire@antal.co.uk

REPUBLIC OF IRELAND

Tel: 01 876 3188
Fax: 01 856 7111
email: dublin@antal.ie

OFFICE SUPPLIES

North

Tel: 0370 607 3132
Fax: 0370 607 3178
email: office.n@antal.co.uk

South East

Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.se@antal.co.uk

South West

Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.sw@antal.co.uk

Consumer

Tel: 0370 243 0645
Fax: 0370 607 3178
email: digital.sales@antal.co.uk

Antalis Key Accounts

Tel: 01530 517 200
Fax: 01530 517 127
email: keyaccounts@antal.co.uk

SIGN & DISPLAY

Tel: 01925 868 650
Fax: 01925 868 670
email: signanddisplay@antal.co.uk

PACKAGING

North

Tel: 0370 241 1449
Fax: 0370 609 9889
email: wrteam@antal.co.uk

South

Tel: 0370 241 1450
Fax: 0370 607 3144
email: pkteam@antal.co.uk

CUSTOMER SOLUTIONS

Tel: 0203 117 1600
Fax: 0203 117 1601
email: customer_solutions@antal.co.uk

PAPER DESK FOR DESIGNERS

Tel: 0370 600 4400
email: paperdesk@antal.co.uk

Printed on Cocoon Silk 250gsm



The mark of
responsible forestry

We market certified products.

December 2015
Part Number 52305



Antalis Limited
Interlink Way West,
Coalville,
Leicestershire LE67 1LE
Tel: 0370 607 9014
Fax: 01530 505 058
contact@antal.co.uk
antal.co.uk

antalis TM
Just ask Antalis