

# 3A COMPOSITES

## EASY REFERENCE GUIDE



## ACM - ALUMINIUM COMPOSITE

### DIBOND®

- Optimised lacquer system with enhanced ink adhesion for digital UV print compatibility
- Relatively low weight combined with high stiffness and dimensional stability. Ideal for large format printing
- Absolutely flat surface for increased printing speed and quality
- Resistant to temperature changes between -50°C and +80°C
- Unique alloy with excellent three dimensional processing characteristics for bending, routing and folding
- High corrosion resistance
- Optimised for long term use

### DILITE®

- Economic 0.2mm thick aluminium skins for interior and exterior application
- Both sides stove lacquered
- Both sides with peel off protective film
- Lightweight but strong
- Suitable for screen printing and direct to substrate digital UV printing
- 3 years warranty



## FOAM PVC & FOAM COMPOSITE SHEET - HIGH DENSITY

### FOREX®

- Brilliant white, smooth, even surface
- Optimum ink adhesion and colour fastness
- Good dimensional accuracy
- Difficult-to-ignite and self-extinguishing - B1 Fire Rated
- Suitable for short to medium term applications for interior and exterior use

### FoamaLite

- High dimensional stability
- Smooth surface finish with high surface hardness
- Easily processed, ideal for 3D applications
- Universal sheet for interior and exterior display applications

### SMART-X®

- Environmentally friendly - 100% polystyrene, 100% recyclable
- Refined surface structure for brilliant printing results with direct digital UV printing
- High stability with very low weight
- Very good resistance to weathering with high UV stability and humidity resistance, no deformation
- Low resistance during contour milling

## SIGNAGE BOARD

### KAPA®

- Perfect flatness
- Lightweight with an excellent level of stiffness
- Dimensionally stable
- Very high heat resistance

### FOAM-X®

- Light and solid
- Excellent stiffness and good dimensional stability
- Easy to cut (manually or with a jig saw)
- No crumbling of the foam core
- Problem-free application of solvent based paints and glues

### DISPA®

- Unique embossed core - lightweight, strong, rigid and stable
- Made of 100% paper, 100% recyclable, FSC® certified
- Smooth, bright white print surface
- Strong rigid and stable signs that start flat and stay flat
- Lightweight, easy to cut, crease and hang

Thanks to a diversified range of products that includes DIBOND® aluminum composite panels, KAPA®, SMART-X®, and FOAM-X® lightweight foam boards, FOREX® and FOAMALITE® rigid foam plastic sheets as well as the new DISPA® 100% Paper display board, customers can benefit from a unique and ideally matched product offering.

Aluminium composite, used in either 2D or 3D applications, delivers outstanding results due to its extremely flat and stable surface and a very high resistance to weathering and corrosion. Aluminium composite is used for interior and exterior applications:

- Exhibition stands and displays
- Shop fitting, interior design
- Furniture construction
- PoS/PoP displays, signage and shop fronts (interior and exterior)
- Digital UV and screen printing



Foam PVC and foam composite offer a wide range of properties such as high stability despite minimal weight, and excellent print surface. Foam PVC and foam composite sheets can be used for internal and external applications:

- Signage
- Exhibitions
- Shopfitting
- Digital UV and screen printing



Signage boards enable you to print amazing graphics, create shapes with die and knife cutting and are easy to mount and laminate on to. Suitable for internal applications:

- Short term promotional campaigns
- Hanging signs
- Display and PoS/PoP applications
- Internal signage
- Photo mounting
- Model making
- Presentations
- Fill-in panel for exhibition and display systems
- Lightweight structures
- Digital UV and screen printing



## PRODUCT SELECTOR

	APPLICATION TYPE				PROCESSING								FIXING				SURFACE TREATMENT					
	INTERIOR	EXTERNAL LONG TERM (> 3 YEARS)	EXTERNAL MEDIUM TERM (1-3 YEARS)	EXTERNAL SHORT TERM (< 1 YEAR)	CUTTING/DIE CUTTING/ PLOTING	SHEARING	SAWING	DRILLING	CONTOUR MILLING	FOLDING (V-GROOVE)	COLD BENDING	HOT FORMING	PUNCHING	RIVETING	SCREWING	HOT AIR WELDING	GLUING	MOUNTING /LAMINATING	VARNISHING /LACQUERING	PAINTING /SPRAY PAINTING	SCREEN PRINTING	DIGITAL PRINTING
DIBOND																						
DILITE																						
FOREX																						
FOAMALITE																						
SMART-X																						
KAPA®																						
FOAM-X PRINT																						
DISPA																						

SUITABLE

UNSUITABLE

KAPA®TECH ONLY IS  
SUITABLE FOR EXTERNAL  
MEDIUM TERM USE.

## ACM RANGE GRID

**DIBOND®**

ITEM NUMBER	DESCRIPTION	DIMENSIONS	SKIN	FILMED	FIRE RATING	EXTERNAL
40495	DIBOND DIGITAL - WHITE MATT/MATT	1250 x 2500mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65836	DIBOND DIGITAL - WHITE MATT/MATT	1500 x 3050mm 3mm	0.2mm	2 SIDES	B2 / M1	YES

**DILITE®**

ITEM NUMBER	DESCRIPTION	DIMENSIONS	SKIN	FILMED	FIRE RATING	EXTERNAL
40471	DILITE - WHITE MATT/MATT	1250 x 2500mm 2mm	0.2mm	2 SIDES	B2 / M1	YES
40475	DILITE - WHITE MATT/MATT	1500 x 3050mm 2mm	0.2mm	2 SIDES	B2 / M1	YES
40476	DILITE - WHITE MATT/MATT	1250 x 2500mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
40477	DILITE - WHITE MATT/MATT	1500 x 3050mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65830	DILITE - BLACK GLOSS/MATT	1250 x 2500mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65834	DILITE - BLACK GLOSS/MATT	1500 x 3050mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65829	DILITE - BLUE GLOSS/MATT	1250 x 2500mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65833	DILITE - BLUE GLOSS/MATT	1500 x 3050mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65828	DILITE - RED GLOSS/MATT	1250 x 2500mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65832	DILITE - YELLOW GLOSS/MATT	1250 x 2500mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
65835	DILITE - YELLOW GLOSS/MATT	1500 x 3050mm 3mm	0.2mm	2 SIDES	B2 / M1	YES
86501	DILITE - BUTLER FINISH	1220 x 2440mm 3mm	0.3mm	2 SIDES	B2 / M1	YES
86505	DILITE - BUTLER FINISH	1500 x 3050mm 3mm	0.3mm	2 SIDES	B2 / M1	YES



## FOAM PVC & FOAM COMPOSITE SHEET - HIGH DENSITY RANGE GRID



ITEM NUMBER	DESCRIPTION	DIMENSIONS	DENSITY	FILMED	FIRE RATING	EXTERNAL
62106	FOAMALITE PREMIUM - WHITE FILMED	1220 x 2440mm 2mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62118	FOAMALITE PREMIUM - WHITE FILMED	1560 x 3050mm 2mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62119	FOAMALITE PREMIUM - WHITE FILMED	1220 x 2440mm 3mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62121	FOAMALITE PREMIUM - WHITE FILMED	1220 x 3050mm 3mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62122	FOAMALITE PREMIUM - WHITE FILMED	1560 x 3050mm 3mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62123	FOAMALITE PREMIUM - WHITE FILMED	2050 x 3050mm 3mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62124	FOAMALITE PREMIUM - WHITE FILMED	1220 x 2440mm 5mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62128	FOAMALITE PREMIUM - WHITE FILMED	1560 x 3050mm 5mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62129	FOAMALITE PREMIUM - WHITE FILMED	2050 x 3050mm 5mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62142	FOAMALITE PREMIUM - WHITE FILMED	1220 x 2440mm 10mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62143	FOAMALITE PREMIUM - WHITE FILMED	1560 x 3050mm 10mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62145	FOAMALITE PREMIUM - WHITE FILMED	2050 x 3050mm 10mm	0.7	1 SIDE	M1 / C-S3-D0	YES
62150	FOAMALITE XPRESS - WHITE FILMED	1220 x 2440mm 2mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62153	FOAMALITE XPRESS - WHITE FILMED	1560 x 3050mm 2mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62154	FOAMALITE XPRESS - WHITE FILMED	1220 x 2440mm 3mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62155	FOAMALITE XPRESS - WHITE FILMED	1220 x 3050mm 3mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62157	FOAMALITE XPRESS - WHITE FILMED	1560 x 3050mm 3mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62160	FOAMALITE XPRESS - WHITE FILMED	2050 x 3050mm 3mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62161	FOAMALITE XPRESS - WHITE FILMED	1220 x 2440mm 5mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62164	FOAMALITE XPRESS - WHITE FILMED	1220 x 3050mm 5mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62166	FOAMALITE XPRESS - WHITE FILMED	1560 x 3050mm 5mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62168	FOAMALITE XPRESS - WHITE FILMED	2050 x 3050mm 5mm	0.55	1 SIDE	M1 / C-S3-D0	YES
62169	FOAMALITE XPRESS - WHITE UNFILMED	1220 x 2440mm 1mm	0.55	NO	M1 / C-S3-D0	YES
62170	FOAMALITE XPRESS - WHITE UNFILMED	1220 x 3050mm 1mm	0.55	NO	M1 / C-S3-D0	YES
62175	FOAMALITE XPRESS - WHITE UNFILMED	1220 x 2440mm 2mm	0.55	NO	M1 / C-S3-D0	YES
62176	FOAMALITE XPRESS - WHITE UNFILMED	1560 x 3050mm 2mm	0.55	NO	M1 / C-S3-D0	YES
62177	FOAMALITE XPRESS - WHITE UNFILMED	1040 x 1550mm 3mm	0.55	NO	M1 / C-S3-D0	YES
62178	FOAMALITE XPRESS - WHITE UNFILMED	1220 x 2440mm 3mm	0.55	NO	M1 / C-S3-D0	YES
62179	FOAMALITE XPRESS - WHITE UNFILMED	1220 x 3050mm 3mm	0.55	NO	M1 / C-S3-D0	YES
62180	FOAMALITE XPRESS - WHITE UNFILMED	1560 x 3050mm 3mm	0.55	NO	M1 / C-S3-D0	YES
62184	FOAMALITE XPRESS - WHITE UNFILMED	2050 x 3050mm 3mm	0.55	NO	M1 / C-S3-D0	YES
62185	FOAMALITE XPRESS - WHITE UNFILMED	1040 x 1550mm 5mm	0.55	NO	M1 / C-S3-D0	YES
62186	FOAMALITE XPRESS - WHITE UNFILMED	1220 x 2440mm 5mm	0.55	NO	M1 / C-S3-D0	YES
62187	FOAMALITE XPRESS - WHITE UNFILMED	1560 x 3050mm 5mm	0.55	NO	M1 / C-S3-D0	YES
62188	FOAMALITE XPRESS - WHITE UNFILMED	1220 x 2440mm 10mm	0.55	NO	M1 / C-S3-D0	YES
62191	FOAMALITE XPRESS - WHITE UNFILMED	1560 x 3050mm 10mm	0.55	NO	M1 / C-S3-D0	YES
73775	FOAMALITE - BLACK FILMED	1220 x 2440mm 3mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73777	FOAMALITE - BLACK FILMED	1560 x 3050mm 3mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73779	FOAMALITE - BLACK FILMED	1220 x 2440mm 5mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73781	FOAMALITE - BLACK FILMED	1560 x 3050mm 5mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73783	FOAMALITE - LIGHT YELLOW FILMED - FL20	1220 x 2440mm 3mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73785	FOAMALITE - LIGHT YELLOW FILMED - FL20	1220 x 2440mm 5mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73787	FOAMALITE - DARK YELLOW FILMED - FL21	1220 x 2440mm 3mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73789	FOAMALITE - DARK YELLOW FILMED - FL21	1220 x 2440mm 5mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73791	FOAMALITE - RED FILMED - FL23	1220 x 2440mm 3mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73795	FOAMALITE - RED FILMED - FL23	1220 x 2440mm 5mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73797	FOAMALITE - DARK BLUE FILMED - FL77	1220 x 2440mm 3mm	0.59	1 SIDE	M1 / C-S3-D0	YES
73799	FOAMALITE - DARK BLUE FILMED - FL77	1220 x 2440mm 5mm	0.59	1 SIDE	M1 / C-S3-D0	YES

ITEM NUMBER	DESCRIPTION	DIMENSIONS	DENSITY	FILMED	FIRE RATING	EXTERNAL
40446	FOREX PRINT - WHITE FILMED	1220 x 2440mm 2mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40447	FOREX PRINT - WHITE FILMED	1560 x 3050mm 2mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
42453	FOREX PRINT - WHITE FILMED	1220 x 2440mm 3mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40451	FOREX PRINT - WHITE FILMED	1220 x 3050mm 3mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40449	FOREX PRINT - WHITE FILMED	1560 x 3050mm 3mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40450	FOREX PRINT - WHITE FILMED	2030 x 3050mm 3mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
42473	FOREX PRINT - WHITE FILMED	1220 x 2440mm 5mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40454	FOREX PRINT - WHITE FILMED	1220 x 3050mm 5mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40453	FOREX PRINT - WHITE FILMED	1560 x 3050mm 5mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40455	FOREX PRINT - WHITE FILMED	2030 x 3050mm 5mm	0.43	1 SIDE	B1 / M1 / C-S3-D0	YES
40458	FOREX PRINT - WHITE FILMED	1220 x 2440mm 10mm	0.43	1 SIDE	M1 / C-S3-D0 / CLASS 1	YES
40457	FOREX PRINT - WHITE FILMED	1560 x 3050mm 10mm	0.43	1 SIDE	M1 / C-S3-D0 / CLASS 1	YES
15513	FOREX PRINT - WHITE DUAL LINERS	1220 x 2440mm 3mm	0.43	2 SIDES	B1 / M1 / C-S3-D0	YES
15527	FOREX PRINT - WHITE DUAL LINERS	1220 x 2440mm 5mm	0.43	2 SIDES	B1 / M1 / C-S3-D0	YES

ITEM NUMBER	DESCRIPTION	DIMENSIONS	DENSITY	FILMED	FIRE RATING	EXTERNAL
40424	SMART-X	1220 x 2440mm 5mm	0.2	1 SIDE	NO	YES
40425	SMART-X	1220 x 3050mm 5mm	0.2	1 SIDE	NO	YES
87608	SMART-X	1560 x 3050mm 5mm	0.2	1 SIDE	NO	YES
40426	SMART-X	1220 x 2440mm 10mm	0.2	1 SIDE	NO	YES
40428	SMART-X	1220 x 3050mm 10mm	0.2	1 SIDE	NO	YES
87609	SMART-X	1560 x 3050mm 10mm	0.2	1 SIDE	NO	YES
87610	SMART-X	1220 x 2440mm 19mm	0.2	2 SIDES	NO	YES

## FOAM CENTRED AND DISPLAY RANGE GRID

ITEM NUMBER	DESCRIPTION	DIMENSIONS	DENSITY	FILMED	FIRE RATING	EXTERNAL
61103	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	762 x 1016mm 3mm	0.05	NO	NO	NO
61104	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	841 x 594mm 3mm	0.05	NO	NO	NO
87580	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1016 x 1524mm 3mm	0.05	NO	NO	NO
87582	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	420 x 297mm 5mm	0.044	NO	NO	NO
61105	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	594 x 420mm 5mm	0.044	NO	NO	NO
61106	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	841 x 594mm 5mm	0.044	NO	NO	NO
87588	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	762 x 1016mm 5mm	0.044	NO	NO	NO
87589	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1000 x 1400mm 5mm	0.044	NO	NO	NO
87590	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1016 x 1524mm 5mm	0.044	NO	NO	NO
73805	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1220 x 1845mm 5mm	0.044	NO	NO	NO
87594	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1220 x 2440mm 5mm	0.044	NO	NO	NO
87595	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1220 x 2440mm 5mm	0.044	NO	NO	NO
87596	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1530 x 3050mm 5mm	0.044	NO	NO	NO
87599	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1016 x 1524mm 10mm	0.042	NO	NO	NO
87600	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1220 x 2440mm 10mm	0.042	NO	NO	NO
87602	FOAM-X PRINT - FOAM CENTRED BRIGHT WHITE	1530 x 3050mm 10mm	0.042	NO	NO	NO

ITEM NUMBER	DESCRIPTION	DIMENSIONS	DENSITY	FILMED	FIRE RATING	EXTERNAL
14379	KAPA®COLOR - BLACK TWO COLOURED CELL CARTON SURFACES	700 x 1000mm 5mm	0.055	1 SIDE	NO	NO
54707	KAPA®FIX - ALUMINIUM REINFORCED, ONE-SIDE SELF-ADHESIVE	700 x 1000mm 3mm	0.055	1 SIDE	B2	NO
14363	KAPA®FIX - ALUMINIUM REINFORCED, ONE-SIDE SELF-ADHESIVE	700 x 1000mm 5mm	0.047	1 SIDE	B2	NO
14359	KAPA®FIX - ALUMINIUM REINFORCED, ONE-SIDE SELF-ADHESIVE	1000 x 1400mm 5mm	0.047	1 SIDE	B2	NO
10259	KAPA®LINE - CHROMO SUBSTITUTE LINERS	700 x 1000mm 3mm	0.055	NO	NO	NO
25939	KAPA®LINE - CHROMO SUBSTITUTE LINERS	594 x 841mm 5mm	0.047	NO	NO	NO
14345	KAPA®LINE - CHROMO SUBSTITUTE LINERS	700 x 1000mm 5mm	0.047	NO	NO	NO
10260	KAPA®LINE - CHROMO SUBSTITUTE LINERS	762 x 1016mm 5mm	0.047	NO	NO	NO
14336	KAPA®LINE - CHROMO SUBSTITUTE LINERS	1000 x 1400mm 5mm	0.047	NO	NO	NO
10261	KAPA®LINE - CHROMO SUBSTITUTE LINERS	1016 x 1524mm 5mm	0.047	NO	NO	NO
49424	KAPA®LINE - CHROMO SUBSTITUTE LINERS	1220 x 2440mm 5mm	0.047	NO	NO	NO
82655	KAPA®LINE - CHROMO SUBSTITUTE LINERS	1530 x 3050mm 5mm	0.047	NO	NO	NO
11675	KAPA®LINE - CHROMO SUBSTITUTE LINERS	1016 x 1524mm 10mm	0.045	NO	NO	NO
40404	KAPA®LINE - CHROMO SUBSTITUTE LINERS	1220 x 2440mm 10mm	0.045	NO	NO	NO
40405	KAPA®LINE - CHROMO SUBSTITUTE LINERS	1530 x 3050mm 10mm	0.045	NO	NO	NO
98718	KAPA®TECH - ALUMINIUM SKINS	2500 x 1250mm 5mm	0.08	2 SIDES	B2 / CLASS O	YES
98720	KAPA®TECH - ALUMINIUM SKINS	3050 x 1250mm 5mm	0.08	2 SIDES	B2 / CLASS O	YES
98722	KAPA®TECH - ALUMINIUM SKINS	2500 x 1250mm 10mm	0.075	2 SIDES	B2 / CLASS O	YES
98724	KAPA®TECH - ALUMINIUM SKINS	3050 x 1250mm 10mm	0.075	2 SIDES	B2 / CLASS O	YES
14380	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	700 x 1000mm 5mm	0.047	NO	B2	NO
14381	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	1000 x 1400mm 5mm	0.047	NO	B2	NO
48707	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	1016 x 1524mm 5mm	0.047	NO	B2	NO
91292	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	1220 x 2440mm 5mm	0.047	NO	B2	NO
82657	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	1530 x 3050mm 5mm	0.047	NO	B2	NO
14384	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	1000 x 1400mm 10mm	0.05	NO	B2	NO
40410	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	1220 x 2440mm 10mm	0.05	NO	B2	NO
35052	KAPA®MOUNT - ALUMINIUM REINFORCED LINERS	1530 x 3050mm 10mm	0.05	NO	B2	NO
18759	KAPA®PLAST - WHITE PLASTIC COATED COVER LAYERS	1000 x 1400mm 5mm	0.055	NO	NO	NO
40406	KAPA®PLAST - WHITE PLASTIC COATED COVER LAYERS	1220 x 2440mm 5mm	0.055	NO	NO	NO
82656	KAPA®PLAST - WHITE PLASTIC COATED COVER LAYERS	1530 x 3050mm 5mm	0.055	NO	NO	NO
40407	KAPA®PLAST - WHITE PLASTIC COATED COVER LAYERS	1530 x 3050mm 10mm	0.05	NO	NO	NO
40413	KAPA®TEX - CANVAS LOOK SURFACE	1400 x 3000mm 5mm	0.05	NO	NO	NO

ITEM NUMBER	DESCRIPTION	DIMENSIONS	DENSITY	FILMED	FIRE RATING	EXTERNAL
46085	DISPA BOARD - BRIGHT WHITE	1840 x 1250mm 3800mic/800gsm	N/A	NO	NO	NO
46086	DISPA BOARD - BRIGHT WHITE	2450 x 1250mm 3800mic/800gsm	N/A	NO	NO	NO
46087	DISPA BOARD - BRIGHT WHITE	1016 x 1524mm 3800mic/800gsm	N/A	NO	NO	NO
46088	DISPA BOARD - BRIGHT WHITE	3048 x 1524mm 3800mic/800gsm	N/A	NO	NO	NO

## OUR LATEST PRODUCT RANGES, AVAILABLE IN YOUR POCKET!



Download our **FREE** **Antalis DocuCloud App** from your app store now and keep up to date with

our latest ranges along with access to exclusive content and videos. Available for Smartphone, Tablet and PC\*.

\*PC's must be running Windows 10



## Our Branches

### PRINT

#### Anglia

Tel: 0370 607 3103  
Fax: 0370 607 3158  
email: anglia@antal.co.uk

#### Midlands

Tel: 0370 607 3106  
Fax: 0370 607 3160  
email: midlands@antal.co.uk

#### North West

Tel: 0370 607 3112  
Fax: 0370 607 3166  
email: northwest@antal.co.uk

#### Northern Ireland

Tel: 02890 847 700  
Fax: 02890 847 716  
email: belfastsales@antal.co.uk

#### Scotland

Tel: 0370 607 3108  
Fax: 0370 607 3162  
email: scotland@antal.co.uk

#### South East

Tel: 0370 607 3143  
Fax: 0370 607 3154  
email: southeast@antal.co.uk

#### South West

Tel: 0370 607 3110  
Fax: 0370 607 3164  
email: southwest@antal.co.uk

#### West

Tel: 0370 607 3102  
Fax: 0370 607 3157  
email: west@antal.co.uk

#### Yorkshire

Tel: 0370 607 3107  
Fax: 0370 607 3161  
email: yorkshire@antal.co.uk

### REPUBLIC OF IRELAND

Tel: 01 876 3188  
Fax: 01 856 7111  
email: dublin@antal.ie

### OFFICE SUPPLIES

#### North

Tel: 0370 607 3132  
Fax: 0370 607 3178  
email: office.n@antal.co.uk

#### South East

Tel: 0370 607 3132  
Fax: 0370 607 3171  
email: office.se@antal.co.uk

#### South West

Tel: 0370 607 3132  
Fax: 0370 607 3171  
email: office.sw@antal.co.uk

#### Consumer

Tel: 0370 243 0645  
Fax: 0370 607 3178  
email: digital.sales@antal.co.uk

#### Antalis Key Accounts

Tel: 01530 517 200  
Fax: 01530 517 127  
email: keyaccounts@antal.co.uk

### SIGN & DISPLAY

Tel: 01925 868 650  
Fax: 01925 868 670  
email: signanddisplay@antal.co.uk

### PACKAGING

#### North

Tel: 0370 241 1449  
Fax: 0370 609 9889  
email: wrteam@antal.co.uk

#### South

Tel: 0370 241 1450  
Fax: 0370 607 3144  
email: pkteam@antal.co.uk

### CUSTOMER SOLUTIONS

Tel: 0203 117 1600  
Fax: 0203 117 1601  
email: customer\_solutions@antal.co.uk

### PAPER DESK FOR DESIGNERS

Tel: 0370 600 4400  
email: paperdesk@antal.co.uk

Printed on Cover: Cocoon Silk 100 250gsm  
Text: Cocoon Silk 100 150gsm



The mark of  
responsible forestry

We market certified products.

March 2016  
Part Number 75848



**Antalis Limited**  
Interlink Way West,  
Coalville,  
Leicestershire LE67 1LE  
Tel: 0370 607 9014  
Fax: 01530 505 058  
contact@antal.co.uk  
antal.co.uk

antal <sup>TM</sup>  
Just ask Antalis