



DRYTAC LARGE FORMAT GRAPHICS

EASY REFERENCE GUIDE



DRYTAC®

antalis^{EM}
Just ask Antalis

LARGE FORMAT GRAPHICS EASY REFERENCE GUIDE

ANTALIS OFFER AN EXTENSIVE DRYTAC RANGE OF LARGE FORMAT DISPLAY MATERIALS: LAMINATES, MOUNT FILM & NEW SPECIALIST PRINT VINYLs. AVAILABLE IN A WIDE RANGE OF FINISHES, TEXTURES & SIZES AND SUITABLE FOR INDOOR AND OUTDOOR APPLICATIONS SUCH AS SIGNAGE, POINT OF SALE, PROMOTIONAL DISPLAYS & WINDOW GRAPHICS.

LAMINATES



SHORT TERM

Promotional graphics

A range of laminates that offer a cost effective solution to the finishing of short term graphics.



MEDIUM TERM

Display graphics

Laminates with added UV inhibitors designed to add protection and finishing to medium term internal & external graphics.



LONG TERM

External graphics with additional UV protection

Durable laminates designed with hard wearing face films, external grade adhesives and extra UV inhibitors. Perfect for applications where longevity is key.



EXHIBITION

Pop-up, Roll-up graphics


Textured films for internal and external POP and POS Displays. These films will protect from abrasion and offer a non reflective surface ideal for exhibition displays.



ECO

Recyclable films

Environmentally friendly films designed for short term POS displays and graphics. Can be recycled and disposed of through standard waste disposal means, providing excellent cost savings.




SPECIALIST APPLICATION

Dry Wipe/Floorgraphics/Anti Scratch/Anti Graffiti/Chalkboard

A variety of films designed to offer solutions for bespoke applications. Creates the perfect surface for writing, protects against graffiti and scratching and provides other specialist finishes.

MOUNT FILM

Double sided adhesives that offer solutions for the mounting of graphics onto a variety of surfaces.



STANDARD DOUBLE SIDED

Permanent or removable mounting of graphics & photographic prints onto sheets & boards.

OPTICALLY CLEAR

Face mount graphics onto clear substrates.

SPECIALIST PRINTABLE VINYL

A range of specialist printable vinyls suitable for printing on Eco Solvent / Latex and UV print technologies.



HIGH TACK

POLAR™ HIGRAB

PVC film with specialised solvent adhesive designed to obscure and stick onto most difficult flat surfaces (e.g. Wall wrap).

EASY APPLY

SPOTON™ & VIZIPRINT® IMPRESS

A range of white PVC & optically clear polyester films with specialised adhesives for easy air free application onto flat surfaces, saving time & money.



REPOSITIONABLE

RETAC® & POLAR™ SURFACETAC

PVC adhesive films with specialised adhesives enabling graphics to be easily repositioned, re-used and removed.

FLOORGRAPHICS

FLOORTAC™

PVC film designed to adhere to a range of sealed floor surfaces. Forms a matched warranted system with Drytac Emerytex and Scuffguard anti slip laminates.



Download the CP Clicker app and scan the page to explore further

DRYTAC LAMINATES

| STANDARD - SHORT TERM | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|-----------------------|---------------|-----|--------------------------|------------------------|-----------------|
| Dynamic | Monomeric PVC | 70 | Gloss / Matt / Sandgrain | 1 (Gloss 2) | Solvent Acrylic |

| STANDARD - MID TERM | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|---------------------|---------------|--------|-----------------------------------|------------------------|------------------------|
| Protac™ UV | Monomeric PVC | 100 | Gloss / Matte / Lustre | 3+ | Solvent Acrylic (HCW*) |
| Interlam™ Pro | Monomeric PVC | 70-100 | Gloss / Matte / Emerytex / Lustre | 3+ | Aqueous Acrylic |

| STANDARD - LONG TERM | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|----------------------|---------------|-----|-------------------------|------------------------|------------------------------|
| Weathershield® | Polymeric PVC | 75 | Glossy / Matte / Lustre | 5+ | Solvent Acrylic cross linked |

| EXHIBITION & FLOOR GRAPHICS | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|-----------------------------|---------------|-----|---------------------|------------------------|------------------------------|
| Interlam™ Pro Emerytex® UV | Monomeric PVC | 125 | Matte Pebble Finish | 3+** | Aqueous Acrylic |
| Weathershield® Emerytex® | Polymeric PVC | 125 | Matte Pebble Finish | 5+** | Solvent Acrylic cross linked |
| Protac™ ScuffGuard | Monomeric PVC | 150 | Matte | 2** | Solvent Acrylic |

| ECO-FRIENDLY | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|------------------|----------------------|--------|-----------------------------------|------------------------|-----------------|
| Interlam™ Eco™ | Polypropylene | 40-105 | Gloss / Matte / Lustre / Textured | Indoor only | Aqueous Acrylic |
| Interlam™ Bio™ | Cellulose base | 50 | Gloss / Matte | Indoor only | Aqueous Acrylic |
| Interlam™ Castex | Polypropylene - Cast | 120 | Textured | Indoor only | Aqueous Acrylic |

| SPECIALIST | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|-------------------------------|---------------------------|-----|-----------------------|------------------------|------------------------|
| Protac™ Scribe | Polypropylene | 40 | Gloss | 2 | Aqueous Acrylic |
| Protac™ Anti-Scratch Matte UV | Monomeric PVC | 105 | Matte | 3 | Solvent Acrylic (HCW*) |
| Protac™ Anti-Graffiti UV | Polyester | 20 | High Gloss | 3 | Solvent Acrylic (HCW*) |
| Protac™ Ultra Gloss UV | Optically Clear Polyester | 50 | Ultra Gloss | 3+ | Solvent Acrylic |
| Protac™ High Gloss UV | Clear Polyester | 36 | High Gloss | 3+ | Solvent Acrylic |
| Protac™ Canvastex | Monomeric PVC | 100 | Canvas Textured | 3+ | Solvent Acrylic |
| Protac™ Linentex UV | Monomeric PVC | 100 | Linen Textured | 3+ | Solvent Acrylic |
| Protac™ Sheentex™ | Monomeric PVC | 100 | Satin Pebble Textured | 2 | Solvent Acrylic |
| Protac™ Steel | Monomeric PVC | 80 | Steel Textured | 2 | Solvent Acrylic |
| Interlam™ Pro Leather UV | Monomeric PVC | 150 | Leather Textured | 1 | Aqueous Acrylic |
| ChalkMate™ | Monomeric PVC | 180 | Chalkboard | Indoor only | Aqueous Acrylic |

*HCW = Heavy Coat Weight of Adhesive ideal for laminating UV Prints available on certain sizes & finishes
** Lifespan subject to application - Floor graphic between 3-6 months traffic dependent

| APPLICATION | FLAT PANEL | 2D | FIRE RATING | SLIP RATING |
|---|------------|----|-------------|-------------|
| Short term photographic prints, POS/POP displays and general signage. | Y | N | N | N/A |

| APPLICATION | FLAT PANEL | 2D | FIRE RATING | SLIP RATING |
|---|------------|----|-------------|-------------|
| Medium Term photo prints, POP displays, promotional displays and event signage. | Y | N | Class O | N/A |
| UV protected Ideal for high-volume POP displays & photos. | Y | N | Class O | N/A |

| APPLICATION | FLAT PANEL | 2D | FIRE RATING | SLIP RATING |
|--|------------|----|-------------|-------------|
| Outdoor signage or high-end indoor graphics. | Y | Y | Class O | N |

| APPLICATION | FLAT PANEL | 2D | FIRE RATING | SLIP RATING |
|--|------------|----|-------------|-------------|
| Abrasion protection for graphics suitable for exhibition & floorgraphics. | Y | N | Class O | R9 |
| Abrasion & UV protection suitable for Outdoor Applications in busy public areas. | Y | Y | Class O | R9 |
| Tough Abrasion protection for high traffic displays & floor graphics. | Y | N | N | R10 |

| APPLICATION | FLAT PANEL | 2D | FIRE RATING | SLIP RATING |
|---|------------|----|-------------|-------------|
| Recyclable POP display, suitable for short term indoor signage. | Y | N | N | N |
| Bio Degradable film for POP & short term Indoor Signage. | Y | N | N | N |
| Recyclable robust short term Floor graphics. | Y | N | N | R10 |

| APPLICATION | FLAT PANEL | 2D | FIRE RATING | SLIP RATING |
|--|------------|----|-------------|-------------|
| Dry erase film where you need to write on and erase. | Y | N | N | N |
| Non marking anti scratch film protects from damage & blemishes. | Y | N | Class O | N |
| Protective Film allows for easy removal of graffiti paint. | Y | N | Class 1 | N |
| Ultra High Gloss adds depth & detail to any graphic image or photographic print | Y | N | N | N |
| High Gloss adds depth & detail to any graphic image or photographic print | Y | N | N | N |
| Canvas effect finish for photographic images. | Y | N | Class O | N |
| Linen effect finish for photographic & graphic images. | Y | N | Class O | N |
| Satin pebble effect finish for high traffic indoor display areas such as placemats & counter pads. | Y | N | Class O | N |
| Brushed steel effect for tradeshow graphics & prints. | Y | N | Class O | N |
| Leather texture effect for graphics and book and album covers. | Y | N | N | N |
| Chalk writeable vinyl in Black & Green suitable for menus, blackboards, walls etc | Y | N | N | N |

DRYTAC MOUNT FILM

| OPTICALLY CLEAR | TYPE | MIC | LINER | LIFESPAN UP TO (YEARS) |
|-----------------|---------------------------|-----|-----------------|------------------------|
| Facemount® | Optically Clear Polyester | 25 | Clear Polyester | 2 yr outdoor |
| Synart | Optically Clear Polyester | 12 | Clear Polyester | 1 yr outdoor |

| STANDARD MOUNT FILM | TYPE | MIC | LINER | LIFESPAN UP TO (YEARS) |
|---------------------|-----------------|------|--------------------|------------------------|
| MediaTac™ | Clear Polyester | 12.5 | Kraft / Self wound | Indoor only |

| SPECIAL MOUNT FILM | TYPE | MIC | LINER | LIFESPAN UP TO (YEARS) |
|--------------------|-------------------------------|-----|-----------------------------|------------------------|
| UltraTac™ | Clear Polyester High Tack | 12 | Kraft / Self wound | Indoor only |
| TwinTac™ | Clear PVC Film | 50 | Kraft / Kraft | Indoor only |
| RemoTac™ | Clear Polyester Film | 13 | Self wound / Kraft | 3 months |
| WindowTac® | Visually Clear Polyester Film | 23 | Kraft / Emboss Polyethelene | Indoor only |

SPECIALIST DIGITAL PRINT VINYLs

| HIGH TACK | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|---------------|---------------|-----|--------|------------------------|------------------------------------|
| Polar™ HiGrab | Monomeric PVC | 100 | Matt | 4 | HiTack Solvent Acrylic Grey Opaque |

| EASY APPLY | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|-----------------------------|---------------------------|-----|------------------|------------------------|---------------------------------|
| SpotOn™ | Monomeric PVC | 100 | Matt/Gloss/Clear | 1 | Dot Pattern Polyacrylate |
| Viziprint Impress Clear UV | Optically Clear Polyester | 100 | Gloss Clear | 3 | Proprietary Adhesion Technology |
| Viziprint Impress Clear SEL | Optically Clear Polyester | 125 | Gloss Clear | 3 | Proprietary Adhesion Technology |

| REPOSITIONABLE | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|-------------------|---------------|-----|------------|------------------------|-------------------------------------|
| ReTac® 75 | Polymeric PVC | 75 | Gloss/Matt | 2 | LowTack Polyacrylate |
| ReTac® 150 | Polymeric PVC | 150 | Matt | 2 | LowTack Polyacrylate |
| Polar™ SurfaceTac | Monomeric PVC | 80 | Matt | 2 | LowTack Solvent Acrylic opaque grey |

| FLOORGRAPHICS | TYPE | MIC | FINISH | LIFESPAN UP TO (YEARS) | ADHESIVE |
|---------------|---------------|-----|------------|------------------------|----------------------------|
| FloorTac™ | Polymeric PVC | 100 | Gloss/Matt | Indoor | Removable Acrylic Adhesive |

*Print type:
UV = UV Curable
LX = Latex
S = Eco Solvent / Solvent

| ADHESIVE | APPLICATION |
|-----------------------------|---|
| Solvent Acrylic (Perm/Perm) | Face mount onto clear substrates such as Glass & PETG, Acrylic. |
| Solvent Acrylic (Perm/Perm) | Economy Face mount onto clear substrates such as PETG & Glass. |

| ADHESIVE | APPLICATION |
|-----------------------------|--|
| Aqueous Acrylic (Perm/Perm) | High volume pre-coating of boards such as displayboard & foamboard and image decals. |

| ADHESIVE | APPLICATION |
|--|---|
| Aqueous Acrylic (Perm/Perm) | High tack mount film for mounting onto difficult substrates. |
| Aqueous Acrylic (Perm/Perm) | Mount film with double sided release paper for added protection. |
| Aqueous / solvent Acrylic (Perm/Remov) | Removable adhesive for mounting interchangeable signs and graphics. |
| Aqueous / Aqueous Acrylic (Perm/Remov) | Facemount repositionable graphics onto glass, acrylic & backlit displays. |

| APPLICATION | PRINT TYPE* | PERMANENT | REMOVABLE | FLAT PANEL | 2D | DRY APPLY | WET APPLY | FIRE RATING | MATCHING LAMINATE |
|---|-------------|-----------|-----------|------------|----|-----------|-----------|-------------|-----------------------|
| Adheres & obscures difficult surfaces such as painted & coarse walls. | UV / LX / S | Y | N | Y | N | Y | Y | Class O | Protac / Interlam Pro |

| APPLICATION | PRINT TYPE | PERMANENT | REMOVABLE | FLAT PANEL | 2D | DRY APPLY | WET APPLY | FIRE RATING | MATCHING LAMINATE |
|---|-------------|-----------|-----------|------------|----|-----------|-----------|-------------|-----------------------|
| Easy Apply dot adhesive for bubble free application of short term indoor display graphics. | UV / LX / S | N | Y | Y | N | Y | N | N | Protac / Interlam Pro |
| Easy bubble free dry install of graphics on glass surfaces. Leaves no residue and moisture resistant. | UV | N | Y | Y | N | Y | Y | N | |
| Easy bubble free dry install of graphics on glass surfaces. Leaves no residue and moisture resistant. | UV / LX / S | N | Y | Y | N | Y | Y | N | |

| APPLICATION | PRINT TYPE | PERMANENT | REMOVABLE | FLAT PANEL | 2D | DRY APPLY | WET APPLY | FIRE RATING | MATCHING LAMINATE |
|---|-------------|-----------|-----------|------------|----|-----------|-----------|-------------|-----------------------|
| Repositionable & Re-usable graphics that leave no residue. Partially conformable | UV / LX / S | N | Y | Y | Y | Y | N | Class O | Weathershield |
| Repositionable & Re-usable graphics that leave no residue. | UV / LX / S | N | Y | Y | Y | Y | N | Class O | Weathershield |
| Removable graphics on flat & uneven surfaces including walls, plastic, metal & acrylic. | UV / LX / S | N | Y | Y | Y | Y | Y | Class 3 | Protac / Interlam Pro |

| APPLICATION | PRINT TYPE | PERMANENT | REMOVABLE | FLAT PANEL | 2D | DRY APPLY | WET APPLY | FIRE RATING | MATCHING LAMINATE |
|---|-------------|-----------|-----------|------------|----|-----------|-----------|-------------|-------------------------------------|
| Floor graphics. ASTM approved matched with Emerytex® or ScuffGuard laminates. | UV / LX / S | N | Y | Y | Y | Y | N | N | Weathershield Emerytex / Scuffguard |

PRINT

Anglia

Tel: 0370 607 3103
Fax: 0370 607 3158
email: anglia@antalis.co.uk

Midlands

Tel: 0370 607 3106
Fax: 0370 607 3160
email: midlands@antalis.co.uk

North West

Tel: 0370 607 3112
Fax: 0370 607 3166
email: northwest@antalis.co.uk

Northern Ireland

Tel: 02890 847 700
Fax: 02890 847 716
email: belfastsales@antalis.co.uk

Scotland

Tel: 0370 607 3108
Fax: 0370 607 3162
email: scotland@antalis.co.uk

South East

Tel: 0370 607 3143
Fax: 0370 607 3154
email: southeast@antalis.co.uk

South West

Tel: 0370 607 3110
Fax: 0370 607 3164
email: southwest@antalis.co.uk

West

Tel: 0370 607 3102
Fax: 0370 607 3157
email: west@antalis.co.uk

Yorkshire

Tel: 0370 607 3107
Fax: 0370 607 3161
email: yorkshire@antalis.co.uk

REPUBLIC OF IRELAND

Tel: 01 876 3188
Fax: 01 856 7111
email: dublin@antalis.ie

OFFICE SUPPLIES

North

Tel: 0370 607 3136
Fax: 0370 607 3178
email: office.n@antalis.co.uk

South East

Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.se@antalis.co.uk

South West

Tel: 0370 607 3132
Fax: 0370 607 3171
email: office.sw@antalis.co.uk

Consumer

Tel: 0370 243 0645
Fax: 0370 607 3178
email: digital.sales@antalis.co.uk

Antalis Key Accounts

Tel: 01530 571 200
Fax: 01530 517 127
email: keyaccounts@antalis.co.uk

SIGN & DISPLAY

Tel: 01925 868 650
Fax: 01925 868 670
email: signanddisplay@antalis.co.uk

PACKAGING

Tel: 0370 241 1466
Fax: 0370 60 99 889
email: packaging@antalis.co.uk

CUSTOMER SOLUTIONS

Tel: 0203 117 1600
Fax: 0203 117 1601
email: customer_solutions@antalis.co.uk

PAPER DESK

Tel: 0370 600 4400
email: paperdesk@antalis.co.uk

Printed on Cocoon Silk 100 250gsm



The mark of
responsible forestry

We market certified products.



October 2015 Item code. 74360

Antalis Limited
Interlink Way West,
Coalville, Leicestershire
LE67 1LE
Tel: 0370 607 9014
Fax: 01530 505 058
email: contact@antalis.co.uk
antalis.co.uk

antalis 
Just ask Antalis