





Great selection for great ideas.

Antalis McNaughton have chosen state of the art products for all your Large Format Printing applications. Our Coala collection is rich and diverse, containing substrates for both indoor and outdoor applications including a broad range of papers, self-adhesive, banners, textiles, wallpapers and many more innovative media. Chosen specifically to deliver excellent performance at value for money prices.



The Coala range is user-friendly and compatible for all popular ink types, its products offer exceptional printing capabilities, ease of application and green credentials allowing you to focus on creating and delivering premium quality print jobs at competitive prices whilst ensuring the highest environmental standards. Do you need a specific media for a specific LFP application? Just Ask Antalis McNaughton.



SOLVENT BASED



MEDIA FOR SOLVENT-BASED

ADHESIVES

	THICKNESS (mic)	FACE FILM	COLOUR & FINISH	ADHESIVE TYPE	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala 1D 80 Gloss P	80	Monomeric	White Gloss	Acrylic Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 100 Gloss P	100	Monomeric	White Gloss	Acrylic Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 80 Matt P	80	Monomeric	White Matt	Acrylic Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 100 Matt P	100	Monomeric	White Matt	Acrylic Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 80 Gloss PG	80	Monomeric	White Gloss	Acrylic Permanent Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 100 Gloss PG	100	Monomeric	White Gloss	Acrylic Permanent Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 80 Matt PG	80	Monomeric	White Matt	Acrylic Permanent Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 100 Matt PG	100	Monomeric	White Matt	Acrylic Permanent Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 80 Gloss RG	80	Monomeric	White Gloss	Acrylic Removable Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 100 Gloss R	100	Monomeric	White Gloss	Acrylic Removable Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 80 Matt RG	80	Monomeric	White Matt	Acrylic Removable Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D 100 Matt R	100	Monomeric	White Matt	Acrylic Removable Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 2D Gloss P	75	Polymeric	White Gloss	Solvent Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 2D Gloss R	75	Polymeric	White Gloss	Solvent Removable Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 2D Gloss PG	75	Polymeric	White Gloss	Solvent Permanent Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 2D Cast-killer	60	Polymeric soft	White Gloss	Micro-structured Solvent Permanent Grey	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 2D Air Free	75	Polymeric	White Gloss	Solvent Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D Lam Gloss	80	Monomeric	Transparent Gloss	Acrylic Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D Lam Matt	80	Monomeric	Transparent Matt	Acrylic Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 2D Lam Gloss	75	Polymeric	Transparent Gloss	Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 2D Lam Matt	75	Polymeric	Transparent Matt	Permanent Clear	1050 / 1370 / 1520	50	SOL / UV / LX
Coala 1D Air Free Gloss	100	Monomeric	White Gloss	Micro-structured Solvent Permanent Clear	1370 / 1520	50	SOL / UV / LX
Coala 1D Air Free Transparent	100	Monomeric	Transparent Matt	Micro-structured Solvent Permanent Clear	1370 / 1520	50	SOL / UV / LX

FILMS

	MATERIAL	THICKNESS (mic)	SURFACE	GREEN CREDENTIAL	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Roll-Up PET S	Polyester	160	Matt	PVC Free / Recyclable PET	914 / 1067 / 1270 / 1520	30	SOL / UV / LX
Coala Roll-Up PP S	Polypropylene	195	Matt	PVC Free / Recyclable PP	914 / 1270 / 1524	30	SOL / UV / LX
Coala Pop-Up PET S	Polyester	340	Matt	PVC Free / Recyclable PET	914	20	SOL / UV / LX
Coala Backlit S	Polyester	205	Matt	PVC Free / Recyclable PET	914 / 1270 / 1524	30	SOL / UV / LX

TEXTILES

	MATERIAL	GRAMMAGE (gsm)	APPLICATION	GREEN CREDENTIAL	FIRE RATING	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Backlit Textile	Polyester	145	Backlits	OekoTex / PVC Free / Recyclable PET	B1	1370 / 1520 / 1620 / 2500 / 3100	50	SOL / UV
Coala Display Textile	Polyester	145	Display / Roll-Ups	OekoTex / PVC Free / Recyclable PET	B1	1000	30	SOL / UV / LX
Coala Double Side Textile	Polyester	270	Double sided banners	OekoTex / PVC Free / Recyclable PET	B1	1520	50	SOL / UV / LX
Coala Wallcover Textile	Polyester	360	Wall cover	OekoTex / PVC Free / Recyclable PET	B1	1000	30	SOL / UV / LX
Coala In & Out Textile	Polyester	185	Aluminium Frames / Inflatables / Outdoor banners	OekoTex / PVC Free / Recyclable PET	B1	1000 / 1370 / 1520 / 1620 / 2500 / 3100	50	SOL / UV / LX
Coala Art Light Textile	Polyester	180	Indoor frontlit banners	OekoTex / PVC Free / Recyclable PET	B1 & M1	1030 / 1370 / 1520 / 1620 / 2500 / 3100	50	SOL / UV / LX
Coala Art Heavy Textile	Polyester	280	Indoor frontlit banners	OekoTex / PVC Free / Recyclable PET	B1	1030 / 1370 / 1520 / 1620 / 2500 / 3100	50	SOL / UV / LX
Coala Canvas S	Polycotton	310	Canvas	PVC Free		1270 / 1370 / 1524	22,86	SOL / UV / LX
Coala Roll-up Textile S	PVC coated polyester	315	Roll-Ups		B1	1000 / 1600	50	SOL / UV / LX

BANNERS

	GRAMMAGE (gsm)	FINISH	FIRE RATING	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Frontlit Premium	450	Matt	B1 or M1	1100 / 1370 / 1600 / 2500 / 3200	25 / 50	SOL / UV / LX
Coala Frontlit Standard	440	Matt	B1	1370 / 1600 / 2500 / 3200	25 / 50	SOL / UV / LX
Coala Roll-up Banner	370	Matt	B1	1000 / 1600	25 / 50	SOL / UV / LX


PAPERS

	GRAMMAGE (gsm)	SURFACE	GREEN CREDENTIAL	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Poster Gloss	135	Gloss	FSC® and Recyclable	1372 / 1600	61	SOL / UV / LX
Coala Poster Satin	135	Satin	FSC® and Recyclable	1372 / 1600	61	SOL / UV / LX
Coala Poster Semi-Gloss	200	Semi gloss	FSC® and Recyclable	1372 / 1600	50	SOL / UV / LX
Coala Blueback	120	Satin	FSC® and Recyclable	1270 / 1372 / 1600	61	SOL / UV / LX
Coala Photo Satin S	225	Satin	PEFC / Recyclable	1372 / 1600	50	SOL / UV / LX
Coala Citylight	150	Satin	Recyclable	1270 / 1372 / 1600	100 (also 300 / 600 for 1600)	SOL / UV / LX
Coala Blueback UV	115	Satin	Recyclable	1270 / 1372 / 1600	100 (also 300 / 600 for 1600)	SOL / UV

SPECIALITIES

	MATERIAL	GRAMMAGE / THICKNESS	APPLICATION	GREEN CREDENTIAL	FIRE RATING	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Quickstick UV	PVC	360 mic	Repositionable self-adhesive semi-rigid PVC for applications on smooth or structured surface		B1	1040	20	UV
Coala Quickstick S	PVC	360 mic	Repositionable self-adhesive semi-rigid PVC for applications on smooth or structured surface			1020	20	SOL
Coala Supertack	PVC	96 mic	High Tack for Hard-To-Stick Surfaces			1020	20	SOL / UV / LX
Coala X-Tac S	Polypropylene	230 mic	Sticks with no residue. You can't feel the adhesive	Recyclable PP		1270	30	SOL / UV / LX
Coala Event Walk	Embossed Vinyl	457 mic	Embossed antislip vinyl for floor graphics			1300	30,48	SOL / UV / LX
Coala One Way Vision	Monomeric Vinyl	160 mic	One Way Vision Vinyl white gloss with permanent clear solvent based acrylic adhesive			1372 / 1520	50	SOL / UV / LX
Coala DecoWall S	Non woven Wallpaper	210 gsm	Non woven Wallpaper	PVC Free	B1	1067	50	SOL / UV / LX
Coala Sticky Wall S	Non woven Wallpaper	210 gsm	Non woven Wallpaper with semi permanent adhesive	PVC Free	B1	1067	50	SOL / UV / LX





WATERBASED

MEDIA FOR WATERBASED

ADHESIVES

	THICKNESS (mic)	FACE FILM	COLOUR & FINISH	ADHESIVE TYPE	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Vinyl W	100	Monomeric	White Matt	Permanent clear	914 / 1067 / 1270 / 1524	20	WB

FILMS

	MATERIAL	THICKNESS (mic)	SURFACE	GREEN CREDENTIAL	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Roll-Up PET W	Polyester	160	Matt	PVC Free / Recyclable PET	914 / 1067 / 1270 / 1520	30	WB / LX / UV
Coala Roll-Up PP W	Polypropylene	200	Matt	PVC Free / Recyclable PP	914 / 1270 / 1524	30	WB / LX / UV
Coala Pop-Up PET W	Polyester	350	Matt	PVC Free / Recyclable PET	914	20	WB / LX / UV
Coala Backlit W	Polyester	215	Matt	PVC Free / Recyclable PET	914 / 1270 / 1524	30	WB / LX / UV

TEXTILES

	MATERIAL	GRAMMAGE (gsm)	APPLICATION	GREEN CREDENTIAL	FIRE RATING	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Canvas PET W	Polyester	250	Canvas	PVC Free / Recyclable PET		1100 / 1520	18 in 1100 & 30 in 1520	WB / UV / LX
Coala Canvas W	Polycotton	340	Canvas	PVC Free		610 / 914 / 1067 / 1118 / 1270 / 1524	15	WB
Coala Roll-Up Textile W	Polyester	290	Roll-Up	PVC Free / Recyclable PET	B1	914 / 1067	30	WB

PAPERS

	GRAMMAGE (gsm)	SURFACE	GREEN CREDENTIAL	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Prepress	90	Matt	FSC® and Recyclable	610 / 841 / 914 / 1067	45*	WB
Coala Matt Coated 120	120	Matt	FSC® and Recyclable	610 / 914 / 1067 / 1270 / 1372 / 1524	30	WB
Coala Matt Coated 180	180	Matt	Recyclable	610 / 914 / 1067 / 1270 / 1372 / 1524	30	WB / SOL
Coala Photo Matt	180	Matt	Recyclable	610 / 914 / 1067 / 1270 / 1524	30	WB / SOL
Coala Photo Gloss 190	190	Gloss	PEFC / Recyclable	610 / 914 / 1067 / 1118 / 1270 / 1524	30 (also 60 for 914 & 1067)	WB
Coala Photo Satin 190	190	Satin	PEFC / Recyclable	610 / 914 / 1067 / 1118 / 1270 / 1524	30 & 60 (only 30 for 1118)	WB
Coala Photo Gloss 240	240	Gloss	PEFC / Recyclable	610 / 914 / 1067 / 1118 / 1270 / 1372 / 1524	30	WB
Coala Photo Satin 240	240	Satin	PEFC / Recyclable	610 / 914 / 1067 / 1118 / 1270 / 1372 / 1524	30	WB

* Other lengths available

SPECIALITIES

	MATERIAL	GRAMMAGE / THICKNESS	APPLICATION	GREEN CREDENTIAL	FIRE RATING	WIDTH (mm)	LENGTH (m)	PRINTABILITY
Coala Quickstick W	PVC	360 mic	Repositionable self-adhesive semi-rigid PVC for applications on smooth or structured surface		B1	1020	20	WB
Coala X-Tac W	Polypropylene	230 mic	Innovative 230 mic PP film. Sticks with no residue to all flat surfaces. You can't feel the adhesive	PVC Free / Recyclable PP		1270	30	WB
Coala DecoWall W	Non woven Wallpaper	210 gsm	Non woven Wallpaper	PVC Free	B1	1067	30	WB
Coala Sticky Wall W	Non woven Wallpaper	210 gsm	Non woven Wallpaper with semi permanent adhesive	PVC Free	B1	1067	50	WB

